PLUMB
Streamlined
TOOLS
for ARMY, NAVY AND ALL INDUSTRIES
CATALOG
No. 19-A

FINE FORGED HAND TOOLS

. . . . . and the company behind them

Behind the Plomb line of today is more than a generation of constructive effort and experience.

Founded in 1907, the Plomb Tool Company has developed from a small "one-man" shop to a great modern organization, occupying a position of prominence and distinction in its field.

Up-to-date in thought and management, with equipment and facilities of the most advanced types, Plomb continues to develop as it fulfills the demands of industry and the nation for fine forged hand tools

. . . . . streamlined tools by Plomb.

General Offices — Plomb Tool Company

CATALOG NUMBER 19-A

PLOMB Streamlined Tools

FOR ARMY, NAVY AND ALL INDUSTRIES

Automotive • Aviation • Railroad
Mining • Oil Country • Plumbing
Marine • Utilities

THE PLOMB GUARANTEE

Plomb Tools are forged from the finest steels, scientifically heat-treated. They are guaranteed to perform the work for which they are designed and intended to be used, and to last as long as is consistent with ordinary wear and tear. Any Plomb Tool that may be found defective in workmanship or material, and is returned to the factory, charges prepaid, will, at our option, be replaced, or repaired, or credited at current prices.

There are a few items listed in the catalog marked "no replacement". They are few and represent tools made extremely light, which will give good lasting service in skilled hands.

PLOMB TOOL COMPANY

Main Office and Plant - 2209 Santa Fe Avenue, Los Angeles, California

EIGHT WAREHOUSE STOCKS THROUGHOUT THE COUNTRY

Atlanta, Ga.
95 Pine St., N. E.
Phone: Main 4522

Dallas, Texas
2810 Main St.
Phone: 7-6128

Los Angeles, Calif.
2209 Santa Fe Ave.
Phone: Jefferson 4181

Pittsburgh, Pa.
5530 Baum Blvd.
Phone: Mayflower 2545

Chicago, Ill.
2312 Indiana Ave.
Phone: Calumet 2312

Kansas City, Mo.
700-708 E. 18th St.
Phone: HA 6068-9

New York, N. Y.
70 West End Ave.
Phone: Trafalger 7-6521-2

Portland, Ore.
925 N. W. Davis St.
Phone: Broadway 6523

SERVING ALL TYPES OF INDUSTRY



Here in Plomb's modern factory are produced tools for the use of discriminating mechanics throughout every industry.

These views will perhaps suggest some of the facilities and equipment that go into the manufacture of tools bearing the famous Plomb Trademark.

A TYPICAL OFFICE ARRANGEMENT AT THE MAIN FACTORY IN LOS ANGELES.

BATTERY OF AUTOMATIC SCREW MACHINES, SOUTH BAY, MAIN FACTORY.





A SECTION OF THE FORGE SHOP.

A VIEW IN THE TOOL AND DIE DEPARTMENT.

PART OF THE STOCK ROOM. FROM HERE PLOMB TOOLS GO TO THE FOUR CORNERS OF THE EARTH.

The PLOMB Ideal

In presenting you with this new edition of the Plomb Tool Catalog, we are certain you will find it useful because in addition to its value as a catalog, it is really a reference book on high quality hand tools.

The Plomb Tool Company has only one mission, namely, to make the finest of fine tools.

Plomb Tools have been designed in a practical way by consultation with mechanics and craftsmen to produce tools that have practical application. They incorporate lightness with safety . . . balance with strength . . . variety with proper design.

As a result Plomb Tools enable mechanics to do more and better work; they last longer and they classify their owner as a man who uses the best. Plomb Tools lend dignity to the mechanic's profession . . . add distinction and prestige.

Plomb Tools have the happy habit of making friends because of the lifetime service they render which makes them less expensive in the long run.

Mechanics who pride themselves on doing a good job and doing it well will find the Plomb Line their best helpmate.

It's Plomb Speed Tools for the day of speed—streamlined!

TOOLMOBILES and SETS

COMPLETE TOOLMOBILE

"The Modern Mobile Work Bench"

Here's the finest tool box your money can buy. It's convenient and impressive—tops for efficient operation. One piece construction with all parts joined by spot welding. Chest 29½" high without castors or piston rack. 28" wide, 17¾" from front to back. Lustrous chinese red enamel finish. Weight complete without tools, 119 pounds, boxed for shipment. Strong as a steel safe. A Plomb Toolmobile saves hours of time and effort. The most popular roller box on the market.

No. 9969-1 TOOLMOBILE with Piston Rack
No. 9969-4 TOOLMOBILE less Piston Rack

SPECIFICATIONS

(1) Bolted on rack, has 16 holes and 8 slots for pistons, valves, and tools.
(2) Large working surface 17¾" x 28".
(3) Barrel lock with locking bar secures everything with one key. Locking bar drops in slot at left out of way when chest is not in use.
(4) Side rail on each side for socket rack.
(5) Drawer 3" deep, complete with adjustable dividers.
(6) Drawer — 5" deep with perforated bottom for easy cleaning and to hold movable partitions.
(7) Drawer — 5" deep. Solid bottom with removable sliding tray.
(8) Large compartment 9½" high. Front panel slides under drawer above.
(9) Ventilators on both sides.
(10) Rounded streamlined corners.
(11) 4" rubber tired, ball bearing castors. Front castors with foot operated brakes.
(12) 6" x 6" steel reinforcement plate under top for attaching light bolt on vise.
(13) All corners reinforced on inside for added strength and rigidity.
(14) All drawers run on ball bearing rollers.

9969—7 Piston Rack for Toolmobile. Weight, 6 lbs.

No. 9969-1 TOOLMOBILE Open

Opposite Page

9969—8 Divider strips (sold in any length up to 22" long, order lengths using overall dimensions).

9969—9 Divider holders.

No. 9969-2 Toolmobile can be secured with just the piston rack and top drawer as illustrated at the right.

This arrangement makes it possible to secure a movable work bench at a cost considerably less than the complete unit. Any or all the drawers needed to complete the Toolmobile may be purchased individually and added to this unit at any time.

Extra drawers are priced upon application only.

The piston rack serves as a fine place to hold tools when not being used for pistons and valves.

No. 9969-3 is the Plomb Toolmobile same as above except minus the piston rack.

This arrangement furnishes one top drawer with barrel lock. Additional drawers, racks, etc., can be purchased if one desires to turn it into a complete Plomb Toolmobile.

No. 9969-4 Toolmobile, less piston rack, not illustrated.

Below — Patented perforated bottom used in the two top drawers of the complete Plomb Toolmobile. Dividers are adjustable and held in place with clips which fasten into perforations, making it possible to partition drawers into compartments for tools of any desired size. Dividers are not original equipment except on the complete Toolmobile 9969-1.



Perforated Drawer



No. 9969-2 TOOLMOBILE

No. 9969-3 TOOLMOBILE

MASTER TOOL SET--No. 9969-1B

Specifications for Master Tool Set--No. 9969-1B

This set was selected with the assistance of one of the country's leading mechanics. . . . Not a store assortment, but a scientifically designed set to give you the most popular tools . . . each one a live item you will use constantly. Remember too, buy your tools in Plomb selected sets and save. This set is listed below.

Tool No.	Description
	Miscellaneous Items
706	Adjustable Wrench
710	"
9782	Phillips Type Screwdriver
9784	"
9786	"
9604	Plastic Handle Screwdriver
9606	"
9622	"
9632	"
9651	"
9702	Wood Handle Screwdriver
9704	"
9706	"
9708	"
9710	"
9712	"
000A	Feeler Gauge Set
30	3/4" Rivet Cutter
36	5/16" Offset Screwdriver
41	3/8" Center Punch
47	1/4"x5/16" Pin Punch
47	5/16"x1/8" "
47	3/8" "
50	1/8" Starting Punch
50	5/16" "
50	3/8" "
50	7/16" "
86A	5/16" Cold Chisel
86A	3/8" "
86A	1/2" "
86A	5/8" "
86A	3/4" "
96	5/16" Drift Punch
96	7/16" "
96	5/8" "
209	Diagonal Plier
247	Slip Joint Plier
218	Battery Plier
235	Ignition Plier
240	Water Pump Plier
2120	Grease Bar
2130	Roll Head Bar
1304	Ball Pein Hammer
1308	"
1316	"
1383	Plastic Tip Hammer
2308	Ring Groove Cleaner
2317	Ring Compressor
2337	Carbon Scraper
2411	Leatherette Kit
4700 A	Set Assorted Midget Tools
9521	Screw Extractor
9522	"
9524	"
351	Hack Saw
MB10	File Mill Bastard
MB12	File "
	Open End and Box Wrenches
1120	5/16"x3/8" Box Wrench
1125	7/16"x1/2" "
1126	1/2"x9/16" "
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1150	1 1/16"x1 1/8" "
1214	7/16" Com. OE & Box Wrench
1216	1/2" "
1218	9/16" "
1220	5/8" "
1222	11/16" "
1224	3/4" "
1228	7/8" "
1230	15/16" "
1232	1" "
3020	5/16"x3/8" Open End Wrench
3025	7/16"x1/2" "
3026	1/2"x9/16" "
3030	9/16"x5/8" "
3035	11/16"x3/4" "
3040	13/16"x7/8" "
3045	15/16"x1" "
3060	1 1/16"x1 1/8" "
3210	13/64"x15/64" Ignition Open End Wrench
3215	7/32"x11/64" Ignition Open End Wrench
3220	9/32"x5/16" Ignition Open End Wrench
3225	11/32"x3/8" Ignition Open End Wrench
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" "
3430	9/16"x5/8" "
3435	11/16"x3/4" "
	Cub Items 3/8" Sq. Drive
5212	3/8" 12-pt. Socket
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5246	Screwdriver Socket
5249	Reversible Ratchet
5260	3 1/2" Extension
5261	7 1/2" "
5265	Hinge Handle 7 3/4" Long
5270	Universal Joint
5275	1/2" Universal Socket
5276	9/16" "
5277	5/8" "
5280	18" Speeder
5297	Socket Rack
	Standard Items 1/2" Sq. Drive
5340	1/2" Deep Socket
5341	9/16" "
5343	5/8" "
5344	11/16" "
5345	3/4" "
5348-S	7/8" "
5349	15/16" "
5351	1" "
5347	1 1/16" "
5414	3/8" 12-pt. Reg. Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5449	Reversible Ratchet
5460	2 1/2" Extension
5461	5" "
5463	10" "
5466	9 1/2" Hinge Handle
5468	18" "
5470	Universal Joint
5480	18" Speed Handle
5497	Socket Rack
	Heavy Duty Items 3/4" Sq. Drive
5536	1 1/8" 12-pt. Socket
5540	1 1/4" "
5542	1 5/16" "
5544	1 3/8" "
5546	1 7/16" "
5548	1 1/2" "
5552	1 5/8" "
5556	1 3/4" "
5661	8" Extension
5663	16" "
5685	Sliding Bar
9969-1	Master Tool Chest

Total of 161 Items

Shipping Weight 201 Lbs

MASTER TOOLMOBILE SET No. 9969-4D



Popular Priced Toolmobile Set--No. 9969-4D

A small compact set of tools in Plomb's famous Toolmobile chassis. Just the set you can add to from time to time—a foundation set and the Toolmobile likewise can be completed by additions into the complete Toolmobile as your requirements necessitate. Buy this set and save money. Contents appear below.

Tool No.	Description
	Miscellaneous Items
000A	Feeler Gauge Set
36	5/16" Offset Screwdriver
41	3/8" Center Punch
47	1/4" Rivet Punch
47	5/16" x 1/4" "
47	3/8" "
50	1/4" Starting Punch
50	5/16" "
50	3/8" "
86A	5/16" Cold Chisel
86A	3/8" "
86A	5/8" "
96	5/16" Drift Punch
96	1/2" "
209	Heavy Duty Diagonal Plier
218	Battery Plier
235	Midget Slip Joint Plier
240	Water Pump Plier
351	Firmback Hack Saw
1306	6 oz. Ball Pein Hammer
1316	1 lb. " " "
1383	Plastic Tipped Hammer
2126	Rolling Head Bar
4700F	Asst. Midget Sockets Set
	Wrenches
1120	5/16" x 3/8" 12-pt. Box Wrench
1125	7/16" x 1/2" "
1130	9/16" x 5/8" "
1135	11/16" x 3/4" "
1140	13/16" x 7/8" "
1145	15/16" x 1" "
1214	7/16" Com. OE & Box Wrench
1216	1/2" "
1218	9/16" "
1220	5/8" "
3020	5/16" x 3/8" Open End Wrench
3025	7/16" x 1/2" "
3030	9/16" x 5/8" "
3035	11/16" x 3/4" "
3040	13/16" x 7/8" "
3045	15/16" x 1" "

Tool No.	Description
3200A	Set—Ignition Open End Wrenches
3425	Tappet Wrench 7/16" x 1/2"
3426	" 1/2" x 9/16"
3430	" 9/16" x 5/8"
	Cub Series 3/8" Sq. Drive
5214	7/16" 12-pt. Socket
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Cub Reversible Ratchet
5261	7 1/2" Extension
5270	Universal Joint
5275	1/2" Universal Socket
5276	9/16" "
5280	18" Speed Handle
	Standard Series 1/2" Sq. Drive
5347	13/16" Deep Socket
5348S	7/8" "
5349	15/16" "
5351	1" "
5414	7/16" 12-pt. Regular Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5449	Standard Reversible Ratchet
5463	10" Extension
5468	18" Hinge Handle
5470	Universal Joint

Tool No.	Description
	Heavy Duty Series 3/4 Sq. Dr.
5534	1 1/16" 12-pt. Reg. Socket
5540	1 1/4" "
5542	1 5/16" "
5546	1 7/16" "
5548	1 1/2" "
5661	8" Extension
5668	22" Hinge Handle
	Miscellaneous Items
9521	1/8" Screw Extractor
9522	1 1/64" "
9524	19/64" "
9702	2 1/2" Wood Handle Screwdriver
9708	8" Wood Handle Screwdriver
9712	12" Wood Handle Screwdriver
9784	Phillips Wood Handle Screwdriver
9804	4" Plastic Handle Sq. Blade Screwdriver
9806	6" Plastic Handle Sq. Blade Screwdriver
9822	2 1/2" Plastic Handle Sq. Blade Screwdriver
9832	4" Plastic Handle Sq. Blade Screwdriver
9843	10" Plastic Handle Sq. Blade Screwdriver
MB-10	Mill Bastard File, 10"
2337	Scraper
9969-4	Plomb Toolmobile (Being 9969-1 less 9969-7)
	Total 111 Items
	(Counting Items in Sets Singly)

Shipping Weight 158 Lbs.



9998 TOOL CHEST

The chest is 27" wide, 20½" high, 12" deep. Top lifts up with clips in lid and generous size compartment for larger tools and coveralls. Front lid drops down out of sight, exposing 4 various sized drawers, each with compartments for small tools and operating on "finger touch" roller glides. Shipping wt. 83 lbs.

The "Wheel-About," No. 9998-1, is the combination of Plomb's Master Tool Chest, No. 9998, and small roller cabinet (Wheel-About Jr.) No. 9998-2. By quick assembly of the two as illustrated above you have the smartest tool cabinet on the market.

It is the streamlined tool cabinet that you have longed for. Saves steps. No running back and forth. Rolls to the job. It is really a "safe" for your tools. One outstanding advantage of the "Wheel-About" is that you can remove the tool chest from the lower cabinet when the occasion might require the taking of your tools and box out on a job.

Streamlined in the latest mode. Designed for the utmost utility and convenience. Note its rounded edges, its smooth contours.

The "Wheel-About" complete is 44" high overall, 27" wide at the widest place, 16" deep at the deepest point. The top chest has 4 drawers operating on roller slides. Lid lifts up and has clips for holding speeders. The door of the lower compartment lifts up and slides out of the way. One key locks both units. Equipped with 4 easy rolling casters. Shipping wt. 129 lbs.

Ideal Chest and Roller Cabinet Combination

You need look no further for the answer to your dreams for an ultra modern tool chest. As illustrated at the right, the Plomb Wheel-About is built on the same principle as an add-a-shelf bookcase. This makes it possible to begin your ownership of a Wheel-About by purchasing a Wheel-About Junior first and adding the big Master Tool Chest later. Each unit is complete in itself and can be used apart from the other.

Completely equipped with tools this combination is unbeatable. For suggested complete tool sets see illustrations and specifications on the following pages.

ASSEMBLING THE WHEEL ABOUT

Wheel-About Junior

A handy little roller cabinet as you ever wished for. If you already have a fairly large tool box, you can make a mobile tool cabinet with the addition of "Wheel-About, Jr.", by simply bolting your present chest to this roller unit.

The large compartment is equipped with lock and key. Just the place for storage of larger tools, electric drills, etc. Big enough to hold a tote tray.

SPECIFICATIONS

27" long, 16" deep, 25" high, equipped with 4 easy rolling casters. Finished in brilliant Chinese Red. Front is a lid which lifts up and slides out of sight under the top.
SHIPPING WT. 46 LBS.

WHEEL ABOUT JR., NO. 9998 2

MASTER WHEEL-ABOUT No. 9998-A

Specifications--Wheel-About Set No. 9998-1A

140 ITEMS

Since introducing the Plomb Wheel-About Chest Combination many requests have been received for a well-selected set of tools to go with it. Here's the answer—a versatile set featuring one each of the items listed below. You'll be proud to own them.

Cub Series ⅜" Sq. Drive

Tool No.	Description
5210	7/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5274	7/16" Universal Socket
5275	1/2" "
5276	9/16" "
5277	5/8" "
5278	11/16" "
5279	3/4" "
5249	Reversible Ratchet
5260	3½" Extension
5261	7½" "
5263	18" "
5265	Hinge Handle
5270	Universal Joint
5280	18" Speeder

Standard Series ½" Sq. Drive

5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5340	½" Deep 12 pt. Socket
5341	9/16" "
5343	5/8" "
5345	3/4" "
5347	13/16" "
5348	7/8" "
5349	15/16" "
5351	1" "
5352	1 1/16" "
5353	1 1/8" "
5444	Drag Link Screwdriver
5449	Reversible Ratchet
5461	5" Extension
5463	10" "
5466	9½" Hinge Handle
5466-PH	Pin Handle
5468	18" Hinge Handle
5469	Speed Hinge Handle
5470	Universal Joint
5480	18" Speed Handle

Heavy Duty Series ½" Sq. Drive

Tool No.	Description
5528	7/8" 12 point Socket
5530	15/16" "
5532	1" "
5534	1 1/16" "
5536	1 1/8" "
5540	1 1/4" "
5542	1 5/16" "
5544	1 3/8" "
5546	1 7/16" "
5548	1 1/2" "
5550	1 9/16" "
5552	1 5/8" "
5556	1 3/4" "
5558	1 13/16" "
5560	1 7/8" "
5564	2" "
5649	Reversible Ratchet
5661	8" Extension
5663	16" "
5685	Sliding Bar

Box and Open End Wrenches

1120	5/16"x3/8" Box Wrench
1125	7/16"x1/2" "
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1150	1 1/16"x1 3/8" "
1214	7/16" Combination Open End and Box Wrench
1216	1/2" "
1218	9/16" "
1220	5/8" "
1222	11/16" "
1224	3/4" "
1228	7/8" "
1230	15/16" "
1232	1" "
3020	5/16"x3/8" Open End Wrench
3025	7/16"x1/2" "
3030	9/16"x5/8" "
3035	11/16"x3/4" "
3040	13/16"x7/8" "
3045	15/16"x1" "
3050	1 1/16"x1 3/8" "
3425	7/16"x1/2" Tappett Wrench
3426	1/2"x9/16" "
3430	9/16"x5/8" "
3210	13/64"x15/64" Ignition Open End Wrench
3215	7/32"x1/4" "
3220	9/32"x5/16" "
3225	11/32"x3/8" "

Miscellaneous Items

Tool No.	Description
235	Ignition Plier
207	7" Diagonal Plier
1383	Plastic Tip Hammer
2337	Carbon Scraper
4520	Stud Puller
30	3/4" Rivet Cutter
36	5/16" Offset Screwdriver
41	3/8" Center Punch
47	1/4" Pin Punch
47	5/16"x1/8" "
47	3/8" "
47	7/16" "
47	1/2" "
86A	1/4" Cold Chisel
86A	3/8" "
86A	1/2" "
86A	5/8" "
86A	3/4" "
96	1/4" Drift Punch
96	3/8" "
96	1/2" "
96	3/4" "
2130	Roll Head Bar
9521	Screw Extractor
9522	"
9523	"
9524	"
9525	"
9604	Plastic Handle Screwdriver
9606	"
9608	"
9622	"
9632	"
9643	"
9652	"
5297	Cub Socket Rack
5497	Standard Socket Rack
9998-1	Wheel-about Tool Chest

Total of 140 Items

Shipping Weight 205 Lbs.

SET NO. 9998-F Identical to the above except use the No. 9998 Box only.



MASTER TOOL SET
No. 9998-B

Specifications for Master Tool Set No. 9998-B

You can look high and low and never find a small set better than this one for all around general use. In Plomb's Master Tool Box you will still have ample room to add more items from time to time. Just check over the contents of this set one each of the items listed below, and you will declare it to be the set you have been waiting for. Not an expensive set, but a mighty popular one.

Tool No.	Description
	Cub Items ⅜" Sq. Drive
5210	5/16" 12-pt. Socket
5212	⅜" "
5214	7/16" "
5216	½" "
5218	9/16" "
5220	⅝" "
5222	11/16" "
5224	¾" "
5270	Universal Joint
5249	Reversible Ratchet
5260	3½" Extension
5262	12" "
5265	Hinge Handle 7⅜" Long
5280	18" Speeder
	Standard Items ½" Sq. Drive
5414	7/16" 12-pt. Socket
5416	½" "
5418	9/16" "
5420	⅝" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	⅞" "
5430	15/16" "
5432	1" "
5449	Reversible Ratchet
5460	2½" Extension
5463	10" Extension
5468	18" Hinge Handle
5470	Universal Joint
5480	Speeder 18" Long

Tool No.	Description
	Heavy Duty Items ¾" Sq. Drive
5534	1 1/16" 12-pt Socket
5536	1 1/8" "
5540	1¼" "
5544	1 3/8" "
5546	1 7/16" "
5548	1½" "
5661	8" Extension
5668	Hinge Handle 21" Long
	Wrenches
1125	7/16"x½" Box Wrench
1130	9/16"x⅝" "
1135	11/16"x¾" "
1140	13/16"x⅞" "
1214	7/16" Com. Box & OE Wrench
1216	½" "
1218	9/16" "
1220	⅝" "
1222	11/16" "
1224	¾" "
1228	⅞" "
1230	15/16" "
1232	1" "
3025	7/16"x½" Open End Wrench
3030	9/16"x⅝" "
3035	11/16"x¾" "
3040	13/16"x⅞" "
3425	7/16"x½" Tappet Wrench
3426	½"x9/16" "
3210	13/64"x15/64" Ignition OE Wrench

Tool No.	Description
3215	7/32"x¼" Ignition OE Wrench
3220	9/32"x5/16" Ignition OE Wrench
3225	11/32"x⅜" Ignition OE Wrench
	Miscellaneous Items
209	Diagonal Plier 7 in.
240	Wrench Plier
36	¼" Offset Screwdriver
41	⅜" Center Punch
47	5/16"x⅛" Rivet or Pin Punch
47	⅜" "
86A	5/16" Cold Chisel
86A	7/16" "
86A	½" "
96	¼" Drift Punch
96	⅜" "
96	½" "
2126	Rolling Head Bar
9804	Plastic Handle Screwdriver
9806	"
9832	"
9843	"
9998	Master Tool Box

Total 79 Items

Shipping Weight 120 Lbs.

There's a Plomb Socket for Every Need

Plomb has developed the socket to its greatest usefulness. There is a size and type for every need, from tiny midget sockets weighing ¼ ounce to powerful heavy-duty sockets weighing as much as 5½ pounds. All made from special alloy steel, accurately forged, carefully broached and scientifically heat-treated to give long and satisfactory service under the hardest conditions.

OPEN

Master Set No. 9990-C

CLOSED

No tool box has been more popular than No. 9990 which is described elsewhere in this catalog. It was only natural to select a fine assortment of Plomb Tools to go with it as a complete set—Box and Tools. Listed here are the tools, one of each. You will find this set a real money-maker for you.

Tool No.	Description
	Midget Items ¼" Sq. Drive
4706	3/16" Hex Socket
4707	7/32" " "
4708	¼" " "
4708S	¼" 8-pt. "
4709	9/32" Hex. "
4710	5/16" " "
4710S	5/16" 8-pt. "
4711	11/32" Hex. "
4712	3/8" " "
4714	7/16" " "
4769	Spin Type Handle
235	Midget Pliers
	Cub Items 3/8" Sq. Drive
5214	7/16" 12-pt. Socket
5216	½" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	¾" "
5249	Reversible Ratchet
5265	Hinge Handle
5280	18" Speeder
5263	3½" Extension
5261	7½" "
5283	18" "
5266PH	Pin Handle
5270	Universal Joint
	Standard Items ½" Sq. Drive
5449	Reversible Ratchet
5468	18" Hinge Handle
5480	Speed Handle
5463	10" Extension
5470	Universal Joint
5414	7/16" 12-pt. Socket
5416	½" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	⅞" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5347	13/16" 12-pt. Deep Socket
5348S	⅞" " " "
5349	15/16" " " "
5351	1" " " "
5353	1⅛" " " "
	Heavy Duty Items ¾ Sq. Drive
5536	1⅛" 12-pt. Socket
5540	1¼" "
5544	1⅜" "
5546	1 7/16" "
5548	1½" "
5668	Hinge Handle
5661	8" Extension
5663	16" "
	Wrenches
3020	5/16"x3/8" Open End Wrench
3025	7/16"x½" " " "
3030	9/16"x5/8" " " "
3035	11/16"x¾" " " "
3040	13/16"x⅞" " " "
1120	5/16"x3/8" Box Wrench
1125	7/16"x½" " "
1130	9/16"x5/8" " "
1135	11/16"x¾" " "
1140	13/16"x⅞" " "
1214	7/16" Com. OE & Box Wrench
1216	½" " " "
1218	9/16" " " "
1220	5/8" " " "
1222	11/16" " " "
1224	¾" " " "
1228	⅞" " " "
1230	15/16" " " "
1232	1" " " "
1234	1 1/16" " " "
3425	7/16"x½" Tappet Wrench
3426	½"x9/16" " "
3430	9/16"x5/8" " "
3210	13/64"x15/64" Midget OE Wrench
3215	7/32"x¼" Midget OE Wrench
3220	9/32"x5/16" Midget OE Wrench
3225	11/32"x⅜" Midget OE Wrench
	Miscellaneous Items
207	Diagonal Plier
41	⅜" Center Punch
47	5/16"x⅛" Pin Punch
47	⅜" Pin Punch
86A	5/16" Cold Chisel
86A	½" " "
86A	¾" " "
9604	Plastic Hdl. Screwdriver
9606	" " "
9632	" " "
9643	" " "
9704	Wood Hdl. Screwdriver
9706	" " "
9710	" " "
9712	" " "
000A	Feeler Gauge Set
2337	Carbon Scraper
240	Water Pump Pliers
9990	Master Tool Chest

Total 101 Items

Shipping Weight, 90 Lbs.



Set No. 9989-A

Two things to remember about Plomb Tool Sets. They are expertly selected to give their new owner the most useful tools and you save in buying sets. Here is the ultimate in a tool set. A regal assortment of fine tools in a popular Plomb chest. Note its contents below and you will want to own it.

Tool No.	Description
	Cub Items 3/8" Sq. Drive
5210	5/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5270	Universal Joint
5280	18" Speeder
5265	Hinge Handle
5249	Reversible Ratchet
5260	3 1/2" Extension
5262	12" "
	Standard Items 1/2" Sq. Drive
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5470	Universal Joint
5480	18" Speeder
5449	Reversible Ratchet
5461	5" Extension
5463	10" Extension
5468	18" Hinge Handle
5347	13/16" 12 pt. deep Socket
5348S	7/8" "
5349	15/16" "
5351	1" "
	Wrenches
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" " "
3430	9/16"x5/8" " "
3210	13/64"x15/64" Midget Open End Wrench
3215	7/32"x1/4" Midget Open End Wrench
3220	9/32"x5/16" Midget Open End Wrench

Tool No.	Description
	Wrenches—(Continued)
3225	11/32"x3/8" Midget Open End Wrench
3020	7/16"x5/16" Open End Wrench
3025	7/16"x1/2" "
3030	9/16"x5/8" "
3035	11/16"x3/4" "
3040	13/16"x7/8" "
3045	15/16"x1" "
1120	5/16"x3/8" Box Wrenches
1125	7/16"x1/2" "
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1216	1/2" Com. OE. & Box Wrench
1218	9/16" " "
1220	5/8" " "
1222	11/16" " "
1224	3/4" " "
1228	7/8" " "
1230	15/16" " "
	Miscellaneous Items
86A	3/8" Cold Chisels
86A	3/4" " "
96	5/16" Drift Punch
96	1/2" " "
209	Diagonal Plier
235	Midget Plier
351	Hack Saw
41	3/8" Center Punch
47	1/4" Pin Punch
47	5/16"x1/8" " "
47	3/8" " "
1316	1 lb. B/P Hammer
1383	Plastic Tip Hammer
MB-10	File
9604	Plastic Hdle. Screwdriver
9606	" " "
9622	" " "
9632	" " "
9643	" " "
9652	" " "
9684	Phillips Type Screwdriver
9989	Metal Tool Chest

TOTAL 83 ITEMS

Shipping Wt. 54 lbs.

Set No. 9989-B

If you are looking for a small set to which you can add, if you find it necessary, then this is it. 50 tools you will use every day in that sturdy, handy, roomy Tool Box No. 9989. Read more about this chest in the box section. Remember you save when you buy Plomb sets. Note the contents below.

Tool No.	Description
	Cub Items ⅜" Sq. Drive
5208	¼" Hex Socket
5210	5/16" 12-pt. Socket
5212	⅜" "
5214	7/16" "
5216	½" "
5218	9/16" "
5220	⅝" "
5222	11/16" "
5224	¾" "
5249	Reversible Ratchet
5265	Hinge Handle
5260	3½" Extension
5262	12" Extension
5270	Universal Joint

Tool No.	Description
	Standard Items ½" Sq. Drive
5416	½" 12-pt. Socket
5418	9/16" "
5420	⅝" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	⅞" "
5430	15/16" "
5432	1" "
5449	Reversible Ratchet
5467	15" Hinge Handle
5460	2½" Extension
5463	10" "
5470	Universal Joint

Tool No.	Description
	Wrenches
1214	7/16" Comb. O. E. & Box
1216	½" " "
1218	9/16" " "
1220	⅝" " "
1222	11/16" " "
1224	¾" " "
1226	13/16" " "
1228	⅞" " "
1230	15/16" " "
1232	1" " "
3425	7/16"x½" Tappet Wrench
3426	½"x9/16" " "
	Miscellaneous Items
351	Hack Saw
9784	Phillips Type Screwdrvr.
9804	Plastic Handle Screwdrvr
9822	" " "
9832	" " "
9701	Wood Handle Screwdrvr
9708	" " "
209	Diagonal Pliers
MB-10	File
9989	Metal Tool Chest

TOTAL 50 ITEMS

Shipping Weight, 41 Lbs.





Set No. 9980-A

Plomb Tractool Set

Mr. Tractor owner, or mechanic—Just glance at the contents listed below and you will agree here is the Tractor Tool Set for you. A real Bull-dozer set that won't let you down in the emergency.

86A	5/8" Cold Chisel
209	Heavy Duty Diagonal Pliers
1125	7/16"x1/2" 12-pt. Box Wrench
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1150	1 1/16"x1 1/8" "
3025	7/16"x1/2" Open End Wrench
3030	9/16"x5/8" "
3035	11/16"x3/4" "
5414	7/16" 1/2" Dr. 12-pt. Socket
5416	1/2" " " "
5418	9/16" " " "
5420	5/8" 1/2" Dr. 12-pt. Socket
5422	11/16" " " "
5424	3/4" " " "
5426	13/16" " " "
5461	5" 1/2" Drive Extension
5468	18" 1/2" Drive Hinge Handle
5470	Universal Joint
5528-H	7/8" 1/4" Dr. Hex Socket
5530-H	15/16" " " "
5532	1" 3/4" Dr. 12 pt. Socket
5534	1 1/16" " "
5536-H	1 1/8" " Hex Socket
5540	1 1/4" " 12 pt. Socket
5542	1 5/16" " "
5548	1 1/2" " "
5661	8" " Extension
5685	" Sliding Bar
9804	4" Wood Handle Screwdriver
9808	8" " " "
9980	Sturdy Metal Tool Chest

TOTAL 34 ITEMS Shipping Weight 33 lbs.

THE PLOMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

Set No. 9980-B

Truckman's Emergency Repair Kit

In these days of truck transportation, deliveries on schedule are vital. No truck, interstate or otherwise, should lack this modern emergency repair kit on each trip it makes. Contents and specifications below.

Tool No.	Description
47	5/16"x1/8" Rivet or Pin Punch
47	1/2"x1/4" " "
86A	3/8" Cold Chisel
86A	3/4"x8" Cold Chisel
96	3/8" Drift Punch
96	3/4" " "
209	Heavy Duty Diagonal Plier
256	6" Slip Joint Plier
706	6" Adjustable Wrench
712	12" " "
1324	1½ lb. Ball Pein Hammer
2120	Pry or Wedging Bar

Tool No.	Description
5414	7/16" 1/2" Dr. 12-pt. Socket
5416	1/2" " " "
5418	9/16" " " "
5420	5/8" " " "
5422	11/16" " " "
5424	3/4" " " "
5426	13/16" " " "
5428	7/8" " " "
5430	15/16" " " "
5432	1" " " "
5434	1 1/16" " " "
5461	5" 1/2" Dr. Extension
5468	18" 1/2" Dr. Hinge Handle
5470	1/2" Dr. Universal Joint
9704	4" Wood Handle Screwdriver
9710	10" " " "
9980	Sturdy Metal Box

29 ITEMS

Shipping Weight, 30 Lbs.

Save Money!

Buy Tools in Sets as Listed in This Catalogue

Special Socket Sets

Each set selected to furnish the user with the most popular openings, for general all around requirements. Each set packed in cardboard box.



Illustrating Set 5300-C—½" Sq. Dr.



Set 5000-A—⅜" Sq. Dr.



Set 5000-SPM—⅜" Sq. Dr.

Extra Deep Socket Sets

Socket No.	Opening	Inside Clearance	Set No. 5300A	Set No. 5300C*
5340	1/2"	2¾"	x	
5341	9/16"	2¾"	x	
5343	5/8"	2¾"	x	
5344	11/16"	2¾"	x	
5345	3/4"	2¾"	x	
5347	13/16"	2¾"	x	x
5348S	7/8"	2¾"	x	x
5349	15/16"	2¾"	x	x
5351	1"	2¾"	x	x
5352	1-1/16"	2¾"	x	
5353	1-1/8"		x	x
5300PH	Pin Hdle.		x	x

*Especially selected for spark plug service.

Special Cub Socket Set

12" Point Extra Deep

This little set of deep 12 point sockets in the ⅜" Drive has won a popular place in every mechanic's tool chest. Used especially where bolts protrude a long distance thru the nut.

Set No. 5000A — Nos. 5014, 16, 18, 20 (4 sockets) Packed in cardboard box.

Spark Plug Socket Set

Set No. 5000 SPM

No more broken insulators with this complete set of Spark Plug Sockets. Each is fitted with a resilient rubber sleeve and hex punched for perfect fit. Each socket is drilled with hole for pin which is included with the set.

The set consists of Sockets No. 5020SP⅝", 5022SP 11/16", 5026SP 13/16", 5028SP⅞", 5030SP15/16", 5266PH Pin Handle. Total of 6 tools in cardboard box. As illustrated.

MODERN TOOL BOXES
For All Purposes

No. 9998—Master Tool Chest

Folding handles. Spring clips inside lid. Finished in brilliant Chinese red. Will hold shape with full load.

Weight, 77 lbs. Outside dimensions: 12" wide, 26½" long, 20½" high. Top compartment 7½" deep. Top drawer 1½" deep, with compartment for small sockets. Second drawer 1½" deep, with two adjustable partitions. Third drawer 3¼" deep, with two adjustable partitions. Bottom drawer 3½" deep, with two movable partitions.

Front slides under bottom drawer. With lid closed, front covers drawers, and is locked with spring controlled bolts. One lock secures everything.

No. 9998—Master Chest, complete as illustrated.

No. 9998A—Master Chest complete with addition of No. 9920 Tray and No. 5497 Socket Rack.

MASTER TOOL CHEST No. 9998

No. 9990—Master Tool Chest

The Tool Chest you have longed for. Streamlined, deluxe. As modern as young ideas. Smooth contours, rounded edges. Finished in brilliant Chinese Red.

Overall dimensions 11¼" wide, 12¾" deep, 24½" long, wt. 37 lbs. Cantilever tray in top swings up with lid and is partitioned for small tools. Drawers run with finger tip ease on roller slides. One padlock secures everything.

MASTER TOOL CHEST No. 9990



No. 9989

No. 9989--Master Tool Chest

Made of sheet steel, welded and riveted; dark red baked enamel finish. Hinged tray swings up with lid. Removable tray gives easy access to large interior.

Overall dimensions: 9" deep, 11½" wide, 20½" long. Hinged tray 1¼" deep, 5½" wide, 19" long. Front tray 1½" deep, 5½" wide, 19" long. Bottom comp. 6" deep, 11" wide, 20" long. Fixed tray in top space 2½" deep, 4¾" wide, 20" long. Each tray and bottom compartment have separate section for sockets or small tools. Heavy hasp fits over staple on hinged front to lock chest securely. Strong folding handles. Weight, empty, 20 lbs. Shipping wt., 22 lbs.

No. 9920—Handy Tool Tray

9" wide. 19" long, 5½" deep under handle. Side compartment for sockets, small tools, etc. Weight, 4 lbs.



No. 9920

No. 9980--Utility Box

22¼" long, 9" wide, 6½" high, with drop front and drop handles at each end. Dark red wrinkle finish. Heavy gauge steel. Weight empty, 11 lbs.

No. 9980

Socket Racks

Made with clip on back, which slips over edge of box or partition. Can be carried on side of Tote Tray or can be put in a convenient place on wall or bench. Sockets fit firmly on rack. Made of heavy sheet steel, dark red baked enamel finish.

No. 5297—Cub Socket Rack, 18¼" long; has 17 clips for sockets with ⅜" square drives.

No. 5497—Standard Socket Rack, 18½" long; has 17 clips for sockets with ½" square drives.

No. 5297 5497

No. 5894—Extra-Heavy-Duty Box

5" deep, 8¼" wide and 30" long, inside dimensions, to fit the Extra-Heavy-Duty handles and sockets described on page 52. Also used for large Heavy-Duty sets, with ¾" square drive, especially with the larger sockets. Made extra-heavy throughout, welded, riveted and strongly reinforced. Weight, 28 lbs.

No. 5894

No. 5695—Heavy-Duty Tool Box

For Heavy-Duty Socket Sets with ¾" drive. Lid reinforced with steel cross-ribs. Handle, on top of lid, folds flush into recess. Three compartments, as shown, just right for heavy-duty sockets and handles. Double-hinged; locks with two spring hasps. 3¾" deep, 8" wide, 22½" long, inside measurements; weight, 8¼ lbs.

No. 5695

No. 5495—Standard Tool Box

A heavy-gauge steel box with socket compartment lengthwise of box, and compartment at front for extra sockets, cotter keys, small tools, etc. Clips inside top for speeder handle. Hooked staple holds cover down tight. Handle folds out of way when not in use. 1¾" deep, 8¼" wide, 19" long. Red baked enamel finish. Wt. 5¼ lbs.

No. 5496 is 5495 Metal Box described above with the addition of 5497 Socket Rack.

No. 5495

No. 5295—Cub Tool Box

A convenient small box, 1½" deep, 4¼" wide, 18½" long. Handy for trouble-shooting, as it is a convenient size to carry. Wt. 2½ lbs.

No. 5295



No. 4795

TOOL ROLLS



No. 2424



No. 2424 is smart carrying case for the small jobs.

No. 4795--Midget Tool Box

Just the box to hold your Plomb Midget Tools. A sturdy steel box 6-1/2" long by 2-5/8" wide by 1" deep. Wt. 1 lb. Finished in a brilliant Chinese Red. It will help you keep your smaller tools in orderly array.

Leatherette Rolls for Tool Kits

Made of heavy first-grade leatherette, with strongly stitched seams and bound edges. Handsome in appearance, black trimmed with silver. Nos. 2408, 2410 and 2411 have snaps, all others have heavy woven tie strings.

Roll No.	Dimensions Laid Flat	No. of Pockets
*2401	7⅝"x26½"	23
*2402	7½"x14"	12
2403	10"x8¼"	6
2404	17"x10½"	7
2405	18¼"x14⅜"	6
2406	21⅝"x21¼"	8
**2408	14⅛"x8⅞"	4
**2410	8⅝"x12⅞"	11
**2411	8¼"x6½"	5
2412	31"x32"	15
2413	26½"x25½"	13
2424	12¼"x36"	44 Loops

*Flap is extra piece, stitched on at top.

**Equipped with snaps instead of tie strings.

No. 2424—Tool Roll

Made of extra-heavy leatherette, lined with thick green felt with green felt flaps at top and bottom to cover the tools. 12¼" wide by 36" long.



SOCKETS & ATTACHMENTS

MIDGET RATCHET
(Regular) No. 4749



MINIRATCH
No. 4751



Every day finds increasing uses for small, thin, light, handy tools. In the ¼" drive, Plomb gives you a grand assortment from which to choose. Little Screwdrivers, Baby Ball Pein Hammers, Tiny Pliers, Small Punches and Chisels, Midget Sockets and Attachments.

No aircraft worker can afford to be without a generous quantity of these tools. Ideal tools for Refrigeration, Air Conditioning and Automotive Repair Work.

PARTS FOR 4749 RATCHET

4749B	Body	**4749H**	Cover Screw
4749C	Cover	**4749R**	Rev. Ass'bly.
4749DL	Dog, L.	**4749S**	Spring
4749DR	Dog, R.	**4749W**	Wheel with Plg.



ATTACHMENT SPECIFICATIONS NEXT PAGE



Only Midget Tools can do fast, efficient work on intricate jobs--you should have a complete 1¼" Square Drive assortment.

Handles and Attachments

Illustrated on opposite page

Cat. No.	Description	Overall Length
4749	Standard Rev Ratchet	4¾"
*4751	Spl. Rev Ratch. (Miniratch)	4"
4760	Extension	3½"
4761	Extension	6"
4763	Extension	14"
4766	Hinge Handle	5½"
4766PH	Pin Handle	4"
4767	Stub Handle—Pyroxylin Grip	2⅝"
*4768	Flexible Spintype Handle	6⅛"
4769	Spin Type Handle " "	6"
4770	Universal Joint	1⅞"
4780	Speed Handle	15¾"
4785	Sliding Bar Handle	4½"

* Not Replaceable

Standard Sockets

Cat. No.	Description	Overall Length	Purpose
4706	3/16" Hexagon	1"	General
4707	1/8" Hexagon	1"	"
4708	¼" Hexagon	1"	"
4709	9/32" Hexagon	1"	"
4710	5/16" Hexagon	1"	"
4711	11/32" Hexagon	1"	"
4712	3/8" Hexagon	1"	"
4714	7/16" Hexagon	1"	"
4716	½" 12-Point	1"	"
4708S	¼" 8-Point	1"	"
4710S	5/16" 8-Point	1"	"

Extra Deep Sockets

4708L	¼" Hexagon	2"	Aviation, Carburetor, Electrical, Radio, Etc.
4709L	9/32" Hexagon	2"	
4710L	5/16" Hexagon	2"	
4711L	11/32" Hexagon	2"	
4712L	3/8" Hexagon	2"	
4714L	7/16" Hexagon	2"	

See also 4736 under Special Sockets



4706 4709 4710 4714



4708L 4709I 4710L 4714L



4770 4708S 4710S

PLOMB Streamlined Tools



4704 4705 4740 4741





4736 4737 4738



4742 4743

Special Sockets—¼" Square Drive

Tool No		Length	Description
4704	3/16" x 1/8" Oval	1½"	Trico Wipers
4705	7/32" x 5/32" " "	1½"	" "
4736	9/32" Hexagon	2⅝"	Zenith Carb.
4740	¼" x 5/16" Oval	1 13/16"	Stromberg "
4741	7/32" x 9/32"	1 13/16"	" "
*4742	Spanner Socket 9/16" O.D. x 3/16" I.D.	2"	Carter "
*4743	Spanner Socket ½" O.D. x 9/32" I.D.	1½"	Zenith "

Screw Driver Sockets—¼" Square Drive

Tool No.		Length	Description
*4737	No. 1 Phillips Bit	¼"	Female Drive
*4738	No. 2 Phillips Bit	¼"	Female Drive
*4739	¼" x .033" Bit	1 9/16"	General, Carburetor, Electrical, Radio, Etc.
*4744	¼" x .030" "	1⅝"	
*4745	3/8" x .040" "	2⅛"	
*4746	5/16" x .035" "	1¾"	
*4747	5/32" x .038" "	3 15/16"	

*Not Replaceable



4746

SPECIAL SOCKETS FOR SOCKET HEAD CAP SCREWS AND SET SCREWS

A real time and labor saver on all machinery and repair work. Use with any Plomb ¼" and ⅜" square drive attachment such as the Sliding Bar, Hinge or Speed Handle. Fits all sizes from ¼" to ⅝" inc. Note the construction in the illustration. The Hex Drive Plug is removable and new ones can be easily installed. The socket part is fully guaranteed. The Hex Drive Plug is non-replaceable. Extra plugs available. See Specifications below.

Cat. No.	Size of Sq. Drive	For Hex Openings	Fits Socket Set Screws	Fits Socket Head Cap Screws	Extra Plugs
4787¼	¼"	⅛	¼		P4787¼
4787⅝16	¼"	5/32	3/16		P4787⅝16
4787⅜	¼"	7/32	⅜	¼	P4787⅜
4787⅞16	¼"	7/32	7/16	⅝16	P4787⅞16
5287½	⅜"	¼	½ & 9/16		P5287½
5287⅝	⅜"	⅝16	⅝	⅜ & 7/16	P5287⅝
4787-K	L-shaped Hex Wrench for removing set screws in sockets.				



5287-A Set consists of the six sizes listed above in wooden box and No. 4787-K for removing the set screws in the sockets.

MIDGET SPECIAL TOOLS

As you turn page after page in this catalog, you find many Midget Tools not shown in the Midget Socket & Attachment section.

The illustration here gives an idea of the little tools you will find, but by no means all of them. For instance there are all types of small Punches and Chisels listed in the Punch & Chisel section.

Small Gear and Bearing Pullers for all light pulling are shown in the Puller Division.

Midget Screwdrivers, all types and kinds, can likewise be found in the Screwdriver section.

Each one is a Plomb product, which means they are the finest tools you can buy.



Midget 1/4" Square Drive Sets

MIDGET SET No. 4700 A

Still leading the field as the most popular midget set of sockets and attachments ever assembled. You will find it a honey in Automotive and Refrigeration work. All 1/4" Square Drive.



SOCKETS HEX & 8 POINT

4707	7/32"	4710S	5/16"
4708	1/4"	4711	11/32"
4708S	1/4"	4712	3/8"
4709	9/32"	4714	7/16"
4710	5/16"		

ATTACHMENTS

4769	Spin Type Handle
4785	Sliding Bar
4795	Metal Box

Total—12 Items Weight 3/4 Lbs.

MIDGET SET No. 4700 B

So many requests reached us asking if we could not make up another set similar to 4700A and include a Plomb standard midget Ratchet. Here it is—Make it yours.



SOCKETS HEX & 8 POINT

4707	7/32"	4710	5/16"
4708	1/4"	4710S	5/16"
4708S	1/4"	4711	11/32"
4709	9/32"	4712	3/8"
		4714	7/16"

ATTACHMENTS

4769	Spin Type Handle
4749	Ratchet
4785	Sliding Bar
4795	Metal Box

Total—13 Items Weight— 1 Lb.

MIDGET SET No. 4700 F

A Hinge Handle has been one of the most useful items in the mechanic's tool chest. Here is a little midget set of tools built around the Hinge Handle as a base. For all light work.

SOCKETS HEX & 8 POINT

4707	7/32"	4710S	5/16"
4708	1/4"	4711	11/32"
4708S	1/4"	4712	3/8"
4709	9/32"	4714	7/16"
4710	5/16"		

ATTACHMENTS

4766	Hinge Handle
4766PH	Pin Handle
4795	Metal Box

Total—12 Items Weight—1 Lb.





MIDGET SET No. 4700 R

Here is your Master set of midget tools. The complete set for all kinds of light work. A splendid assortment of sockets and attachments.

SOCKETS HEX & 8 POINT

4706	3/16" Hex	4736	9/32" Deep
4707	7/32" "	4740	3/16"x1/4" Oval
4708	1/4" "	4741	7/32"x9/32" Ov.
4708S	1/4" 8 pt.	4742	9/16" Spanner
4709	9/32" Hex	4743	1/2" "
4710	5/16 "	4744	Screwdriver
4710S	5/16" 8 pt.	4745	"
4711	11/32" Hex	4746	"
4712	3/8" "	4747	"
4714	7/16" "	235	Midget Pliers

ATTACHMENTS

4749	Ratchet
4760	3-1/2" Extension
4761	6" "
4763	14" "
4766	Hinge Handle
4767	Stub Spin Handle
4769	Spin Type Handle
4770	Universal Joint
4780	Speeder
4785	Slide Bar
3210	13/64"x15/64" O.E. Wrench
3215	7/32"x1/4" " "
3220	9/32"x5/16" " "
3225	11/32"x3/8" " "

Total—35 Items Weight—5¼ Lbs.
All in **No. 5295** Metal Box.





No.	DESCRIPTION
	PHILLIPS SCREW DRIVER ATTACHMENTS Make a screw driver out of your Cub Handles. 3/8" Sq. Female Drive. Non-replaceable.
*5241	**FOR NO. 2 PHILLIP SCREWS**
*5242	**FOR NO. 3 PHILLIP SCREWS**
*5243	**FOR NO. 4 PHILLIP SCREWS**
5249	**CUB REVERSIBLE RATCHET** You will find this the lightest and strongest ratchet made. Trouble-free mechanism. Reversible at a flip of the trigger. Length 7".
5265	**CUB HINGE HANDLE** Has upset knurled handle with hole for pin handle. This type of attachment makes tee or ell shaped attachment when used with Pin Handle or Plomb Extensions. 7 3/8" long.
5266PH	**CUB PIN HANDLE** Is so useful you can not afford to be without it. Makes tee or ell handles when used in connection with Plomb Extension. 5/16" round stock, 7 1/2" long.
5270	**CUB UNIVERSAL JOINT** Is just the tool you need to get around those corners or when you are working at some difficult angle. Length 1 5/8".
5285	**CUB SLIDING BAR** Is just what you want for real leverage. There is nothing that beats the sliding bar for all around utility. Plug has friction ball. 8" long.

*Non-replaceable.

CROWFOOT WRENCHES

Detachable Crowfoot Wrenches by Plomb are available from stock in opening sizes as shown in following table Used with any ⅜" drive handle or attachment.

Cat. No.	Opening Size	Cat. No.	Opening Size
4912	⅜"	4924	¾"
4914	7/16"	4926	13/16"
4916	½"	4928	⅞"
4918	9/16"	4932	1"
4920	5/8"	4940	1¼"
4922	11/16"	4944	1⅜"

No.	DESCRIPTION
	CUB EXTENSIONS
	Are handy for reaching into those hard-to-reach places. All Plomb Extensions have hole for Pin Handle except No. 5259.
	Length — **Stock**
5259	1¾ in. — ⅜ in.
5260	3½ in. — ⅜ in.
5261	7½ in. — ⅜ in.
5262	12 in. — ⅜ in.
5263	18 in. — ⅜ in.
	CUB SPEED HANDLES
	Just as the name implies . . . you will find them the speediest tools you ever used for fast nut turning. Easy action because of their ball bearing handle knobs. ⅜" stock, 3" throw.
5280	**18 INCHES LONG**
5281	**14 INCHES LONG**



12 Point Regular Sockets



Hex and 12 Point Regular Sockets

12 Point Deep Sockets

Universals

5018SP

Regular Cub Sockets 3/8 Square Drive

Square, Hexagon and 12 Point

Catalog Number	Opening Size	Sq.-Hex. or 12 Pt.	USS Bolt Sizes	Amer. Std. Bolt Size	SAE Bolt Size	Overall Length	Inside Clearance
5208	1/4"	Hex		4		15/16"	1/2"
5208S	1/4"	Square		4		15/16"	1/2"
5210	5/16"	12 Point	1/8"	5&6		15/16"	1/2"
5210H	5/16"	Hex	"	"		7/8"	1/2"
5211	11/32"	12 Point		8			
5211H	11/32"	Hex		8			
5212	3/8"	12 Point	3/16"	10		15/16"	1/2"
5212H	3/8"	Hex	"	"			
5214	7/16"	12 Point		12&1/4"	1/4"	15/16"	1/2"
5214H	7/16"	Hex		"			
5216	1/2"	12 Point	1/4"		5/16"	15/16"	1/2"
5216H	1/2"	Hex	"		"		
5218	9/16"	12 Point		5/16"	3/8"	1"	9/16"
5220	5/8"	do		3/8"	7/16"	1"	9/16"
5221	21/32"	do				1"	9/16"
5222	11/16"	do	5/16"			1 1/16"	5/8"
5224	3/4"	do		7/16"	1/2"	1 1/16"	5/8"

Deep Cub Sockets

5014	7/16"	12 Point		12&1/4"	1/4"	2 1/8"	1 3/4"
5016	1/2"	do	1/4"		5/16"	2 1/8"	1 3/4"
5018	9/16"	do		5/16"	3/8"	2 1/8"	1 3/4"
5020	5/8"	do		3/8"	7/16"	2 1/8"	1 3/4"

5000A—Deep Socket Set Inc. 5014-16-18 and 5020. (See P. 24)

Universal Cub Sockets

5273	3/8"	12 Point	3/16"	10"		1 3/8"	3/8"
5274	7/16"	do		12&1/4"	1/4"	1 3/8"	3/8"
5275	1/2"	do	1/4"		5/16"	1 1/2"	7/16"
5276	9/16"	do		5/16"	3/8"	1 9/16"	1/2"
5277	5/8"	do		3/8"	7/16"	1 11/16"	9/16"
5278	11/16"	do	3/8"			1 13/16"	9/16"
5279	3/4"	do		7/16"	1/2"	1 13/16"	9/16"

Spark Plug Sockets

10 & 14 m.m. Spark Plug Sockets. Rubber lining ("A" in picture) protects porcelain. Shoulder prevents going on too far. Sets see P. 24.

No.	Hex. Size	No.	Hex. Size	
5018SP	5/16"	5028SP	7/8"	11/16"-10MM Globe—Auto Lite—Champion.
5020SP	5/8"	5030SP	15/16"	9/16"-10MM AC-Y Series.
5022SP	11/16"	See sets		5/8"-10MM AC 104 Series.
5026SP	13/16"	Page 24		13/16"-14MM All Makes.

BUY PLOMB SELECTED SETS AND SAVE!

Regular Cub POWER Sockets 3/8 Square Drive

Catalog Number	Opening Size	Sq. Hex. or 12 Pt.	Size Minimum	Size Maxi'um	Depth Punched	Overall Length	Outside Dia. Hdle. End	Outside Dia. Skt. End
7212H	3/8"	Hex	.378"	.384"	7/16"	1 1/8"	1 1/16"	.550"
7214H	7/16"	do	.440"	.450"	7/16"	1 1/8"	1 1/16"	.640"
7216H	1/2"	do	.503"	.512"	7/16"	1 1/8"	3/4"	.718"
7218H	9/16"	do	.566"	.639"	1/2"	1 5/16"	1 5/16"	.822"
7220H	5/8"	do	.629"	.704"	9/16"	1 5/16"	7/8"	.885"
7222H	11/16"	do	.692"	.767"	5/8"	1 1/4"	1"	1.000"
7224H	3/4"	do	.755"	.828"	5/8"	1 1/4"	1 1/16"	1.072"

Cub Extra Deep Power Sockets

7014H	7/16"	Hex	.440"	.450"	1/2"	2 1/8"	1 1/16"	.636"
7016H	1/2"	do	.503"	.512"	1/2"	2 1/8"	3/4"	.728"
7018H	9/16"	do	.566"	.639"	1/2"	2 1/8"	1 5/16"	.812"
7020H	5/8"	do	.629"	.704"	9/16"	2 1/8"	7/8"	.875"

Cub Power Universal Sockets and Joints

7274H	7/16"	Hex	.441"	.449"		1 31/32"		
7275H	1/2"	do	.503"	.512"		1 31/32"		
7276H	9/16"	do	.567"	.576"		2"		
7277H	5/8"	do	.629"	.639"		2"		
7278H	11/16"	do	.692"	.703"		2 3/32"		
7279H	3/4"	do	.756"	.766"		2 3/32"		

7270—Universal Joint 2 in. Long, 3/8" Sq. Male and Female Connections.

Cub Power Extensions

Cat. No.	Sq. Drive	Hex. Drive	Shank Dia.	Overall Length
7111	3/8"	7/16"	9/16"	2 3/4"
7113	3/8"	7/16"	9/16"	5"
7115	3/8"	7/16"	9/16"	8"
7117	3/8"	7/16"	9/16"	12"

MISCELLANEOUS SOCKETS

No. *5246—Cub Screwdriver Socket, Length 1-5/16"

No. *5245—Oil Pan Screwdrivers, for Chevrolet—and other cars. Length 1 7/8"

*Non Replaceable

Regular

Extra Deep

Universals

No. 5246 Screw Driver Socket

No. 5245 Oil Pan Screwdriver



A handy set that will cover a wide range of work and general use. Each item especially selected to give you all around utility at minimum cost. An ideal basic set which you can build upon

Wt. 6 lbs.

Socket and Attachment Set No. 5200-A

Tool No.	Description
5210	5/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Reversible Ratchet
5260	3½" Extension
5263	18" "
5265	7½" Hinge Handle
5266PH	Pin Handle
5270	Universal Joint
5280	18" Speeder
5295	Metal Box

Cub 3/8" Square Drive Sets



A practical set for a practical mechanic. You want a small compact set of useful tools and this set was designed that way. A goodly assortment of sockets and universals with two all-purpose attachments encased in a sturdy metal box. Weight 5½ lbs.

Socket and Attachment Set No. 5200-B

Tool No.	Description
5212	3/8" 12 point Socket
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5221	21/32" "
5222	11/16" "
5224	3/4" "
5246	Screwdriver Socket
5249	Reversible Ratchet
5260	3½" Extension
5261	8" "
5270	Universal Joint
5275	½" 12 pt. Universal
5276	9/16" " "
5277	5/8" " "
5278	11/16 " "
5280	18" Speeder
5295	Metal Box



Socket and Attachment Set No. 5200-L

A newly designed set for the aviation mechanic requiring ⅜" drive tools—new because this set was selected to give you the right tools for modern aviation needs. Specifications below: Wt. 4½ lbs.

Tool No.	Description
5208	¼" Hexagon Socket
5210	5/16" 12 Point Socket
5212	⅜" "
5214	7/16" "
5216	½" "
5218	9/16" "
5220	⅝" "
5222	11/16" "
5224	¾" "
5265	7½" Hinge Handle
5266PH	Pin Handle
5270	Universal Joint
5249	Reversible Ratchet
5260	3½" Extension
5295	Metal Box



Plomb Torker No. 5402

Modern motor construction, lighter blocks, and closer tolerances require the Plomb Torker. Accuracy when tightening heads, manifolds, spark plugs, main bearings and clutches prevents distortion and assures a better job. The Plomb Torker saves time in readjustments. It features Two-Way Drive 1/2" connections, Two-Way Dial and Floating Handle.



5449	**REVERSIBLE RATCHET.** The strongest, lightest and thinnest ratchet made. Reversible at a flip of the lever. Length 10¼". Wt. 1½ lbs.
	RATCHET PARTS.
	5449B Body
	5449C Cover
	5449DL Dog, Left
	5449DR Dog, Right
	5449H Cover Screw
	5449R Rev. Assembly
	5449S Spring
	5449W Wheel with Plug
	THE HINGE HANDLE. Three for you to choose from. All upset knurled handles drilled with pinhole. Slender shanks, lightness and balance.
5466	**9½" LONG, WEIGHT ¾ lb.**
5467	**15" LONG, WEIGHT 1¼ lb.**
5468	**18" LONG, WEIGHT 1¾ lb.,** with ½" Sq. drive in end of handle.
5466PH	**PIN HANDLE.** A handy little bar to be used with any Plomb extension or hinge handle. 11½" long, ½" stock.
5485	**THE SLIDING BAR.** Friction Ball Hold Plug in any position. Used as a "T" or offset handle. 14" long, weight 1¼ lb.
5486	**THE ELL HANDLE.** Where real leverage is required the ell handle is tops. 14" long, weight 1¼ lb.

5254

PLOMB ADAPTORS

Increase the range of your Cub and Standard Sets with Plomb Adaptors. Makes it possible to use Cub Sockets with Standard Drive Attachments and vice versa. The same is true with your Heavy Duty Sets too. See Pages 49-53.

5253	½ Sq. Male x ⅜ Sq. Female	5453	½ Sq. Male x ¾ Sq. Female
5254	⅜ Sq. Male x ½ Sq. Female	5653	¾ Sq. Male x ½ Sq. Female

5253

DRAG LINK SCREW DRIVERS.
Many uses especially on any large slotted screws and used with most ½" drive attachments. Non-replaceable.

5444 Bit ¾" Wide, Length 1 1/16".
5446 Bit 1" Wide, Length 1 1/16".

PLOMB EXTENSIONS.
Increase to a wider range the use of your sockets and attachments. Each Plomb extension drilled with hole for pin handle except No. 5460.

5460 **2½ INCH EXTENSION.**
5461 **5 INCH EXTENSION.**
5463 **10 INCH EXTENSION.**
5464 **18 INCH EXTENSION.**

5469 **SPEED HINGE HANDLE.**
Combines the features of a speeder and hinge handle. Ball hearing grip. 7" Dia. Swing.

9/16" Stock 16" Long, Wt. 1¾ lb.

5470 **UNIVERSAL JOINT.**
Nothing makes your work easier than a Universal Joint when working at some difficult angle.

SPEED HANDLES.
Nothing finer than these Ball Bearing Speeders for really speeding nuts on or off.

5480 18" Long ½" Stock, Ball Bearing, Knurled Grip 4" Throw.

5482 18" Long, ⅜" Stock, Ball Bearing, Knurled Grip 3" Throw.



Standard Sockets 1/2" Square Drive

12 POINT

12 POINT EXTRA DEEP



8 POINT

SQUARE

12 POINT UNIVERSALS

Cat. No.	Opening Size	U.S.S. Bolts & Nuts	Amer. Std. Bolts & Nuts	S.A.E. Bolt Size	Overall Length	Inside Clearance
			STANDARD 12 POINT			
5414	7/16		12 & 1/4	1/4	1 3/8	3/4
5416	1/2	1/4		5/16	1 3/8	3/4
5418	9/16		5/16	3/8	1 3/8	3/4
5419	19/32	5/16			1 3/8	3/4
5420	5/8		3/8	7/16	1 3/8	3/4
5421	21/32				1 3/8	3/4
5422	11/16	3/8			1 3/8	7/8
5424	3/4		7/16	1/2	1 3/8	7/8
5425	25/32	7/16			1 3/8	7/8
5426	13/16		1/2		1 3/8	7/8
5428	7/8	1/2	9/16	9/16	1 1/2	1
5429	29/32				1 1/2	1
5430	15/16		5/8	5/8	1 1/2	1
5431	31/32	9/16			1 1/2	1
5432	1			11/16	1 1/2	1
5434	1 1/16	5/8		3/4	1 1/2	1
5436	1 1/8		3/4		1 3/4	1 1/4
5438	1 3/16				1 3/4	1 1/4
5440	1 1/4	3/4		7/8	1 3/4	1 1/4
			STANDARD 12 POINT EXTRA DEEP			
5340	1/2	1/4		5/16	3 1/4	2 3/4
5341	9/16		5/16	3/8	3 1/4	2 3/4
5343	5/8		3/8	7/16	3 1/4	2 3/4
5344	11/16	3/8			3 1/4	2 3/4
5345	3/4		7/16	1/2	3 1/4	2 3/4
5347	13/16		1/2		3 1/4	2 3/4
5348	7/8	1/2	9/16	9/16	3 1/4	2 3/4
**5348S	7/8	1/2	9/16	9/16	3 1/4	2 3/4
5349	15/16		5/8	5/8	3 1/4	2 3/4
5351	1			11/16	3 1/4	2 3/4
5352	1 1/16	5/8		3/4	3 1/4	2 3/4
5353	1 1/8		3/4		3 1/4	2 3/4
			STANDARD 8 POINT			
5412S	3/8		10		1 3/8	3/4
5414S	7/16		12 & 1/4		1 3/8	3/4
5416S	1/2	1/4			1 3/8	3/4
5418S	9/16		5/16		1 3/8	3/4
5400SA	Set of 4 sockets as listed.					
			STANDARD SQUARE			
5420S	5/8		3/8		1 3/8	7/8
5422S	11/16	3/8			1 1/2	1
5424S	3/4		7/16		1 1/2	1
5426S	13/16		1/2		1 1/2	1
5428S	7/8	1/2	9/16		1 3/4	1 1/4
5432S	1				1 3/4	1 1/4
5434S	1 1/16	5/8			2	1 1/2
5440S	1 1/4	3/4			2	1 1/2
			UNIVERSAL SOCKETS 12 POINT			
5475	1/2	1/4		7/16	1 25/32	
5476	9/16	3/8	5/16		1 13/16	
5477	5/8		3/8	7/16	1 7/8	
5478	11/16	3/8			1 15/16	
5479	3/4		7/16	1/2	2	
5470	Universal Joint, Overall Length, 2 1/64 in.					

**Non-replaceable.

Standard Power Sockets

1/2" Square Drive

HEXAGON

Cat. No.	Opening Size	U.S.S. Bolt & Nuts	Amer. Std. Bolt & Nuts	S.A.E. Bolt Size	Overall Length	Inside Clearance
7414H	7/16		12 & 1/4	1/4	1 1/2	1
7416H	1/2	1/4		5/16	1 1/2	1
7418H	9/16		5/16	3/8	1 1/2	1
7420H	5/8		3/8	7/16	1 5/8	1
7422H	11/16	3/8			1 5/8	1 1/8
7424H	3/4		7/16	1/2	1 5/8	1 1/8
7426H	13/16		1/2		1 5/8	1 1/8
7428H	7/8	1/2	9/16	9/16	1 3/4	1 1/4
7429H	29/32				1 3/4	1 1/4
7430H	15/16		5/8	5/8	1 7/8	1 3/8
7432H	1			11/16	1 7/8	1 3/8
7434H	1 1/16	5/8		3/4	2	1 1/2
7436H	1 1/8		3/4		2	1 1/2
7440H	1 1/4	3/4		7/8	2 1/8	1 5/8

HEXAGON EXTRA DEEP POWER SOCKETS

7316H	1/2	1/4		5/16	3 1/4	2 3/4
7318H	9/16		5/16	3/8	3 1/4	2 3/4
7320H	5/8		3/8	7/16	3 1/4	2 3/4
7322H	11/16	3/8			3 1/4	2 3/4
7324H	3/4		7/16	1/2	3 1/4	2 3/4
7326H	13/16		1/2		3 1/4	2 3/4
7328H	7/8	1/2	9/16		3 1/4	2 3/4
7330H	15/16		5/8	5/8	3 1/4	2 3/4
7332H	1			11/16	3 1/4	2 3/4
7334H	1 1/16	5/8		3/4	3 1/4	2 3/4
7336H	1 1/8		3/4		3 1/4	2 3/4

Power Drive

UNIVERSAL SOCKETS HEXAGON

7474H	7/16		12 & 1/4	1/4	1 31/32
7475H	1/2	1/4		5/16	1 31/32
7476H	9/16		5/16	3/8	2 7/32
7477H	5/8		3/8	7/16	2 7/32
7478H	11/16	3/8			2 7/32
7479H	3/4		7/16	1/2	2 7/32
7470	Universal Joint, 2 7/32" Long, Sq. Male and Female Connections				

Standard Power Extensions

1/2" Square by 7/16" Hexagon Drive

Catalog No.	Shank Dia.	Overall Length
7121	11/16"	2 3/4"
7123	11/16"	5"
7125	11/16"	8"
7127	11/16"	12"
7128	11/16"	18"

1/2" Square by 5/8" Hexagon Drive

Catalog No.	Shank Dia.	Overall Length
7131	3/4"	2 3/4"
7133	3/4"	5"
7135	3/4"	8"
7137	3/4"	12"

There Is a Plomb Socket for Your Every Need.

HEXAGON

HEXAGON EXTRA DEEP

UNIVERSAL

Power Extensions

Socket and Attachment Set No. 5400-B



Wt., 13½ Lbs.

An old stand-by that has proved one of the most popular sets ever assembled. You really can't appreciate the general usefulness of this set until you begin to use it. Specifications are:

Tool No.	Description
5414	7/16" 12 point Socket
5416	½" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5463	10" Extension
5466PH	Pin Handle
5468	18" Hinge Handle
5480	18" Speed Handle
5485	14" Sliding Bar
5496	Metal Box

Standard ½" Square Drive Sets

A brand new set, newly created, to meet modern day needs. A small economical assortment of ½" drive tools that makes it possible for you to do the maximum number of jobs with the minimum number of tools. Specifications follow:

Tool No.	Description
5414	7/16" 12 point Socket
5416	½" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5466PH	Pin Handle
5467	15" Hinge Handle
5295	Metal Box

Wt., 6½ Lbs.

Socket and Attachment Set No. 5400-D



Socket and Attachment Set No. 5400-OC

Originally designed for use in the oil industry but became so popular in all phases of industry it has been termed the "Super Set." If you work in the oil, ship-building or allied fields, this is just the set for you. Details below:

Tool No.	Description
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	3/4" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5436	1 1/8" "
5438	1 3/16" "
5440	1 1/4" "
5449	Reversible Ratchet
5460	2 1/2" Extension
5461	5" "
5463	10" "
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box Wt., 14 lbs.





Socket and Attachment Set No. 5400-T

A lead horse in tool sets. This set has been standard with Plomb for years. It was so ideally designed and selected at the start that no change has ever been necessary, You will never regret being the owner of the universal set. Contents follow:

Tool No.	Description
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	3/4" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5444	3/4" D. L. Screwdriver
5449	Reversible Ratchet
5461	5" Extension
5463	10" "
5466	9 1/2" Hinge Handle
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box Wt., 16 lbs.

No. 5649



No. 5649

REVERSIBLE RATCHET, complete with Adaptor Plug. Precision made, overall length 20". (5648 is Ratchet without 5652 Plug.) Wt., 5½ lbs.

RATCHET PARTS 5649

5648B	Body	**5648R**	Rev. Assembly
5648C	Cover	**5648S**	Spring
5648DL	Dog Left	**5648W**	Wheel
5648DR	Dog Right		Female
5648H	Cover Screw	**5652**	Flanged Drive Plug

No. 5668

HEAVY DUTY HINGE HANDLE. Hinged plug operates at any angle and is held firmly in position by friction ball. 22" long. Wt., 3½ lbs.

No. 5685

SLIDING BAR HANDLE. 13/16" diameter bar is 18" long. Friction ball in plug holds it at any point on bar. Wt., 3¼ lbs.

No. 5686

HEAVY-DUTY ELL HANDLE. A very handy tool that gives powerful leverage; deeply knurled grip; 17" long. Wt., 4½ lbs.

No. 5660 5" EXTENSION.
No. 5661 8" EXTENSION.
No. 5663 16" EXTENSION.
} With Hole for Pin Handle

No. 5668PH PIN HANDLE 5/8" Stock, 12" long

12 POINT

Heavy Duty 3/4" Square Drive Sockets

HEXAGON

Catalog No.		12 pt. Opening	SAE Bolt Size	U.S.S. Bolt Size	Amer. Std. Bolt Size	Overall Length	Inside Clearance
Standard 12 Pt.	Std. Hex.						
5528	5528H	7/8"	9/16"	1/2"	9/16"	1 3/4"	1"
5530	5530H	15/16"	5/8"		5/8"	1 3/4"	1"
5532		1"	11/16"			2"	1 1/4"
5534		1 1/16"	3/4"	5/8"		2"	1 1/4"
5536	5536H	1 1/8"			3/4"	2 5/16"	1 5/16"
5538		1 3/16"				2 5/16"	1 5/16"
5540		1 1/4"	7/8"	3/4"		2 5/16"	1 5/16"
5542		1 5/16"			7/8"	2 1/2"	1 3/4"
5544		1 3/8"				2 5/8"	1 7/8"
5546		1 7/16"	1"	7/8"		2 5/8"	1 7/8"
5548		1 1/2"			1"	3 1/2"	2 3/4"
5550		1 5/16"				3 1/2"	2 3/4"
5552		1 5/8"	1 1/8"	1"		3 1/2"	2 3/4"
5554		1 11/16"			1 1/8"	3 1/2"	2 3/4"
5556		1 3/4"				3 1/2"	2 3/4"
5558		1 13/16"	1 1/4"	1 1/8"		3 1/2"	2 3/4"
5560		1 7/8"			1 1/4"	3 1/2"	2 3/4"
5564		2"	1 3/8"	1 1/4"		3 1/2"	2 3/4"
5568		2 1/8"				3 1/2"	2 3/4"
5572		2 1/4"			1 1/2"	3 13/16"	3 1/16"
5576		2 3/8"		1 3/4"		3 7/8"	3 1/8"

No. 5670
UNIVERSAL JOINT,
3 11/32" overall length. 3/4" male and female drives.

Socket Adaptors

5453 1/2" square male by 3/4" sq. female.
5653 3/4" square male by 1/2" sq. female.
5853 1" square male by 3/4" sq. female.
5854 3/4" square male by 1" sq. female.

PLOMB
Streamlined Tools



No. 5500-A



No. 5500-B



No. 5500-OC

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

Specifications--Heavy Duty 3/4" Square Drive Sets

Socket and Attachment Set No. 5500-A

The Handles and Sockets of this big heavy duty set are geared for severe service. A set you can depend on to finish the job. This is a very complete set, and leaves little to be asked for when heavy work is at hand. Note specifications below: Wt. 56 lbs.

Tool No.	Description
5528	7/8" 12 point Socket
5530	15/16" "
5532	1" "
5534	1 1/16" "
5536	1 1/8" "
5538	1 3/16" "
5540	1 1/4" "
5542	1 5/16" "
5544	1 3/8" "
5546	1 7/16" "
5548	1 1/2" "
5550	1 9/16" "
5552	1 5/8" "
5554	1 11/16" "
5556	1 3/4" "
5558	1 13/16" "
5560	1 7/8" "
5564	2" "
5568	2 1/8" "
5649	Reversible Ratchet
5661	8 inch Extension
5663	16 inch "
5668	22 inch Hinge Handle
5685	18 inch Sliding Bar
5686	18 inch Ell Handle
5695	Heavy Metal Box

Socket and Attachment Set No. 5500-B

A much smaller set than listed above but a very useful and economical set. Not a surplus item in the lot. Each tool will find action in everyday use. See contents below: Wt. 22 lbs.

Tool No.	Description
5534	1 1/16" 12 point Socket
5536	1 1/8" "
5540	1 1/4" "
5542	1 5/16" "
5546	1 7/16" "
5548	1 1/2" "
5552	1 5/8" "
5556	1 3/4" "
5661	8" Extension
5685	18 inch Sliding Bar
5695	Heavy Metal Box

Socket and Attachment Set No. 5500-OC

A set selected by Plomb originally for the oil industry. Its universal use there was not exceeded by a heavy demand for this set in other forms of heavy industry. It would be almost impossible to make a more perfect set. Specifications follow: Wt. 30 lbs.

Tool No.	Description
5528	7/8" 12 point Socket
5534	1 1/16" "
5540	1 1/4" "
5546	1 7/16" "
5552	1 5/8" "
5558	1 13/16" "
5564	2" "
5649	Reversible Ratchet
5661	8 inch Extension
5668	22 inch Hinge Handle
5668PH	Pin Handle
5670	Universal Joint
5695	Heavy Metal Box





5861

THE PLOMB RATCHET

The big bertha of ratchets. Made strong for powerful pulls at high speed. Reversible, Interchangeable Drive Plugs. Wt. 12 lbs. 26" overall length.

5848—Ratchet only 1" sq. female wheel.
5852—1" square male adaptor plug.
5855—1"x¾" square male adaptor plug.
5849—Ratchet complete 1" solid sq. male drive.

RATCHET REPAIR PARTS FOR 5848

5848B—Body
5848C—Cover
5848DL—Dog, Left
5848DR—Dog, Right
5848H—Cover Screws
5848R—Rev. Assembly
5848S—Spring
5848W—Wheel
5849W—Male Wheel



5863



5868

5884

5885

ATTACHMENT SPECIFICATIONS NEXT PAGE

Extensions

Extensions make it possible to get into those hard-to-reach places. Used with every attachment and socket on this page.

5861—9" EXTENSION

1" square connections. Female end drilled for 1" bar. Friction ball holds bar firmly at any point. Wt. 2½ lbs.

5863—18" EXTENSION

Same specifications as No. 5861. Wt. 4½ lbs.

No. 5868—HINGE HANDLE

You will find this the handiest tool for nut turning you ever used. 26" long, 1⅛" diameter handle, knurled grip. 1" male connection. Wt. 8½ lb.

5884—1" BAR

This handy bar is used to turn the Big Plomb Sockets which are drilled with a hole to fit this bar. Used as a Handle to make a T drive with Plomb extensions. 24" long. Equipped with spring ball stop on one end. Wt. 5¼ lbs.

5885—SLIDING PLUG

Used with No. 5884 Bar as Sliding Bar Handle. Has friction ball to hold it firmly at any point on bar. Wt. 1¼ lbs.

Adaptors

Adaptors increase the range of your tools. They make it possible to use ¾" Drive Sockets with these 1" drive attachments or the 1" drive sockets with your ¾" drive attachments.

5853—1" square male by ¾" square female.
5854—¾" square male by 1" square female.



EXTRA HEAVY-DUTY SOCKETS

Big, sturdy sockets that can take real rugged punishment. Bell shaped for lightness. Each socket drilled with hole so they can be used with sliding bar handle.

No.	12-Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S. A. E. Bolt Size	Overall Length	Inside Clearance
5752	1⅝"	1"		1¼"	3¼"	2¼"
5758	1 13/16"	1⅛"		1⅛"	3 9/16"	2 5/16"
5760	1 7/8"		1¼"		3⅝"	2⅜"
5764	2"	1¼"		1⅜"	3 7/8"	2 7/16"
5770	2⅛"	1⅜"		1½"	3 9/16"	2 9/16"
5772	2¼"		1½"		3 13/16"	2 13/16"
5776	2⅜"	1½"			3⅞"	2⅞"
5780	2½"				3 15/16"	2 15/16"
5782	2 9/16"	1⅝"			4"	3"
5784	2⅝"		1¾"		4⅛"	3⅛"
5788	2¾"	1¾"			4⅜"	3⅜"
5794	2 15/16"	1⅞"			4⅝"	3⅝"
5800	3⅛"	2"			4⅞"	3⅞"
5812	3½"	2¼"			5½"	4½"



Socket and Attachment Set No. 5700-A

A compact set that is unusually economical and very efficient. Made to do those hard tasks quickly, a real money saver. Examine the contents below and you will see why this assortment is so popular:

Tool No.	Description
5758	1-13/16" 12 point opening
5760	1-7/8" "
5764	2" "
5770	2-3/16" "
5772	2-1/4" "
5776	2-3/8" "
5782	2-9/16" "
5784	2-5/8" "
5861	9 inch Extension
5863	18 inch "
5884	24 inch Sliding Bar
5885	Sliding Plug
5894	Heavy Metal Box

Shipping Weight, 70 Lbs.

Socket and Attachment Set No. 5700-OC

You will search a long time to find a Jumbo set like this. It contains three of the most popular attachments made, together with a splendid assortment of sockets. No job too tough for this baby to handle. Specifications:

Tool No.	Description
5758	1-13/16" 12 point Socket
5764	2" "
5770	2-3/16" "
5776	2-3/8" "
5782	2-9/16" "
5788	2-3/4" "
5848	Reversible Ratchet
5852	1" Plug for above Ratchet
5868	27" Hinge Handle
5861	9 inch Extension
5884	24" Sliding Bar
5885	Sliding Plug for above bar.
5894	Heavy Metal Box

Shipping Weight, 84 Lbs.





OPEN END & BOX WRENCHES



Patent Pending

Industrial WRENCHES
1000 SERIES



Plomb design will clear at approximately 15° less than standard practice minimum centers.

EXTRA HEAVY DUTY DOUBLE END BOX WRENCHES

Superior design, masterful forging, have made these Plomb Box Wrenches the preference of Industry.

These wrenches are made stronger in the neck, or offset, but done without increasing thickness between the broached opening and the under side of the offset. The crescent shaped neck section is not only stronger but will work in closer places. High pressure flanges and castings with ribs or bosses adjacent to bolt holes are examples of work where minimum rear wall thickness is invaluable. Safety Engineers whole-heartedly endorse these wrenches. Finish Ind. blue.



Patent Pending

2600 SERIES Industrial WRENCHES

Extra Heavy Duty Combination Box and Spud End Wrench

You will note a new innovation in this wrench, as Plomb has introduced a real safety factor. It is a combination box wrench with tapered spud handle.

The danger of spreading or slipping, common to the open end wrench under heavy work, is eliminated while this wrench provides the added factor of safety under powerful pulls.

It will help you make quick work of loosing frozen or corroded bolts or nuts. The spud end is very handy for aligning holes in flanges.

Note in particular the clearance provided by the offset head which overcomes the usual clearance problems. The finish is Industrial Blue. They make an ideal wrench for construction work, oil refineries, etc.

These wrenches are forged from alloy steel and specifications appear on next page.

Cat. No.	12 Pt. Opening Sizes	U.S.S. Bolt Size	S.A.E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness	Wt.
1036	1 1/16" / 7/8"	3/8" / 1/2"	— / 9/16"	— / 9/16"	11 1/2"	1/2" / 9/16"	1
1041	7/8" / 1 1/16"	1/2" / 5/8"	9/16" / 3/4"	9/16" / —	15"	5/8" / 1 1/16"	1 3/4
1045	1 5/16" / 1"	— / —	5/8" / 1 1/16"	5/8" / —	15"	5/8" / 1 1/16"	2
1051	1 1/16" / 1 1/4"	5/8" / 3/4"	3/4" / 7/8"	— / —	16 1/2"	3/4" / 1 3/16"	2 1/2
1053	1 1/8" / 1 3/16"	— / —	— / —	3/4" / 7/8"	16 1/2"	3/4" / 1 3/16"	2 1/2
1061	1 1/4" / 1 7/16"	3/4" / 7/8"	7/8" / 1"	— / —	20"	7/8" / 1 5/16"	4 1/4
1063	1 7/16" / 1 5/8"	7/8" / 1"	1" / 1 1/8"	— / —	24"	1" / 1 1/16"	5 1/4
1066	1 13/16" / 2"	1 1/8" / 1 1/4"	1 1/4" / 1 3/8"	— / —	30"	1 1/8" / 1 1/4"	8 1/4
1068	2" / 2 3/8"	1 1/4" / 1 1/2"	1 3/8" / —	— / —	32"	1 1/8" / 1 1/2"	12 1/4
1069	2 3/16" / 2 3/8"	1 3/8" / 1 1/2"	1 1/2" / —	— / —	32"	1 3/8" / 1 1/2"	12 1/4

CATALOG NO.	12 Pt. Opening	U.S.S. Bolt Size	Am. Std. Bolt Size	S.A.E. Bolt Size	Overall Length Spud End	Head Thickness	Weight In Pounds
2613	13/16"		1/2"		11 3/4"	5/8"	1
2615	15/16"		5/8"	5/8"	11 3/4"	5/8"	1 1/8
2617	1 1/16"	5/8"		3/4"	14 3/4"	3/4"	1 1/2
2618	1 1/4"		3/4"		14 3/4"	3/4"	1 1/2
2620	1 1/4"	3/4"	3/4"	7/8"	17"	13/16"	2
2621	1 5/16"		7/8"		17"	13/16"	2
2623	1 7/16"	7/8"		1"	20 1/2"	1"	3 1/2
2624	1 1/2"		1"		20 1/2"	1"	3 1/2
2626	1 5/8"	1"		1 1/8"	21 1/2"	1 1/16"	4
2627	1 11/16"		1 1/8"		21 1/2"	1 1/16"	4
2629	1 13/16"	1 1/8"		1 1/4"	22 3/4"	1 1/8"	5
2630	1 7/8"		1 1/4"		22 3/4"	1 1/8"	5
2632	2"	1 1/4"		1 3/8"	24 1/2"	1 1/4"	5 1/2
2635	2 3/16"	1 3/8"		1 1/2"	26"	1 3/8"	7 1/4
2638	2 3/8"	1 1/2"			27 3/4"	1 1/2"	8 1/2
2641	2 9/16"	1 5/8"			27 3/4"	1 1/2"	8
2644	2 3/4"	1 3/4"			30"	1 7/8"	14
2647	2 15/16"	1 7/8"			30"	1 7/8"	14 1/4
2650	3 1/8"	2"			30"	1 7/8"	14 1/2

SHORT 

TYPE

Industrial Slugging Wrenches--

Extra heavy duty design in both the short and long types. 12 point openings from 1 5/16" to 3½". These wrenches are adaptable to all heavy industrial work where space is very limited. Finish oxidized blue. Non-replaceable. **Specifications Opp Page.**

LONG TYPE

Industrial

Slugging Wrenches

Short Type Cat. No	Long Type Cat. No.	12 Pt. Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	Weight in Lbs. Short Type	Weight in Lbs. Long Type
USN 221		1 5/16"		7/8"	1¾	
USN 223		1 7/16"	7/8"		1⅞	
USN 224		1½"		1"	1⅞	
USN 226	USN 326	1⅝"	1"		3¼	3¼
USN 227	USN 327	1 1/16"		1⅛"	3¼	3
USN 229	USN 329	1 1/16"	1⅛"		3¼	3
USN 230	USN 330	1⅞"		1¼"	3¼	3
USN 232	USN 332	2"	1¼"		5¼	5
USN 235	USN 335	2 1/16"	1⅜"		4¾	4½
USN 236	USN 336	2¼"		1½"	4¾	4½
USN 238	USN 338	2⅜"	1½"		8½	6½
USN 241	USN 341	2 1/16"	1⅝"		8	8
USN 242	USN 342	2⅝"		1¾"	8¼	8
USN 244	USN 344	2¾"	1¾"		12½	12
USN 247		2 15/16"	1⅞"		11½	11¼
USN 248	USN 348	3"		2"	12	11¾
USN 250	USN 350	3⅛"	2"		13½	10¾
USN 254	USN 354	3⅜"		2¼"	15¾	15½
USN 256	USN 356	3½"	2¼"		15¼	15

Plomb Industrial Slugging Wrenches are designed for all types of heavy industrial work where the working space is extremely limited or highly congested. The 12 point opening fits snugly upon the bolt or nut and will remain in position while being struck with heavy hammer or sledge.

This wrench has been a boon to shipbuilders, installing or repairing machinery in ships, diesel power plants, railroad repair shops, oil refineries or any place where heavy machinery is located. Non-replaceable.

Industrial STRIKING WRENCH

Pat. Pend.

Striking Wrenches are equipped with square striking shank for use in restricted quarters with a hammer. They are offset to allow maximum clearance Oxidized Blue finish. Made from Alloy Steel.

Cat. No.	12 Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S.A.E. Bolt Size	Overall Length	Head Thickness	Wt.
			An Original Plomb Development!				
2617SW	1 1/16"	5/8"		3/4"	10 3/4"	3/4"	1 1/2
2618SW	1 1/8"		3/4"		10 3/4"	3/4"	1 1/2
2620SW	1 1/4"	3/4"		7/8"	11 1/8"	13/16"	2
2621SW	1 5/16"		7/8"		11 1/8"	13/16"	2
2623SW	1 7/16"	7/8"		1"	12 1/8"	1"	3 1/2
2624SW	1 1/2"		1"		12 1/8"	1"	3 1/2
2626SW	1 5/8"	1"		1 1/8"	12 1/4"	1 1/16"	4
2627SW	1 11/16"		1 1/8"		12 1/4"	1 1/16"	4
2629SW	1 13/16"	1 1/8"		1 1/4"	13 7/16"	1 1/8"	5
2630SW	1 7/8"		1 1/4"		13 7/16"	1 1/8"	5
2632SW	2"	1 1/4"		1 3/8"	13 9/16"	1 1/4"	5 1/2
2635SW	2 3/16"	1 3/8"		1 1/2"	13 1/2"	1 3/8"	7 3/4
2638SW	2 3/8"	1 1/2"			13 7/8"	1 1/2"	8 3/4
2641SW	2 9/16"	1 5/8"			13 7/8"	1 1/2"	8 3/4
2644SW	2 3/4"	1 3/4"			16"	1 7/8"	12 3/4
2647SW	2 15/16"	1 7/8"			16"	1 7/8"	12 3/4
2650SW	3 1/8"	2"			16"	1 7/8"	12 3/4

STREAMLINED OFFSET BOX WRENCHES

Midget

6-point openings. Amply offset to clear obstructions. A superb box wrench for all small nuts and bolts.

Stubby Type

12-point openings. Different openings each end Short type lets you get into those tight places easily.



Standard Long Type

12-point openings, 60° angle offset on each end. Extra long. No duplication of opening sizes. Ample knuckle clearance.

SPECIFICATIONS

Midget Cat. No.	Stubby Cat. No.	Std. Long Type Cat. No.	6-Point Openings	12-Point Openings	Overall Length Midget	Overall Length Stubby	Overall Length Std. Long Type
8112			3/16"x13/64"		2 13/16"		
8117			7/32"x15/64"		3 3/32"		
8122			1/4"x9/32"		3 3/8"		
8127			5/16"x11/32"		3 3/4"		
	8160	8180		3/8"x7/16"		5"	7 3/4"
	8161	8181		1/2"x9/16"		5 1/2"	9 3/4"
	8162	8182		5/8"x11/16"		6"	10"
	8163			3/4"x13/16"		6 1/2"	
		8183		3/4"x25/32"			11"
		8184		13/16"x7/8"			12 3/4"
		8185		15/16"x1"			14"



Midget Box Wrench Set No. 8100-E

A superb set of Midget Box Wrenches that will find daily use in your work. Especially handy on little bolts and nuts. This set of 4 wrenches gives you a wide range of opening sizes. Specifications below:

Tool No.	6 Pt. Openings
8112	3/16" x 13/64"
8117	7/32" x 15/64"
8122	1/4" x 9/32"
8127	5/16" x 11/32"
2411	L'ette Kit. Wt., 1 lb. 2 oz.

Stubby Box Wrench Set No. 8100-A

One of the latest additions to the Plomb line was this type of Offset Box Wrench. Gets into those hard-to-reach places. This set will just about cover your every requirement. The contents are as follows:

Tool No.	12 Pt. Openings	Length
8160	3/8" x 7/16"	5"
8161	1/2" x 9/16"	5½"
8162	5/8" x 11/16"	6"
8163	3/4" x 13/16"	6½"

Canvas Bag Free. Wt., 1½ lbs.





Light Duty Offset Box Wrench Set No. 8100-B

This set covers the most popular opening sizes from 3/8" to 1". One cannot afford to be without this set of wrenches. They will pay for themselves in no time by making your work quicker and easier. The set is listed below:

Tool No.	12 Pt. Openings
8180	3/8" x 7/16"
8181	1/2" x 9/16"
8182	5/8" x 11/16"
8183	3/4" x 25/32"
8184	13/16" x 7/8"
8185	15/16" x 1"

Canvas Bag Free. Wt., 3½ lbs.

Open-End Set No. 3200-A



Here is a gem of a midget set of open-end wrenches in our 3200 Series, being 15° openings on one end and 60° on the other. 4 popular wrenches in all, as follows:

Tool No.	15° Opening	60° Opening
3210	13/64"	15/64"
3215	7/32"	1/4"
3220	9/32"	5/16"
3225	11/32"	3/8"
2411	Leatherette Kit	

Open-End Set No. 3200-D



This is the complete set even to including a pair of Plomb Midget Pliers. The Wrenches give you every opening size that we make in this type of wrench. Listed below are the contents.

Tool No.	15° Opening	60° Opening
3210	13/64"	15/64"
3211	15/64"	13/64"
3215	7/32"	1/4"
3216	1/4"	7/32"
3220	9/32"	5/16"
3221	5/16"	9/32"
3225	11/32"	3/8"
3226	3/8"	11/32"
235	Midget Plomb Plier	
2410	Leatherette Kit	

Open-End Set No. 3300-A



This set is our electrical type with one opening 15°, the other 75°, a well balanced set for all small work. The set consists of:

Tool No.	15° Opening	75° Opening
3314	7/32"	7/32"
3315	15/64"	15/64"
3316	1/4"	1/4"
3318	9/32"	9/32"
3320	5/16"	5/16"
3322	11/32"	11/32"
3324	3/8"	3/8"
3328	7/16"	7/16"
3332	1/2"	1/2"
2410	Leatherette Kit	

See Midget Electrical and OE Wrench Description and Specifications Page 68



BOX WRENCHES 15° ANGLE

The wrench of perfect balance. Note in the diagram . . . how the angle of the heads clears obstructions. No more skinned knuckles, shank has rounded edges, will not cut into your hand under heavy pulls.



15° OFFSET ALLOWS AMPLE CLEARANCE

No.	12-Point Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness
1120	9/16" x 3/8"	1/8"-3/16"		5&6-10	4"	1/4"-1/4"
1122	3/8" x 7/16"	5/16"	1/4"	10-12&1/4"	4 1/2"	9/32"-9/32"
1125	7/16" x 1/2"	1/4"	1/4"-5/16"	12&1/4"	5"	5/16"-5/16"
1126	1/2" x 9/16"	1/4"	5/16"-3/8"	5/16"	6 1/4"	11/32"-11/32"
1127	1/2" x 19/32"	1/4"-5/16"	5/16"		7 3/4"	11/32"-11/32"
1130	9/16" x 5/8"		3/8"-7/16"	5/16"-3/8"	7 3/4"	3/8"-3/8"
1131	5/8" x 3/4"		7/16"-1/2"	3/8"-7/16"	9"	13/32"-13/32"
1134	5/8" x 11/16"	3/8"	7/16"	3/8"	9 3/4"	13/32"-13/32"
1135	11/16" x 3/4"	3/8"	1/2"	7/16"	10 1/2"	7/16"-7/16"
1136	11/16" x 7/8"	3/8"-1/2"	9/16"	9/16"	10 1/2"	7/16"-7/16"
1137	11/16" x 25/32"	3/8"-7/16"			11"	7/16"-7/16"
1139	3/4" x 7/8"	1/2"	1/2"-9/16"	7/16"-9/16"	11 1/2"	15/32"-15/32"
1140	15/16" x 7/8"	1/2"	9/16"	1/2"-9/16"	12 1/4"	15/32"-15/32"
1141	7/8" x 1 1/16"	1/2"-5/8"	9/16"-3/4"	9/16"	14"	1/2"-15/32"
1145	15/16" x 1"		5/8"-15/16"	5/8"	14"	1/2"-1/2"
1147	15/16" x 1 1/16"	5/8"	5/8"-3/4"	5/8"	15"	1/2"-1/2"
1150	1 1/16" x 1 1/8"	5/8"	3/4"	3/4"	16"	17/32"-17/32"
1151	1 1/16" x 1 1/4"	5/8"-3/4"	3/4"-7/8"		17"	9/16"-9/16"
1155	1 1/4" x 1 5/16"	3/4"	7/8"	7/8"	17 3/4"	5/8"-5/8"
1160	1 1/4" x 1 3/8"	3/4"	7/8"		18 1/4"	5/8"-5/8"
1161	1 1/4" x 1 1/16"	3/4"-7/8"	7/8"-1"		19 1/2"	11/16"-11/16"
1162	1 1/16" x 1 1/2"	7/8"	1"	1"	20 7/8"	3/4"-3/4"
1163	1 1/16" x 1 5/8"	7/8"-1"	1"-1 1/8"		22 1/2"	13/16"-13/16"
1164	1 5/8" x 1 11/16"	1"	1 1/8"	1 1/8"	24 1/2"	7/8"-7/8"

POPULAR SETS OF 15° BOX WRENCHES



1100-E

You will find this handy set of 6 Plomb Box Wrenches the most useful set in your tool chest. Assorted openings cover a wide range of bolt and nut sizes. Contents follow: No. 1122, 3/8"x 7/16"; No. 1125, 7/16"x1/2"; No. 1126, 1/2"x9/16"; No. 1130, 9/16"x5/8"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x 7/8"; No. 2405, L'ette Kit. Wt., 1¾ lbs.

This large master set leaves little to ask for in an all-around assortment of Plomb's famous line of Double End Box Wrenches. 10 Wrenches that will give you opening sizes to fit most any nut or bolt that comes along. Specifications follow: No. 1120, 5/16"x3/8"; No. 1122, 3/8"x7/16"; No. 1125, 7/16"x1/2"; No. 1126, 1/2"x9/16"; No. 1130, 9/16"x5/8"; No. 1131, 5/8"x3/4"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x7/8"; No. 1145, 15/16"x1"; No. 1150, 1-1/16"x 1-1/8"; No. 2413, Kit. Wt., 4 lbs.

1100-F





1100-H

You can't afford to be without this very popular set of Plomb Double End Box Wrenches. 7 wrenches without a duplication in the 14 assorted opening sizes. Contents are: No. 1120, 5/16"x3/8"; No. 1125, 7/16"x1/2"; No. 1130, 9/16"x5/8"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x 7/8"; No. 1145, 15/16"x1"; No. 1150, 1-1/16"x1-1/8"; No. 2406, Leatherette Kit. Wt., 3½ lbs.

PLOMB Streamlined Tools

Combination Box and Open-End Wrenches

Both openings same size. Box End offset 15°; Open End 15° Angle.

The Combination Open End and Box Wrench was first introduced to the American trade by the Plomb Tool Company—a wrench that has proved to be the most popular innovation in wrench manufacturing in a long time. You will note that both openings are the same size. The Box Wrench has always been famous for its safety features,—the Open End for its speed. Here you have in the one wrench the combination of both. Use the Box end for breaking loose or cinching,—the Open end for running the nut on or off.



No.	Both Openings	Overall Length	Box Head Thickness	Open Head Thickness	U.S.S. Bolt Size	S.A.E. Bolt Size	Amer. Std. Bolt Size	No.
1210	5/16"	3½"	7/32"	6/32"	1/8"	.....	5 & 6	1210
1212	3/8"	4½"	1/4"	9/64"	3/16"	.....	10	1212
1214	7/16"	5½"	9/32"	7/32"	.....	1/4"	12 & 1/4"	1214
1216	1/2"	6¼"	5/16"	7/32"	1/4"	5/16"	.....	1216
1218	9/16"	7"	11/32"	1/4"	.....	3/8"	5/16"	1218
1220	5/8"	7¾"	3/8"	9/32"	.....	7/16"	3/8"	1220
1222	11/16"	8½"	13/32"	9/16"	5/16"	.....	.....	1222
1224	3/4"	9¼"	7/16"	11/32"	.....	1/2"	7/16"	1224
1226	13/16"	10¼"	15/32"	11/32"	.....	.....	1/2"	1226
1228	7/8"	11¼"	15/32"	13/32"	1/2"	9/16"	9/16"	1228
1230	15/16"	12¼"	1/2"	3/8"	.....	5/8"	5/8"	1230
1232	1"	13⅜"	1/2"	13/32"	.....	13/16"	.....	1232
1234	1 1/16"	14½"	17/32"	13/32"	5/16"	3/4"	.....	1234
1236	1 1/8"	15¾"	17/32"	7/16"	.....	.....	3/4"	1236
1240	1 1/4"	17½"	5/8"	1/2"	3/8"	7/8"	.....	1240
1242	1 5/16"	18"	5/8"	15/32"	.....	.....	7/8"	1242
1244	1 3/8"	18½"	5/8"	9/16"		.....	.....	1244
1246	1 7/16"	19"	3/4"	9/16"	7/8"	1"	.....	1246

Combination Open-End and Box Wrench Sets



Set No. 1200-A

Here are four of the most popular size openings—wrenches you will find use for every day. Specifications follow: Wt. 1 lb.

Tool No.	Opening Size
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
2408	Leatherette Kit



Set No. 1200-G

Just twice as many sizes as listed in the above set. Eight wrenches in all—an all around assortment of the most useful openings. Contents are as follows: Wt. 2 lbs.

Tool No.	Opening Size
1210	5/16"
1212	3/8"
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
1222	11/16"
1224	3/4"
2406	Leatherette Kit



Set No. 1200-F

Here is your Master Combination Box and Open-End Wrench Set—15 opening sizes as listed below: Wt. 8¾ lbs.

Tool No.	Opening Size
1210	5/16"
1212	3/8"
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
1222	11/16"
1224	3/4"
1226	13/16"
1228	7/8"
1230	15/16"
1232	1"
1234	1 1/16"
1236	1 1/8"
1240	1 1/4"
2413	Leatherette Kit

Cat. No.	Openings	Head Thickness	Length
3314	7/32" x 7/32"	5/32"	3¼"
3315	15/64" x 15/64"	3/32"	3¼"
3316	¼" x ¼"	5/32"	3¼"
3318	9/32" x 9/32"	5/32"	3½"
3320	5/16" x 5/16"	5/32"	3½"
3322	11/32" x 11/32"	5/32"	4"
3324	3/8" x 3/8"	5/32"	4"
3328	7/16" x 7/16"	5/32"	4½"
3332	½" x ½"	5/32"	4½"

MIDGET ELECTRICAL WRENCHES

15°—80° Both Openings Same Size

You will note the angle openings are 15-80°. Just what you want when working on magnetos, timers, generators, radios, etc., for delicate adjustments. Finish nickel and chrome buffed heads.

Paired openings, different size each end but with alternate angles on next wrench so all eight openings are provided in both 15° and 60° angles. Finished in nickel and chrome with buffed heads.

MIDGET OBSTRUCTION WRENCHES

Cat. No.	15° Opening	60° Opening	Head Thickness	Overall Length
3210	13/64"	15/64"	3/32"	3"
3211	15/64"	13/64"	3/32"	3"
3215	7/32"	¼"	3/32"	3"
3216	¼"	7/32"	3/32"	3"
3220	9/32"	5/16"	5/32"	3½"
3221	5/16"	9/32"	5/32"	3½"
3225	11/32"	3/8"	9/64"	3¾"
3226	3/8"	11/32"	9/64"	3¾"

15° OPEN END WRENCHES



"The Pride Line"



A

B

COMPARISON SHOWS PLOMB ADVANTAGES

Shown at the right is an ordinary open-end wrench (A) and an open-end wrench built the Plomb way (B). Compare the two. The special engineering and finest alloy steel used in the Plomb wrench result in one that's stronger, and easier and faster to work with. (1) Less overhang in opening. (2) More accurate fit. (3) Smaller, more compact head. (4) Slender shank with rounded edges as compared to thick sharp edged shank.

Cat. No.	Milled Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness	Cat. No.
3018	1/4"-5/16"	1/8"		4-5&6	3 1/2"	5/32"	3018
3020	5/16"-3/8"	1/8"-3/16"		5&6-10	4"	5/16"	3020
3021	3/8"-7/16"	5/16"	1/4"	10-12&1/4"	4 1/2"	7/32"	3021
3025	7/16"-1/2"	1/4"	1/4"-5/16"	12&1/4"	5"	7/32"	3025
3026	1/2"-9/16"	1/4"	5/16"-3/8"	5/16"	5 1/2"	1/4"	3026
3027	1/2"-19/32"	1/4"-5/16"	5/16"		6 1/4"	9/32"	3027
3030	9/16"-5/8"		3/8"-7/16"	5/16"-3/8"	6 1/4"	9/32"	3030
3031	5/8"-3/4"		7/16"-1/2"	3/8"-7/16"	8"	5/16"	3031
3032	19/32"-25/32"	5/16"-7/16"			8"	5/16"	3032
3034	5/8"-11/16"	3/8"	7/16"	3/8"	8"	5/16"	3034
3035	11/16"-3/4"	3/8"	1/2"	7/16"	8"	5/16"	3035
3036	11/16"-7/8"	3/8"-1/2"	9/16"	9/16"	9 1/8"	11/32"	3036
3037	11/16"-29/32"	3/8"-7/16"			8"	5/16"	3037
3039	3/4"-7/8"	1/2"	1/2"-9/16"	7/16"-9/16"	9 1/8"	11/32"	3039
3040	29/32"-7/8"	1/2"	9/16"	1/2"-9/16"	9 1/8"	11/32"	3040
3041	7/8"-1 1/16"	1/2"-5/8"	9/16"-3/4"	9/16"	11 3/4"	5/16"	3041
3045	15/16"-1"		5/8"-11/16"	5/8"	10 9/16"	3/8"	3045
3047	15/16"-1 1/16"	5/8"	5/8"-3/4"	5/8"	11 3/4"	13/32"	3047
3050	1 1/16"-1 1/8"	5/8"	3/4"	3/4"	11 3/4"	13/32"	3050
3051	1 1/16"-1 1/4"	5/8"-3/4"	3/4"-7/8"		12 5/8"	1/2"	3051
3055	1 1/4"-1 5/16"	3/4"	7/8"	7/8"	15 1/2"	9/16"	3055
3060	1 3/8"-1 7/16"	7/8"	1"		15 1/2"	9/16"	3060
3061	1 1/4"-1 7/16"	3/4"-7/8"	7/8"-1"		15 1/2"	9/16"	3061
3062	1 3/8"x1 1/2"			1"			3062
3065	1 7/16"x1 5/8"	7/8"-1"	1"-1 1/8"		17"	5/8"	3065
3070	1 1/2"x1 5/8"	1"	1 1/8"	1"			3070

"IN THE PRIDE LINE"



Open-End Wrench Set No. 3000-B

Six wrenches and every one a popular item — the best assortment of opening sizes for everyday use. Sizes and contents of this set are listed below:

Tool No.	Opening Sizes	Length
3020	5/16" x 3/8"	4"
3025	7/16" x 1/2"	5"
3030	9/16" x 5/8"	6¼"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
2405	Leatherette Kit. Wt., 2½ lbs.	



Open-End Wrench Set No. 3000-M

Here's a set selected to give you 10 Open-End Wrenches in a kit and with only one duplication of opening sizes.

Tool No.	Opening Sizes	Length
3018	¼" x 5/16"	3½"
3021	3/8" x 7/16"	4½"
3026	½" x 9/16"	5½"
3031	5/8" x 3/4"	8"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
3050	1 1/16" x 1 1/8"	11¾"
3055	1¼" x 1 5/16"	15½"
3060	1⅜" x 1 1/16"	15½"
2413	L'ette Kit. Wt., 8 lbs.	

Open-End Wrench Set No. 3000-H

10 Open-End Wrenches — selected sizes.

Tool No.	Opening Sizes	Length
3018	¼" x 5/16"	3½"
3020	5/16" x 3/8"	4"
3025	7/16" x ½"	5"
3026	½" x 9/16"	5½"
3030	9/16" x 5/8"	6¼"
3031	5/8" x 3/4"	8"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
3050	1 1/16" x 1 1/8"	11¾"
2406	Leatherette Kit. Wt., 4 lbs.	



Obstruction Box Wrenches

For turning nuts where obstructions prevent easy access with straight wrenches. 1" clearance at middle. 12-point openings.

No.	12-point Openings	Overall Length	Wt.
1725	[illegible]	[illegible]	3 oz.
1730	[illegible]	[illegible]	4 oz.

Open End Obstruction Wrench "HOG JAW"

45° and 90° Angle, both openings same size. This wrench really takes hold in those places where nuts and bolts are difficult of access.

Number	Openings	U.S.S. Nut Sizes	Number	Openings	U.S.S. Nut Sizes
3128S	7/8"	1/2"	3146S	1 7/16"	7/8"
3134S	1 1/16"	5/8"	3152S	1 5/8"	1"
3140S	1 1/4"	3/4"			

Plomb Tappet Wrenches

Note arrangement of openings—just right for easy working, yet six wrenches are equal to much larger sets of other makes.

No.	Openings	Overall Length	Head Thickness	S. A. E.
3425	7/16"-1/2"	9"	3/16"	[illegible]
3426	1/2"-9/16"	9"	3/16"	9/16" x 3/8"
3430	9/16"-5/8"	9"	[illegible]	3/8" x 7/16"
3431	17/32"-5/8"	9"	1/4"	—x7/16"
3435	11/16"-3/4"	9"	7/32"	—x1/2"
3440	13/16"-7/8"	9"	15/64"	—x9/16"

Tappet Wrench Set No. 3400-E

Illustrated at the right is the most popular set of Tappet Wrenches ever gathered together, because they were selected to give you 8 of the most popular opening sizes.

The set consists of Tappet Wrenches Nos. 3425, 3426, 3430, 3435, in a handy, useful, little leatherette kit No. 2405. The weight is 1¼ lbs.

The opening sizes of the wrenches in this set can quickly be determined by referring to the table above.



No. 4520
No. 4532

ADJUSTABLE WRENCHES



Thin, light and strong, 22½° angle openings. Deep-throated openings equally efficient on square or hexagon nuts and bolts.

Cat. No.	Length	Jaws Open Up to
704	4"	5/8"
706	6"	3/4"
708	8"	15/16"
710	10"	1 1/8"
712	12"	1 5/16"

PLOMB STUD PULLERS

← New Detachable Wedge Type

Latest development in stud pullers. No. 4520 for ¼" to ⅝" studs; No. 4532 for studs from ⅝" to 1" turns in a smaller circle and will work much closer to obstructions. The No. 4520, for example, turns in a 2" circle.

Set-screw in side of stud puller prevents loss by, keeping wedges in body when not in use.

No. 4520 is 1 5/16" in diameter, 4" long and has ½" square service connection.

No. 4532 is 2⅛" in diameter, 5½" long, and has ¾" square service connection.

Both sizes will take the longest studs.

Standard 1/2" Square Drive

No.	Description	Wt. lbs.
4520	Stud Puller Complete with 4521 and 4522 Wedges; Capacity, ¼" to ⅝" Studs	1¼
4521	Thick Wedge, Capacity ¼" to 7/16"	
4522	Thin Wedge, Capacity ½" to ⅝"	

Heavy Duty 3/4" Square Drive

4532	Heavy Duty Stud Puller, with 4533 and 4534 Wedges; Capacity ⅜" to 1" Studs	4½
4533	Thick Wedge, Capacity ⅜" to ¾"	
4534	Thin Wedge, Capacity ¾" to 1"	

Eccentric Type Stud Pullers 1/2" Square Drive

One of the best of this type. Knurled nut jams on stud when turned. ½" square drive in end, or open-end wrench can be used on body.

No.	Fits Studs	Use Wrench	With Roller	Wt. lbs.
4508	⅜" to ½"	1"	No. 4511	¾

The kind of tools you use typifies the kind of work you do. Better tools build greater customer confidence.

TOOLS FOR ALL PURPOSES

including

Aviation
Ford
Chevrolet
Hacksaws
Files
Bars
Pliers
Hammers
Screw Extractors
Tappet Wrenches
Screw Drivers
Feeler Guages
Punches & Chisels
Brake Tools
etc.

ALL-PURPOSE TOOLS

PLOMB Streamlined Tools



2317

Showing the Plomb Piston Ring Compressor in action

Extra Bands are available in 3 sizes, interchangeable with No. 2317 frame.



2308

REDUCE OR BEVEL LANDS WITH YOUR No. 2308 BY ORDERING PART No. 2308-C YOU CAN THEN CHAMFER OR REDUCE LANDS



2311

2335

Valve Guide Cleaners

2337

Flexible Carbon Scrapers

2336

Gasket Scrapers

A NEW TYPE RING COMPRESSOR

New in design. Easy — fast to operate. Work on proven geometric action cannot cause "out of roundness." No. 2317 fits passenger cars. Extra bands available for busses and trucks, also diesels.

No. 2317 for Passenger Cars, Capacity 2½ to 3⅞ in.
No. 2317B Extra Band for No. 2317
No. 2318 for Reg. Trucks, Capacity 3⅞ to 5 in.
No. 2318B Extra Band for No. 2318
No. 2319 for Large Trucks and Diesels, Capacity 5 to 6 in.
No. 2319B Extra Band for No. 2319

Self-Adjusting Ring Groove Tool No. 2308

No. 2308 Plomb Self-adjusting Ring Groove Tool. Cutters of milled and tempered tool steel will clean the carbon easier and quicker than any other tool on the market. Takes pistons from 2½" to 4½". No. 2308B Extra Cutter only.

Adjustable Ring Groove Cleaners

No. 2311—Cleans 3/32", ⅛", 5/32" and 3/16" grooves with single tool. 4-way cutter is finest alloy steel. Can be resharpened with file. Complete with cutter. No. 2312—Extra Cutter.

No. 2335—An inexpensive new valve guide cleaner that is adjustable, by simply turning nut, to all sizes of valve guides. Length, 9¼".

No. 2337—The 10 flexible blades of round spring steel. Sliding band regulates flexibility of edge. 1" wide, 9" overall length.

No. 2336—Has many uses, such as scraping carbon, cutting wood, removing shellacked gaskets. Blade 1½" wide; overall length, 11⅛".

Bearing Scrapers

Finest Steel, Carefully Heat-Treated

They will hold their perfect cutting edges indefinitely when used on babbit, bronze or cast bearings. Won't chatter.

No.	Description	Overall Length
2381	Blade ½"x2¾", slightly curved	11"
2382	Blade ½"x2¾", offset and curved	11"
2383	Blade 1 1/16"x4", offset and curved	12"
2384	Blade ⅞"x5", offset and curved	16¾"

2380A Set for Industrial Uses Being Nos. 2382, 2383, 2384

No. 2381 or No. 2382—Offset Curved Blade

Back View of Blade

4 Way Rim Wrench

No. 2150—16" With Hex Openings 5/8", 3/4", 13/16" and 7/8"

Cadmium finish. Made from the finest alloy steel. This fine forged wrench should not be confused with inexpensive cast Rim Wrenches on the market.



No. 2150—Weight 2½ lbs.

Screw Extractors

No.	Size of Small End	Size of Shank	Overall Length	U.S.S. Screw Size	Drill Size	Min. Depth of Hole	Pipe Size
*9521	1/8"	5/16"	2 9/16"	1/4" to 7/16"	1/8"	3/8"	—
*9522	1 11/64"	5/16"	2 5/8"	3/8"	3/16"	1/2"	—
†*9523	1 7/64"	1/4"	2 7/8"	5/16"	1 11/64"	1/2"	1/8"
*9524	1 9/64"	5/16"	3"	1/2"	3/16"	1/2"	1/4"
*9525	1 11/32"	3/8"	3 1/4"	9/16" to 5/8"	13/32"	9/16"	3/8"

†For broken Alemite fittings. *Non Replaceable.

No. 9500A—Nos. 9521 to 9525, inclusive, 5 extractors in wooden slide cover box. Weight ½ lb.

For Pipe and Fittings

9526	½"	½"	4½"	¾"	9/16"	1 1/16"	½"
9527	1 25/32"	⅝"	5"	⅞"	¾"	1 1/16"	½"
9528	2 3/32"	¾"	5½"	1", 1⅛", 1¼"	1"	⅞"	¾"
9529	2 1/32"	1"	5½"	1⅜", 1½"	1"	1"	1"



SPECIAL FORD TOOLS • • •

No.	DESCRIPTION
5421	**CON. ROD NUT SOCKET** 29/32" 12-point opening, with ½" square drive.
5444	**DRAG LINK SCREW DRIVER** This size, with ¾" blade width and ½" square drive, is the one used on Fords.
6502	**BRAKE WRENCH** Box wrench for all Ford brakes. 7/16" 8-point opening for Models A, B and V8. ½" 8-point opening for Ford trucks. 15" long.
6503	**CRANKCASE DRAIN PLUG SOCKET** Fits the 1939 Fords both 60 and 85. The Mercury. Used with any ½" attachment or handle.
6505	**MODELS A & B WRIST PIN TOOL** Makes simple, easy job of inserting wrist pins by method of heating pistons to expand hole. See more complete description of method under 6516. 10¼" long.

No.	DESCRIPTION
6506	**FORD V8 60 WRIST PIN TOOL** The correct tool for installing or removing wrist pins. Pilot is centerless ground to within .001" tolerance. 6 inches long.
6507	**VALVE GUIDE PUNCH** For Models A and B. Knocks out split valve guides easily, quickly, saving labor and time.
6509	**V8 VALVE GUIDE PUNCH** Knocks out the split valve guides easily and quickly. Valve spring must be released before driving guide.

Time is money on special jobs. Save both with special tools!



Special Tools for Other Cars

No. 6601

Starter Wrench for Plymouth, Dodge, Chrysler, De Soto.
Shaped to clear obstructions when removing or replacing starter. 5/8" 12 point opening.

SPECIAL FORD TOOLS

No.	DESCRIPTION
6516	**V8 WRIST PIN TOOL** Fast and accurate. Pin is put on tool, pilot and pin inserted in heated piston, and knurled nut drawn up snug by turning with fingers. Pin is then driven into position with hammer or by striking tool on block. To remove pin, heat piston, reverse operation and drive on pilot end. 6 7/8" long.
6523	**V8 CON. ROD NUT SOCKET** This 9/16" hexagon thin-nose socket is absolutely essential when working on V8 con. rods. 1/2" square drive. Non-Replaceable.
6528	**CARBURETOR JET WRENCH** For many V8's, '34 and later. Turns easily with cross pin and knurled shank.

No.	DESCRIPTION
6539	**V8-85 VALVE LIFTER** Powerful, simple, with long leverage to break loose the toughest guides. Push guide down to remove keeper, then pry, with opposite block as fulcrum, to force guide out. 30" long, 3/4" stock. Non-replaceable.
6541	**V8-60 VALVE LIFTER** Same type as No. 6539 except 24 inches long. 1 1/16" stock, and with smaller opening for the 60 guides. Non-replaceable.
6545	**FORD DRAG LINK AND SHOCK ARM TOOL** Tapered fork of slim design is readily inserted to separate the shock links and tie rods. A real time saver. Knurled handle; overall length, 16".

Special Tools Save Time



SPECIAL CHEVROLET TOOLS

6734 **VALVE ADJUSTER**

Use No. 6734 for speed, case and accuracy when adjusting overhead valves. Uses any standard socket. Loosen lock nut first, then operate driver for adjustment setting valve clearance Plomb Feeler Gauges. Screw driver blade with knob, No. 6734S can be purchased separately. This tool is also used with clutch adjusting machines.

1730 **STARTER & MANIFOLD WRENCH**

This box wrench, obstruction type, is crescent-shaped to easily reach and turn Chevrolet starter and manifold nuts, as well as other nuts of these sizes in hard-to-turn places, 9/16" and 5/8" 12-point openings.

5245 **OIL PAN SCREW DRIVER**

Makes a quick, easy job of Chevrolet oil pan work. Pilot fits over head of screw, holding screwdriver in position for fast spinning with Cub 3/8" square drive handles. Bit 1/2" wide, 1/16" thick; nose of pilot 5/8" diameter; overall length, 1 7/8".

5438 **'32 AXLE NUT SOCKET**
1/2" Square Drive

1 9/16" 12-point opening is a special size required for 1932 axle nut.

5538 **3/4" Square Drive**

This is the heavy-duty size of 1 3/16" 12-point socket, which is essential for turning the 1932 Chev. axle nut.

6702 **ADAPTOR FOR CYLINDER HEAD NUTS**

Clears obstructions on Chevrolet cylinder heads. 3/4" 12 point box opening on one end, 1/2" square drive on the other. For use with Hinge Handle, Pin Handle or Torque Wrench. A real time saver that will make your work easier. Weight 3/4 lb. each.

6731 **STARTER AND MOTOR SUPPORT WRENCH Openings 3/4" x 5/8"**

A correctly designed wrench for these two important purposes. 5/8" end takes starters up to and including 1936, also right front motor mount bolt on all late models. This is a badly obstructed spot directly under timing gear case, the 6731 makes it unnecessary to remove radiator assembly to service motor supports. The 3/4" end is correctly bent and offset to work on starters from 1937 on. Note: See No. 30—7/16x15 for opening star lock on motor mount bolts.

PLOMB

Aviation Tools

Here are a few representative Plomb tools for aviation use. Each of the sets shown on this page has been selected because of popularity among aircraft mechanics. Made in the heart of the aviation industry, Plomb Tools help build ships that fly better. For other tools for aviation use, refer to respective sections of this catalog.

Contents of Set No. 5200-C—3/8" Sq. Dr.

5208	Socket	5220	Socket
5210	"	5222	"
5212	"	5224	"
5214	"	5265	Hinge Handle
5216	"	5266-PH	Pin Handle
5218	"	5270	Univ. Joint
5295	Box	5249	Ratchet

Contents of Set No. 8100E

8112	8122
8117	8127

in 2411 Kit



Contents of Set No. 3300A

3314	3320	3332
3315	3322	
3316	3324	in 2410 Kit
3318	3328	



Set No. 3300-A

Contents of Set No. 4700-LK–¼" Sq. Dr.

4706	Socket	4712	Socket
4707	"	4714	"
4708	"	4751	Ratchet
4709	"	4760	Extension
4710	"	4769	Spin Handle
4711	"	4795	Metal Box

No. 280 AVIATION SNIPS

Heavy Duty Type. Blades serrated to avoid turning and slipping, beveled to make circular or straight cuts with special locking feature when not in use. Blades removable. Knurled handles. **No. 280L** Left—**No. 280R** Right.



AVIATION SNIPS



Set No. 4700-LK

Plomb Hack Saws

No. 351



A



B



C

No. 344

No. 360

No. 351

An extremely well built frame with many new features especially adaptable to the hard service required from the plumber and electrician. The patented swivel locks blade at any desired angle. Plastic non-breakable handle is inverted and moulded to fit hand to give maximum power downward along the line of the blade. Rigid construction and blade-locking device eliminates "whip" reducing breakage. Blade slides up or down legs for use in close places with a minimum clearance of 2".

Made of 3/16x3/4 steel, full plated and adjustable to 8-10 and 12 in. blades, this Plomb tool has many more uses than the older style frames. Wt., 1 lb. 12 oz.

No. 351-L

A 9" extension which replaces the adjustable leg of the No. 351. Fits all standard blade sizes. For use in restricted places with full cutting power of a rigidly held blade. Allows maximum blade clearance at any depth it may be used. Wt. 3 oz. This leg portion is illustration (c) at the left. The leg is a separate attachment for the No. 351 Frame.

No. 344

Here is just the compact hack saw frame for you, Mr. Electrician. Mr. Plumber and Mr. Mechanic, where a high frame won't work. Takes 10" blades. Wt. 1 lb.

No. 360

For those of you who want a good strong sturdy hacksaw frame at a low price, choose this one with pistol grip handle.



TYPE OF FILE	Cat. No.	Length	Wt. Lbs. per Doz.
EXTRA SLIM TAPER	EST-6	6"	¾
SLIM TAPER	ST-6	6"	1¼
ROUND BASTARD	RB-6	6"	¾
	RB-8	8"	1¾
	RB-10	10"	3½
	RB-12	12"	7½
SQUARE BASTARD	SB-6	6"	1
	SB-8	8"	2¾
	SB-10	10"	4
	SB-12	12"	9
TUNGSTEN POINT	TPC-5	5"	½

Handle bent over making handy pocket clip. Useful for filing spark plug points, distributor points, contact points, magnetos, etc. 12 on display card.

		Length	Wt. Lbs. per Doz.
FLAT BASTARD	FB-8	8"	4
	FB-10	10"	7
	FB-12	12"	13
	FB-14	14"	19
MILL BASTARD	MB-6	6"	1½
	MB-8	8"	4
	MB-10	10"	6
	MB-12	12"	12
	MB-14	14"	14
HALF ROUND BASTARD	HRB-6	6	½
	HRB-8	8"	4
	HRB-10	10"	6
	HRB-12	12"	12
	HRB-14	14"	14

FILE HANDLES		
Finest Baswood, polished metal ferrule.	FH-2	Fits Files 6" to 8" ½
	FH-3	Fits Files 8" to 10" ½
	FH-4	Fits Files 10" to 14" ¾

Plomb Files are of the highest quality. Files up to 10" lengths packed 12 per pkg. Longer, 6 per pkg.



Conventional Type Garage Bars

No.	Octagon Stock	Length	Weight
2116	½"	16"	¾ lb.
2120	⅝"	18"	1½ lbs.
2124	¾"	24"	2¾ lbs.

Rolling Head Bars

New type Gear Bar, with 90° rolling head, is especially valuable for getting into close places behind gears, etc.

No.	Octagon Stock	Length	Weight
2126	½"	16"	¾ lbs.
2130	⅝"	18"	1½ lbs.

No. 8—Ripping or Wrecking Bars

No.	Stock	Length	Wt. lbs.
8	⅝"	18"	1¾
8	⅝"	21"	2
8	[illegible]	24"	3½
8	¾"	30"	4¼
8	[illegible]	30"	5¾

No. 2110—Grease Bar

Wrench like opening offset to clear obstructions and with coarse teeth to prevent slipping. 28" long. Weight 3¾ lbs.

PLOMB PLIERS

206

207

209

215

218

256

226

NO. 206—6" DIAGONAL CUTTING PLIER

Handhoned cutting edges, perfectly matched. Designed with thin, narrow jaws that will work easily in congested places. Plomb "Name-Nurl" handles assure firm grip.

NO. 207—7" DIAGONAL CUTTING PLIER

A well-balanced, ruggedly constructed cutter for heavy service. Cutting edges hand-honed to perfect match. Form-fitting "Name-Nurl" handles provide slip-proof grip.

NO. 209 HEAVY DUTY DIAGONAL PLIER

A real giant for easy cutting. You will like the short powerful jaws and ample cutting leverage. A real plier for heavy work. 9" long.

NO. 215—BRAKE SPRING PLIER

Curved jaw clears edge of brake shoe to bring it in close adjustment with center line of spring. Hook jaw is thin to easily enter under spring. Parts for 215, bolt and nut No. 215B, curved jaw No. 215C, hook jaw No. 215H.

NO. 218—ANGLENOSE BATTERY PLIER

Thin jaws at correct working angle for battery terminal nuts. Plomb "Name-Nurl" handles for positive grip.

NO. 256—6" SLIP JOINT PLIER

A well made pocket plier of conventional design bearing the Plomb name of quality but at a price so low it has no equal or rival on the market.

NO. 226—6" NEEDLE NOSE SIDE CUTTING PLIER

The needle nose with side cutter makes an ideal combination for electrical work. The cutting edges are handhoned, the grips are the famous Plomb "Name-Nurl."

NO. 227—7½" DUCK BILL PLIER

A very useful plier built for long powerful leverage with Plomb "Name-Nurl" handle grips. A general plier for radio, carburetor, electrical typewriter and adding machine work.



No. 227

NO. 228—7½" CHAIN NOSE PLIER

A variation of the No. 227 type, length and handles the same, but with narrow nose.



No. 228

NO. 235—SLIP JOINT IGNITION PLIER

Light and convenient to use. Three position slip joint allows parallel openings up to ⅝". Length 4½". Bolt and nut only, No. 235B.



No. 235

NO. 236—6"; No. 238—8" WRENCH PLIERS

General utility pliers of popular usage. Jaws open up ⅞ and 1⅛ inches, on the 6 and 8 inch respectively. 236B extra bolt and nut, 238B extra bolt and nut.



No. 236 and No. 238

NO. 240—WATER PUMP PLIER

8 position joint allows parallel openings up to 1⅝ inches. Handles are form-fitting with Plomb "Name-Nurl" grips. Length 9½ inches. No. 240B, bolt and nut only for No. 240 pliers.

No. 240

NO. 245—5" SLIP JOINT SIDE CUTTING PLIER

The slender, tapering jaws with two position adjustment make these pliers convenient and efficient. Plomb "Name-Nurl" grips.

No. 245

NO. 247—7" SLIP JOINT SIDE CUTTING PLIER

Has slender jaws with two position adjustment. Jaws are deeply cross-broached for positive gripping. Handles with well-known Plomb "Name-Nurl" grip.

No. 247



No. 1370-1375



No. 1383-85

Soft Tipped Hammers

Tips of Moulded Plastic will withstand lots of pounding. These hammers are necessary in every mechanic's tool kit, both aviation and automotive. Plastic tipped hammers prevent marring finished surfaces. Two sizes are listed, of each style. The Regular face and the combination Regular and Cross Pein.

No. 1370 — 8 oz. with Cross Pein
No. 1375 —16 oz. " " "
No. 1383 — 8 oz. " Round Tips
No. 1385 —16 oz. " " "
No. 1370C—Ro. Face Tips only
No. 1370D—Cross Pein Tips only

No. 1430

No. 1387



No. 1448

No. 1430—Brass Hammer

A brass hammer that is used for many purposes, such as in body and fender work, fitting wrist pins, etc. Made of an alloy brass that is just the right hardness. Approximate overall length, 11½"; weight, 1¾ lbs. Handle for above No. 1316H.

No. 1387--3 lb. Calking Hammers

A hammer primarily produced for the journeyman plumber, but ideal for many industrial purposes.

2-Way--No. 1448

A Plomb two-way hammer for you. Steel head with rubber head opposed. Just the hammer for mounting tires—drawing rivets. Also used by plumbers, machinists and woodworkers. Weight 2¼ lbs.

No. 1448B Extra rubber heads

No. 1386--3lb.

Blacksmith's Hammer

Forged from selected steel. Handle finest hickory, perfectly balanced. Handle for above No. 1416H.

Rubber Mallet--No. 1368

A rubber hammer made of live resilient rubber but with head sufficiently solid that its use is practical where damage would be caused with a metal hammer. Does not mar the surface of material. Weight 24 oz. Overall length 15".



Ball Pein Hammers

Paschall Brand ball pein hammers, made by Plomb are forged from a special analysis carbon steel. Heat treated on face and ball peins only so the full-polished surfaces will not dent or chip while eye retains maximum toughness.

No. 1301	Weight	1 oz.	Overall Length	9½"
No. 1302	"	2 oz.	" "	9¾"
No. 1304	"	4 oz.	" "	10¼"
No. 1306	"	6 oz.	" "	11⅛"
No. 1308	"	8 oz.	" "	12¼"
No. 1312	"	12 oz.	" "	13"
No. 1316	"	1 lb.	" "	14"
No. 1324	"	1½ lbs.	" "	14½"
No. 1332	"	2 lbs.	" "	15¼"
No. 1348	"	3 lbs.	" "	16"

HAMMER HANDLE SPECIFICATIONS

Number	Inches	Eye	Fits Ball Peins, etc.	Fits Body and Fender Hammers
1301H	10⅛	5/16 Ro	1301-1302	
1304H	11	¼x½	1304	
1306H	11⅝	5/16x5/8	1306	
1308H	13⅛	11/32x11/16	1308	1422
1312H	14⅛	3/8x11/16	1312	1424-1427
1316H	14¾	3/8x3/4	1316	1432
1324H	16⅛	7/16x7/8	1324-1332	
1387H			1387	1430
1416H	17⅝	5/8x1	1348-1386	1416
1419H	11¾	15/32x5/8		1419
1428H	13	13/32x13/16		1420-1421-1425-1426-1428
1429H	17⅜	3/8x11/4		1429

WORLD'S FINEST SCREW DRIVERS



A If you're looking for a screw driver with the latest indestructible, transparent plastic handle, stop right now. Here is one with a round blade for easy spinning. The Handle is 4 fluted design. Just try your grip on this and feel the difference.

B You want a screw driver that can take it and here it is. Blades forged from finest Alloy Steel. The wood handles octagon shape for firm gripping. Blades fully heat-treated and cap anchored to blade which passes through Handle.

C A companion to the Round Blade at a price that will astound you. It has the 4 fluted Handle which is a non-conductor of electricity. The full heat-treated blade will give you perfect satisfaction under the hardest of use.

A PLASTIC HANDLE - - - ROUND BLADE

No.	Length Blade	Overall Length	Diam. Shank	Width Bit
†9604	4"	8"	1/4"	1/4"
†9606	6"	10½"	5/16"	5/16"
†9608	8"	13"	3/8"	13/32"
9622	2½"	5¼"	1/8"	1/8"
9624	4½"	7¼"	1/8"	1/8"
9632	4"	7½"	3/16"	3/16"
9633	7½"	11"	3/16"	3/16"
9638	13½"	17"	3/16"	3/16"
9642	9"	13"	1/4"	1/4"
9643	10"	14½"	5/16"	5/16"
*9651	1"	2⅞"	3/16" Sq.	1/4"
*9652	1½"	3⅞"	1/4" Sq.	9/32"

* Illustrated on following page. † Has Hex. Ferrule.

Buy Tools in Sets as Listed in This Catalogue

B WOOD HANDLE - - - SCREW DRIVER

No.	Overall Length	Blade Length	Shank Size	Bit Width
General Purpose Type—Blade Through Handle				
9701	4¼"	1½"	5/16"	5/16"
9702	6⅝"	2½"	5/16"	7/32"
9704	9"	4"	¼"	9/32"
9706	12⅛"	6"	5/16"	11/32"
9708	14⅝"	8"	⅜"	7/16"
9710	16⅞"	10"	⅜"	1/2"
9712	19⅛"	12"	⅜"	7/16"
9714	22¾"	14"	7/16"	9/16"

No.	Overall Length	Blade Length	Shank Size	Bit Width
Electrical Type—No Metal Cap				
9722	5¼"	2½"	⅛"	3/16"
9724	7¼"	4½"	⅛"	1/8"
9732	8⅞"	4"	3/16"	3/16"
9733	12 ⅜"	7½"	3/16"	3/16"
Cabinet Type—Long Slim Blade Through Handle				
9741	13⅛"	9"	3/16"	7/32"
9742	14½"	9½"	¼"	9/32"
9743	16⅛"	10"	5/16"	11/32"

C PLASTIC HANDLE - - - SQUARE BLADE

Cat. No.	Length Blade	Overall Length	Shank Size	Bit Width
9804	4"	8"	1/4" sq.	9/32"
9806	6"	10½"	5/16" "	11/32"
9808	8"	13"	3/8" "	7/16"
9822	2½"	5¼"	1/8" "	1/8"
9832	4"	7½"	3/16" "	3/16"
9833	7½"	11"	3/16" "	3/16"
9842	9"	13"	1/4" "	9/32"
9843	10"	14½"	5/16" "	11/32"

Screwdriver sets, see following pages

Short Screw Drivers

No. 9651

Blade 1" long, ¼" bit; 2⅞" overall length. Moulded plastic handle.

No. 9652

1½" blade, 9/32" bit, 3⅞" overall length. Moulded plastic handle.

No. 100—Key Ring Screw Driver

Hand-forged, individually heat-treated. 2¼" long.

No. 9752 Wood Handle

Blade 1¾" long, with handle 4¼" long, 1-3/16" octagon. 5/16" square shank, with 11/32" bit.



4 Screw Drivers

Handle All Phillips Screws

The four sizes of Plomb Phillips screw drivers listed below drive the entire range of screw and bolt sizes. With slotted screws, at least seven or eight drivers are required. Come either with Moulded Plastic or Wood Handles.

Plastic Handle	Cat. No.	Phillips No.	Diam. Stock	Blade Length	Overall Length	Wood Handle	Overall Length	Cat. No.
	9682	1-A		3"	6½"		6¼"	9782
	9684	2-A		4"	8"		8⅞"	9784
	9686	3-A		6"	10½"		12"	9786
	9688	4-A		8"	13"		14½"	9788

Offset Screw Drivers

For drag link adjustments, brake work, and work in close places. Bits at right angles to each other.

No. 35¼	¼" Oct. Stock	3" long
No. 36¼	¼" Oct. Stock	4¾" long
No. 36 5/16	5/16" Oct. Stock	5" long
No. 36⅜	⅜" Oct. Stock	6⅛" long
No. 36½	½" Oct. Stock	7" long

Detachable Phillips Bits with 3-8" Drive

*5241—For No. 2 Phillips screws
*5242—For No. 3 " "
*5243—For No. 4 " "

*Not Replaceable

Stub Phillips Screw Drivers

No. 9671—Moulded—Plastic Handle, overall length 2 7/16", with No. 2 Phillips Point.

Plomb Screw Drivers in Relation to Phillips Screw and Bolt Sizes

Plastic and Wood Handle	9682 & 9782	9684 & 9784	9686 & 9786	9688 & 9788
Wood Screws				
Flat and Oval Handle	#4 & Smaller	#5 to #9, incl.	#10 to #16, incl.	#18 & Larger
Round Head	#4 & Smaller	#5 to #10, incl.	#11 to #16, incl.	#18 & Larger
Mach. Screws				
Flat, Oval and Fillister Head	#4 & Smaller	#5 to #10, incl.	#12 to 5/16", incl.	⅜" & Larger
Round Head	#5 & smaller	#6 to #10, incl.	#12 to 5/16", incl.	⅜" & Larger
Stove Bolts				
Flat, Oval and Fillister Head		⅛" to 3/16", incl.	¼" and 5/16"	⅜" and ½"
Round Head	⅛"	5/32" and 3/16"	¼" and 5/16"	⅜" and ½"
Sheet Metal Screws				
Case-Hardened				
Flat, Oval and Low Fillister Head	#4	#5 to #10, incl.	#12 to #14, incl.	
Round Head	#4 and #5	#6 to #12, incl.	#14	

PLASTIC HANDLE SCREWDRIVER SETS

A screwdriver is used practically every day. Well selected sets like those illustrated here, require only a small investment and will save you time and money.



← Set No. 9600-E

You never have to borrow a screwdriver when you become the owner of this master assortment, each with the new Plastic Handles. Wt., 2 lbs. Contents follow:

9604	9622	9633	9643	2406 Kit
9606	9632	9642	9652	

Set No. 9680-A →

With new plastic handles, here is the Phillips type set of screwdrivers for you. 4 assorted sizes in a handy leatherette kit. Note contents below. Wt. 1¼ lbs.

9682	9686	2405 Kit
9684	9688	



← Set No. 9800-D

You may be looking for a small set of all purpose screwdrivers and these four very popular ones will answer most of your requirements. All with the new plastic handles and in a leatherette kit. Wt. 14 oz.

9804	9832	2405 Kit
9822	9842	

For Wood Handle Screwdriver Sets--See Next Page

PLOMB Streamlined Tools

WOOD HANDLE SCREW DRIVER SETS

Set No. 9700-A →



Set of 7 popular screwdrivers including stubby, long thin blade and heavy duty types—wood handles and metal caps. Wt. 3½ lbs.

9701	9704	9708	9741
9702	9706	9710	2406 (Kit)



4 sizes of Phillips Screwdrivers with wood handles. Wt. 1½ lbs.

9782	9786	2405
9784	9788	Kit

← Set No. 9780-A


2006


2007

2010 2011

6502

Special Brake Tools

2006—Star Nut Adjusting Wrench for 2-shoe Bendix brakes.

2007—Star Nut Adjusting Wrench for 2-shoe Bendix brakes.

2010—3/16″x¼″ Open End Wrench, for eccentric screws on Bendix brakes.

2011—5/16″x⅜″ Open End Wrench, for eccentric screws on Bendix brakes.

6502—Ford Brake Wrench, 7/16″ 8-point opening for Models, A, B and V8; ½″ 8-point opening for Ford Trucks. 7/16″ end offset 30°. 15″ long.

Punches, Chisels and Offset Screw Drivers

Tool Number	DESCRIPTION	Stock In Inches	Length In Inches	Cut	Point or Bit
15-½	Aligning Punches	½ Ro.	11		⅛"
15-⅝	" "	⅝ Oct.	16		3/16"
30-7/16	Rivet Cutters	7/16 "	15	½"	
30-⅝	" "	⅝ "	8	¾"	
30-¾	" "	¾ "	12	⅞"	
30-⅞	" "	⅞ "	12	1"	
35-¼	Offset Sc. Drivers	¼ "	3		⅛"
36-¼	" " "	¼ "	4¾		¼"
36-5/16	" " "	5/16 "	5		5/16"
36-⅜	" " "	⅜ "	6½		⅜"
36-½	" " "	½ "	7		½"
41-¼	Center Punches	¼ "	4¼		
41-5/16	" "	5/16 "	4⅝		
41-⅜	" "	⅜ "	4⅞		
41-7/16	" "	7/16 "	5¼		
41-½	" "	½ "	5⅝		
41-⅝	" "	⅝ "	6		
44-¼	Prick Punches	¼ "	4¾		
44-5/16	" "	5/16 "	5		
44-⅜	" "	⅜ "	5¼		
47-¼x3/16	Riv't or Pin Pnch.	¼ "	4⅜	3/64"	
47-¼x3/32	" " " "	¼ "	4¾	3/32"	
47-3/16x⅛	Riv't or Pin Pnch.	5/16 "	5¼		⅛"
47-5/16x5/32	" " " "	5/16 "	5⅝		5/32"
47-⅜	" " " "	⅜ "	6½		3/16"
47-7/16	" " " "	7/16 "	6⅝		7/32"
47-½x3/16	" " " "	½ "	6⅝		3/16"
47-½x¼	" " " "	½ "	7		¼"
47-⅝	" " " "	⅝ "	7½		5/16"
50-3/16	Starting Punches	3/16 "	4¼		1/16"
50-¼	" "	¼ "	4⅝		3/32"
50-5/16	" "	5/16 "	5½		⅛"
50-⅜	" "	⅜ "	5⅝		3/16"
50-7/16	" "	7/16 "	6		7/32"
50-½	" "	½ "	6½		¼"
50-⅝	" "	⅝ "	7		5/16"
50-¾	" "	¾ "	7½		⅜"
72-¼	Cape Chisels	¼ "	4½	5/32"	
72-5/16	" "	5/16 "	5	3/16"	
72-⅜	" "	⅜ "	5½	¼"	
72-½	" "	½ "	6	5/16"	
72-⅝	" "	⅝ "	6½	⅜"	
72-¾	" "	¾ "	7	½"	
76-¼	Diamond Chisels	¼ "	4½	5/32"	
76-5/16	" "	5/16 "	5	3/16"	
76-⅜	" "	⅜ "	5½	¼"	
76-½	" "	½ "	6	5/16"	
76-⅝	" "	⅝ "	6½	⅜"	
76-¾	" "	¾ "	7	½"	
80-¼	Ro. Nose Chisels	¼ "	4½	5/32"	
80-5/16	" " "	5/16 "	5	3/16"	
80-⅜	" " "	⅜ "	5½	¼"	
80-½	" " "	½ "	6	5/16"	
80-⅝	" " "	⅝ "	6½	⅜"	
80-¾	" " "	¾ "	7	½"	



No. 96 — LONG TAPER DRIFT PUNCHES

Cat. No.	Stock	Length	Point
96-1/4	1/4"	10"	3/32"
96-5/16	5/16"	10"	1/8"
96-3/8	3/8"	10"	5/16"
96-7/16	7/16"	10"	7/32"
96-1/2	1/2"	10"	1/4"
96-5/8	5/8"	10"	5/16"
96-3/4	3/4"	10"	3/8"



Set **No. 96A**

Set **No. 96A** pictured at right consists of the first six sizes listed in handy leatherette kit No. 2404.

Special Cold Chisels

Forged from selected steels best adaptable for chisels. You will find their cutting edges are correctly beveled. To obtain best results, Plomb Chisels should be used at a 45° angle and the cutting edge held tight up against the work. Cut with the entire blade,—don't use the corners.



Set **No. 86AA**

Cat. No.	Stock	Cut	Length
86A3/16	3/16"	1/32"	4 1/4"
86A1/4	1/4"	9/32"	4 1/2"
86A5/16	5/16"	3/8"	5"
86A3/8	3/8"	7/16"	5 1/2"
86A7/16	7/16"	1/2"	6"
86A1/2	1/2"	5/8"	6 1/2"
86A5/8x7"	5/8"	3/4"	7"
86A3/4x7 1/2"	3/4"	7/8"	7 1/2"
86A3/4x12"	3/4"	7/8"	12"
86A7/8x8"	7/8"	1"	8"
86A7/8x12"	7/8"	1"	12"
86A 1"x8"	1"	1 3/16"	8"
86A 1"x12"	1"	1 3/16"	12"

Set **No. 86AA** is a selection of 7 popular sizes in No. 2404 Leatherette Kit. Nos. 86A1/4, 5/16, 3/8, 7/16, 1/2, 5/8 and 3/4x7 1/2.

Additional Sets on Opposite Page

No. 47A—Rivet or Pin Punch Set

Composed of No. 47 punches in 1/4"x3/32", 1/4", 5/16"x1/8", 5/16"x5/32", 3/8", 7/16", and 1/2"x1/4" sizes, and Leatherette Kit. Shipping weight, 1 lb.

No. 50A—Starting Punch Set

Own this set and you can finish everything you start—when it comes to using a starting punch. Made up of No. 50 punches in 3/16", 1/4", 5/16", 3/8", 7/16" and 1/2" sizes, and Leatherette Kit. Shipping weight, 1 lb.



Popular Punch and Chisel Sets

No. 1 Punch and Chisel Set



Specifications—No. 1

41	5/16	Center Punch
41	7/16	" "
44	1/4	Prick "
47	1/4x3/32	Rivet "
47	5/16x1/8	" "
47	5/16x5/32	" "
47	3/8	" "
47	7/16	" "
50	3/16	Starting Punch
50	1/4	" "
50	5/16	" "
50	3/8	" "
50	7/16	" "
72	1/4	Cape Chisel
72	5/16	" "
72	3/8	" "
76	1/4	Dia. Pt. Chisel
76	5/16	" " "
76	3/8	" " "
86A	1/4	Cold Chisel
86A	5/16	" "
86A	3/8	" "
86A	7/16	" "
86A	1/2	" "
2401		Leatherette Roll

Total 25 Items; Ship. Wt., 3¼ lbs.

No. 2 Punch and Chisel Set



Specifications—No. 2

41	3/8	Center Punch
47	1/4x3/32	Rivet Punch
47	5/16x1/8	" "
47	3/8	" "
50	3/16	Starting Punch
50	5/16	" "
50	3/8	" "
72	5/16	Cape Chisel
76	5/16	Dia. Pt. Chisel
86A	1/4	Cold Chisel
86A	3/8	" "
86A	7/16	" "
2402		Leatherette Roll

Total 13 Items; Ship. Wt., 1¾ lbs.

PLOMB Streamlined Tools

Feeler Gauges - Accurately Ground, Correctly Heat Treated

Standard Thickness Gauges



No. 000A—Set of the following 9 gauges, one each: Nos. 003, 004, 005, 006, 008, 010, 012, 015 and 018, in No. 000C Holder.

No. 000C—Holder only, without blades.

No.	Blade Thickness	Width Blade	Length Blade
0015	.0015"	½"	3¼"
003	.003"	½"	3¼"
004	.004"	½"	3¼"
005	.005"	½"	3¼"
006	.006"	½"	3¼"
007	.007"	½"	3¼"
008	.008"	½"	3¼"
009	.009"	½"	3¼"
010	.010"	½"	3¼"
011	.011"	½"	3¼"
012	.012"	½"	3¼"
013	.013"	½"	3¼"
014	.014"	½"	3¼"
015	.015"	½"	3¼"
016	.016"	½"	3¼"
018	.018"	½"	3¼"
020	.020"	½"	3¼"
022	.022"	½"	3¼"
025	.025"	½"	3¼"
030	.030"	½"	3¼"
032	.032"	½"	3¼"
035	.035"	½"	3¼"
040	.040"	½"	3¼"

Step-Cut Feeler Gauges

Each Blade has two different thicknesses, carefully ground and exactly true. A quality far superior to those usually offered to the trade; heat-treated to remain true after long use.

No.	Thicknesses	Width Blade	Length Blade
004/6	.004"—.006"	½"	3¼"
005/7	.005"—.007"	½"	3¼"
006/8	.006"—.008"	½"	3¼"
007/9	.007"—.009"	½"	3¼"
008/10	.008"—.010"	½"	3¼"
009/11	.009"—.011"	½"	3¼"
010/12	.010"—.012"	½"	3¼"
011/13	.011"—.013"	½"	3¼"

No. 000B—Set of 4 Step-Cut Gauges: Nos. 004/6, 006/8, 008/10, 010/12, with No. 000C Holder.

No. 000C—Holder only.

No. 000E—Brake Gauge Set

(Blades not sold separately)

Consists of 9 blades, 3/16" wide by 4" long, of the following thicknesses: .006", 008", .010", .012", .014", .016", .018", .020" and .025".

Feeler Gauges in 12" Strips

No.	Blade Thickness	Width Blade	Length Strip
0015L	0015"	½	12"
002L	002"	½	12"
003L	003"	½	12"
004L	004"	½	12"
005L	005"	½	12"
006L	006"	½	12"
008L	008"	½	12"
010L	010"	½	12"
012L	012"	½	12"
013L	013"	½	12"
015L	015"	½	12"
018L	018"	½	12"

Packed 6 Strips of a Size in Envelope.

No. 000D—Ignition Gauge Set

This set consists of 10 blades, 3/16" wide by 1½" long, in Holder. Thicknesses as follows: .011", .012", 014", .018", .020", .022", .025", .028", .032", and .035". Complete in Holder. (Blades not sold separately)



PULLERS



Puller No. 4056 in operation using two jaws, outside pulling.



Puller in reverse pulling position using three jaws.



How jaws clamp into position for inside pulling, using the three jaw set-up for additional strength.



No. 4056-BK

Puller No. 4056 is adapted to a multitude of inside and outside pulling jobs. Left illustrates puller with rubber slide hammer, right with steel hammer.



No. 4056

PLOMB SLIDE HAMMER PULLER SPECIFICATIONS

No. 4056-K—Plomb cushion-grip hammer is oversize for tough pulling jobs, it has a thick, shock absorbing rubber covering and vulcanized to the steel core. Weight, 4¼ pounds.



Jaws

4056J—3½" Reversible Jaw. Pulling Range 0" to 3" Outside, 1¼" to 3¼" Inside.
4056L—4½" inside jaw. Range, 3¼" to 6"
4066 —4½" outside jaw. Range, 3" to 4".

4056C--Cap Screw Cross Arm

Exceptionally fast for pulling timing gears having cap screw holes in hub. For any member not accessible to ordinary puller jaws, drill and tap two holes, attach 4056C and pull. Slotted to take ⅜" cap screws.

Yokes

PULLING COMBINATIONS POSSIBLE WITH SETS LISTED BELOW





4056 —I and II.
4056A—IV.
4056B—I, II, and IV.
4056D—I, II, III, IV, and V.



2-jaw combinations possible with addition of 4061 2-way yoke.

PARTS SPECIFICATIONS — SETS

Part No.	Description	4056	4056A	4056B	4056D	4056AK	4056BK	4056DK
4056R	24" T-Handled Rod with ⅝" U.S.S. Nut	1	1	1	1	1	1	1
4056H	2½ Lb. Sliding Hammer	1	1	1	1	—	.....	.....
4056N	Reversible Adjusting Nut	1	1	1	1	1	1	1
4071	3-Way Yoke	1	1	1	1	1	1	1
4056P	Knurled Pin	3	3	3	3	3	3	3
4056J	3½" Reversible Jaw	3	.....	3	3	.....	3	3
4056L	4½" Inside Jaw	.....	.....	.....	3	.....	—	3
4066	4½" Outside Jaw	.....	3	3	3	3	3	3
4056C	6" Cap Screw Cross Arm	.....	.....	.....	1	—	.....	1
4056K	4¼ Lb. Cushion Grip Hammer				.....	1	1	1
	Shipping Weight in Lbs.	6½	6	7	8½	8¼	9	10½











Pullers That P-U-L-L

No. 4060--2-way
No. 4070--3-way

For all around utility on gears, pulleys, bearings, etc.

Many jobs can be handled by various types of tools, but when it comes to a pulling job there is only one tool that can lick it —and that's a puller that really pulls.

Used properly, pullers save both time and money . . . not to say your disposition. On this page are shown the simple steps in using pullers of the 4060 and 4070 types. Your assortment of tools should include efficient pullers to handle ordinary needs. Shown in the left hand column are the 4 steps in the use of pullers of this type, on an outside pulling job. First hold the jaws in place and screw the threaded shaft down snugly. Next, tighten collar against jaws. Then, hit striking end of shaft sharply with hammer to break assembly loose. Finally, turn down shaft with open end wrench.

Below: 3-jaw puller in action.



Small Pullers

Fast and Easy to Use on the Little Pulling Jobs

The size and range of both 4060 and 4070 are the same.

Short jaws have range from 0" to 3"; long jaws from 3" to 4". With No. 4056N, nut used on Slide Hammer Puller, short jaws can be reversed and used for inside pulling.

Showing the two-way cross arm No. 4061.

These two small pullers are designed to pull the little gears, pulleys, bearings quickly and easily. The narrow jaws get into very close places. Adjusting nut holds jaws firmly in position so they can't slip off. Any convenient wrench can be used on the ⅝" square head of screw.

No. 4060--Specifications

No.	Description	No. Needed	Set No. 4060A	Set No. 4060B	Set No. 4060C	Set No. 4060D
4061	2½" Cross Arm	1	1	1	1	1
4022	7" Screw, 9/16" sq. head	1	1	1	1	1
4063	Knurled Adjusting Nut, 1¾" Diam.	1	1	1	1	
4056P	Pins for Cross Arm	2	2	2	2	2
4056J	3½" Jaws, 0" to 1½" Range	2	2	2		2
4056N	Rev. Adj. Nut					1
4066	4½" Jaws, 0" to 3" Range	2	2		2	2
	Number of Pieces		6 pieces	7 pieces	7 pieces	9 pieces
	Shipping Weight in Pounds		1¾	1¼	1¾	2½

No. 4070--Specifications

		No. Needed	Set No. 4070A	Set No. 4070B	Set No. 4070C	Set No. 4070D
4022	7" Screw, 9/16" sq. head	1	1	1	1	1
4063	Adjusting Nut, 1¾" diameter	1	1	1	1	
4056P	Pins for Yoke	3	3	3	3	3
4056J	3½" Jaws	3	3	3		3
4056N	Rev. Adj. Nut					1
4066	4½" Jaws	3	3		3	3
4071	3-Way Yoke	1	1	1	1	1
	Number of Pieces		12 pieces	9 pieces	9 pieces	12 pieces
	Shipping Weight in Pounds		2¼	1½	2	3

Pullers

4020 Sets--Medium Size Puller

Excellent Puller for generators, starting and armature gears, bearings, cones, ball races, etc. Thin hand-forged jaws have enormous strength. Jaws are easily and quickly adjusted. Weight complete with box, 4 lbs.

4030 and 4010 Sets--Heavy Duty Puller

A Puller that handles the heaviest work. Pulls generator, starter and pinion gears, ball races, drive shaft bushings, wheels, etc. Weight complete with box, 14 lbs. Box similar to illustration above.

Illustration No. 4020A


Illustration No. 4010B

PLOMB PULLERS FOR *Industrial* USE


Illustration No. 4030B

No. 4020 Parts Specifications Sets

Cat. No.	Part	Inside Length Cross-arm to Hook	4020A	4020B	4020C
4021	7" Cross Arm		1	1	1
4022	7" Screw		1	1	1
4025	4" Jaws	2"	2	2	2
4026	6" Jaws	4"	2	2	2
4028	5" Cap Screw Jaws	3"			2
4029	Metal Box 1½x3¾x7½"		1		1
	Shipping Weight in lbs.		4	3	4½

No. 4030 Parts Specifications Sets

Cat. No.	Part No.	Inside Length Cross-arm to Hook	4030A	4030B	4010A	4010B
4011	11" Cross Arm		1	1	1	1
4012	11½" Screw ¾" sq. hd.		1	1	1	1
4014	Ex. Long Jaws 16½"					
4015	7½" Jaws	4¾"	2	2	2	2
4016	10" Jaws	7"	2	2	2	2
4017	10" Timing Gear Jaws	7"	2	2		
4018	6" Cap Screw Jaws	3"	2	2		
4019	Metal Box 1¾x5½x12		1		1	
	Shipping Weight in lbs.		13½	12¼	9¾	8½









The Plomb Universal Wheel Puller makes other types of wheel pullers obsolete. For all cars, including Ford with adaptor shown above at right, and light trucks. With No. 4001JT jaws, listed below, pulls wheels of light trucks, such as Chevrolet and International.

Parts Specifications

Cat. No.	Description	SETS		
		4001	4001 A	4001 TR
4001B	Puller Body, 6¾" Long	1	1	1
4001C	Ford Adaptor Cap Screws, 4½" Long	2	2	2
4001J	Leg—Standard Foot, 6" Long	3	3	—
4001JT	Leg—Extra Long Foot 6" Long	—	—	3
4001R	Ford Adaptor Ring	1	1	1
4001S	1" Puller Screw, 8" Long	1	1	1
4001T	Box	—	1	—
	Shipping Weight in lbs.	9½	11	11

Plomb Universal Wheel Puller

Handles Practically All Types of Wheels with 3, 4, 5, 6 and 7 Studs

This is the simplest and fastest wheel puller made. It pulls wheels of practically every car. Legs shown are quickly adjustable to any drum with 3, 4, 5, 6 or 7 studs, in a circle up to 6½" diameter. With No. 4001JT Legs, it is adaptable to any drum with studs in a circle up to 8". Regular legs are drilled to take up to 9/16" studs; 4001JT legs will take up to ¾" studs.

4001T—Metal Box for Wheel Puller

Box, illustrated below is made of heavy-gauge sheet steel and the No. 4001 Wheel Puller fits into it as shown, 1½" deep, 8¼" wide, 8½" long. Three compartments.

No. 4001A—Wheel Puller in Metal Box.

Knock-Off Type Wheel Pullers

No.	Size	Threads to Inch	No.	Size	Threads to Inch
4410	5/8"	18	4422	7/8"	16
4415	3/4"	16	4423	7/8"	18
4418	13/16"	16	4425	1"	14
4420	7/8"	14	4430	1 1/8"	12
			4435	1 1/4"	12

WHEEL AND AXLE KNOCK-OFF DATA

Make of Car	Models	Knock-Off No.
Buick	1936 1941 Flange Type Axle	
	1936 90 Series	4415
	1930 1935 50-60 Series	4425
	1930 1935 80-90 "	4430
	1926 1930 Standard	4425
	1916 1930 Master	4430
Cadillac	1936 1941	4425
	All others	4430
Chevrolet	1933 1941 Flange Type Axle	
	1932 Late 13/16" shaft	4418
	1923 1932	4415
Chev.	1935 1941 Flange Type Axle	
Truck	1934 1935 1½-Ton PA-PB-PC-PD-Q	4435
	1931 1935 LT-LS-M-N-O-P	4435
	1932 Late BB Series	4418
	1925 1932	4415
Chrysler	1937 1941 C14-16-18-22-25-26	4415
	1937 1939 C15-C20	4420
	1934 1937 C-1-2-3-9-10-11-17	4420
	1936 C-7-C8	4415
	1926 1935 Models 50-52-CJ CM-66 C16 8CZ-C16	4415
	All others	4420
De Soto	1928 1941	4415
Dodge	1937 1941	4415
	1930 1937 DD-DH-DL-DC-DG DP6-DR-DS-DU D2-D5	4415
	All others	4420

Make of Car	Models	Knock-Off No.
Dodge Truck	1929 1941 ½ Ton	4415
Ford	All Models	4410
Ford	1934 to 1941 Flange Type Axle	
Truck	1930 to 1933 1½ Ton	4435
	1928 - 1929 1½ Ton	4420
G. M. C.	1927 - 1933 T40-T50-T42-T30-T44	4440
	1932 - 1933 1½ Ton	4435
	1927 - 1933 T20 T21 T11 T15 T17	4420
Hudson	1930 - 1933	4423
	1921 1930	4420
La Salle	1934 - 1941	4425
	1927 1933	4430
Nash	1934 1941	4420
	1923 1933 1060-1070-1120-1130	4425
	1926 1929 Lt. & Std. 6	4415
Olds	1924 1937	4425
Packard	1932 1941 Except 40-1800	4420
	1923 1932	4425
Plymouth	1929 1941	4415
Pontiac	1929 1932	4420
	1926 1929	4415
Studebaker	1939 1940 Champion	4415
	1938 1939 7A 8A 4C 9A 5C Comm. & Pres.	4425
	1936 1937 2C-3C Pres.	4425
	1936 1937 1A-2A-3A-4A-5A-6A	4420
	1935 1937 Dictator	4420
	1920 1933 Lt. Six-Comm.	4420
	1920 1927 Big Six & Special	4425

Battery Terminal Puller



No. 4040

For Battery Pliers See Page 82

Cat. No.	Description	No. Needed
4040A	Adjusting Cross Arm with Wing Nut	1
4040J	4½" Jaws	2
4040S	5½" Screw with Pin Handle	1
4040U	Puller Body with 2 Cap Screws	1

4040—Puller Complete with parts listed above.

Besides being the handiest Battery terminal puller on the market the No. 4040 is also handy for light pulling jobs within its capacity, which is up to 3¾" between ends of jaws and 1" space above the ends. All parts are cadmium-plated.



BODY AND FENDER TOOLS



HAMMERS

You will find a Plomb Hammer of every type for every purpose in Body and Fender Work.



No.	DESCRIPTION
1368	**RUBBER MALLET** Every repair man finds this hammer a necessity especially where a metal hammer would mar the surface. Wt. 24 oz. Length 15".
	SOFT TIPPED HAMMERS Removable tips of molded plastic. Will stand lots of pounding and still not damage the surface of the material. A Plomb innovation is one end with round face, the other cross pein.
1370	**8-oz. PLASTIC TIPPED HAMMER** With Cross Pein Tip.
1375	**16-oz. PLASTIC TIPPED HAMMER** With Cross Pein Tip.
1383	**8-oz. PLASTIC TIP HAMMER** With Round Tips.
1385	**16-oz. PLASTIC TIP HAMMER** With Round Tips.
	Extra Tips for above.
1370C	**RO. FACE TIPS**
1370D	**CROSS PEIN TIPS**
1386	**BLACKSMITH HAMMER** Long head for body fender and frame work. 3 lb.
1416	**LONG HEAD BUMPING HAMMER** Provides extreme clearance for late model fenders. Weight decreased and perfect balance achieved by means of semi-I-beam. Neck head 9", clearance 6¾", wt. 2¾ lbs.
1419	**MAGNETIC TRIM HAMMER** A favorite because of its long reach and head radii. The head is curved in about the arc of a natural swing. Length of head 5½". Wt. 7 oz.
1421	**DINGING HAMMER** Has large face for roughing the bad ones into shape for finishing. Head 6" long, 1¼" and 1⅝" round. Faces slightly crowned. Wt. 1¼ lb.
1422	**LIGHTWEIGHT FINISHING HAMMER** Ideal on dural or for straightening any light metal. 1" round face and 13/16" medium crowned Wt. 5 oz.

No.	DESCRIPTION
1424	**FINISHING HAMMER** Light of weight in perfect balance. Ro.face 1¼" dia. slightly crowned 1-1/16" sq. face. Wt. ½ lb.
1425	**FINISHING HAMMER** Heavier than 1424. Weight about ¾ lb. Ro. face slightly crowned. 1½" dia. with 1⅛" sq. face.
1426	**LONG BODY FINISHING HAMMER** For crowned fenders and other places where clearance is needed. 1⅜" Ro. face slightly crowned. 3½" clearance. Ro. cross pein 1⅛" wide on other end. Has 4" clearance. Wt. ¾ lb.
1427	**FINISHING HAMMER** Has wedge shaped cross pein 1" wide, 2½" clearance. Used for fender beads corner along panel beading, etc. Ro. face 1⅜" dia. slightly crowned 2" clearance. Wt. ½ lb.
1428	**PECKING HAMMER** Pointed end for picking out small dents. Ro. face for finishing. Head 5⅞" long overall. 1⅛" dia slightly crowned Ro. face. Wt. 12 oz.
1429	**TURRET TOP PECKING HAMMER** Eliminates uncomfortable reaching. Handle 18" long, reaches to center of turret top. Head 9" overall. Wt. 1 lb. This hammer combines a long curved pecking point with long necked ball-pein.
1430	**BRASS HAMMER** One of the most satisfactory soft hammers ever used. Wt. 1¾ lbs.
1432	**STRAIGHT AND CROSS PEIN HAMMER** No. 1432—for all concave surfaces. Head 6½" overall. Wt. 10 oz. The pein at right angles gives you a convenient hammer regardless of your working position.

PLOMB
Streamlined Tools

1452

1454

1455

1456

1458

1453

1457

FINEST DOLLY BLOCKS
HAND-FORGED SPOONS

1525



1476

1475

1474

1524

1472

1452 **EGG-SHAPED DOLLY.**

A very popular shape, with many different curves and radii. 1⅝" thick. 2½" wide. 3¾" lg. Wt. 2¾ lbs.

1453 **RAILROAD OR GENERAL PURPOSE DOLLY.**

A large variety of radii are provided in this dolly, with perfect hand fit. Heavy weight for bumping out dents, thin beading edge and 7½ square inches of working area on the large face are responsible for its popularity. Weight 3 pounds.

1454 **RADIUS DOLLY.**

A useful design that has many radii. Bottom and one side flat, forming a right angle. 1$\frac{9}{32}$" thick, 2$\frac{3}{16}$" wide, 4½" lg. Wt. 2 lbs. 10 oz.

1455 **NEW BEAD DOLLY.**

Use for beads or rolled fenders. Start with wedge end and finish with curved top. The flat side can be worked under long curve of fender. Thin edge useful for corners and beading. Comfortable hand grip. 4⅜" long, 2¾" wide, 1⅞" thick at top. Wt. 2½ lbs.

1456 **FENDER WELL DOLLY.**

One end long curve, other short curve. Long to give firm grip. 1¼" thick, 2" wide, 5" long. Weight, 2 lbs.

1457 **SHRINKING DOLLY.**

The unique shape, low crowned surface of this dolly gives it an all-purpose use where shrinking of body metal is concerned. Excellent also for raising beads and moulding. Wt. 2¼ lbs.

1458 **HEEL DOLLY, SEMI-ELLIPTICAL.**

This dolly provides two flat and two crowned working surfaces. Especially useful in restricted places and can be used for shrinking metal. Wt. 2 lbs.

1472 **RIGHT ANGLE SPOON.**

Can be used in many places where dollies will not work. Especially designed for turret tops and roof panels. Wt. 3 lbs.

1474 **LONG, BROAD SPOON.**

Slightly-crowned face 2⅛" wide, 5½" long. Shank ¾", diameter, 5" long. Weight 1¼ lbs.

1475 **SHORT, HEAVY SPOON.**

Gives powerful leverage under fender and body brackets, behind corner braces, in door hinge recesses, etc. Tapering face 1⅜" at widest point, slightly crowned, 5" long. 1⅛" diameter shank 4¾" long. Weight 1¾ lbs.

1476 **SHORT, BROAD SPOON.**

Sharply curved at end; especially adapted to reaching over and behind top rails when straightening out quarter panels, and for other uses where sharp radius and broad face are needed. Face 2" wide and 4¾" long around curve. Shank ¾" diam., 4" long. Weight 1 lb.

1524 **GLASS REMOVING CHISEL.**

A practical tool for removing broken glass from window and door channels.

1525 **RIPPING CHISEL.**

Many straightening jobs make it necessary to rip or cut body metal not subject to repair. Designed with removable double edged cutting blade. The life of this chisel is indefinite, and new blades can be purchased at nominal cost.

For Body and Fender Tool Sets see Page No. 109

FILES AND FILE HANDLES

1501

1502

1505



1508 Holder 1501 File

1512 — 1513

2057A

2057—N, M, L, G,

No.	DESCRIPTION
1501	*STRAIGHT FLEXIBLE PLOMB FILE. New, quick-cutting type with curved teeth. Finest quality you can buy. 1⅜" wide, 14" long.
1502	*SPECIAL PLOMB SHELL FILE. Ten teeth to the inch for use with 1513 holder.
1505	*SPECIAL PLOMB CURVE FILE Used for both pull and push stroke. Milled teeth are curved. 1⅜" wide, 14" long around curve.
	*Files not of our manufacture. They are genuine Vixen Files, manufactured by Heller, but bear our name. Guaranteed by us only as specified by the manufacturer.
1508	ADJUSTABLE FILE HOLDER. Simple adjustment makes file either concave or convex, or can be used for straight filing. Wood grips shaped to fit hands. 16" long when flat. Holder only.
1512	LIGHT WEIGHT FILE HOLDER. Here is a file holder, made of finest Oregon Maple, preserved with linseed oil, heavily waxed and hand rubbed. It's light (only 10 oz.) and fast. Fits Plomb curved file No. 1505 for use in such intricate places as turtle backs, skirted fenders, and all steel tops.
1513	LIGHT WEIGHT FILE HOLDER Same as 1512 (above) except fits 1502 file.
2057A	Slide Hammer Hinge Pin Puller complete. The fastest and most practical tool ever developed for the stubborn job of pulling hinge pins.

No. 1400-A

Body and Fender Tool Repair Set

Many mechanics are specializing in Body and Fender repair work. To be properly equipped is to own this extensive set of Hand Tools for such work. Look at the popular items it contains below.

Tool No.	Description
1421	Large Face Dinging Hammer
1424	Light Weight Finishing Hammer
1425	Med. Weight Finishing Hammer
1427	Wedge Shape Finishing Hammer
1428	Pecking Hammer
1452	Egg-type Dolly
1454	Radius Dolly
1455	New Type Bead Dolly
1386	Frame Hammer
1501	Straight Flexible File
1508	Adjustable File Holder
9920	Tote Tray

TOTAL OF 12 ITEMS

Shipping Weight # 25 Lbs.

No. 1400-B

Body and Fender Tool Repair Set

A small economical but very popular set containing, as noted below, the very necessary items that will stamp you a master of your trade.

Tool No.	Description
1419	Magnetic Trim Hammer
1422	Light Weight Finishing Hammer
1424	Small Size Finishing Hammer
1427	Wedge Shaped Finish Hammer
1428	Pecking Hammer
1452	Egg-Shaped Dolly
1454	Radius Dolly
1383	Plastic Hammer
1501	Straight Flexible File
1508	Adjustable File Holder
9920	Tote Tray

TOTAL OF 11 ITEMS

Shipping Weight, 19 Lbs.



CHART OF STANDARD SIZES

Hexagon—Thread Diam. of Bolts						Size of Bolt Hd. or Nut in Inches	Square—Thread Diam. of Bolts				
U. S. Standard		S. A. E.	American Standard		Mfrs. Std.		U. S. Standard		U.S.S. or Am. Std.	American Std.	Mfrs. Std.
Bolts & Nuts	Cap Screws	Bolts & Nuts	Bolts & Nuts	Cap Screws	Bolt Heads		Bolts & Nuts	Cap Screws	Set Screws	Bolts & Nuts	Bolt Heads
			0 & 1			5/32				0 & 1	
			2 & 3			3/16				2 & 3	
						7/32					
			4			1/4				4	
1/8	1/8		5 & 6			5/16				5 & 6	
			8			11/32				8	
5/16	5/16		10			3/8			3/8	10	1/4
	3/4	1/4	12 & 1/4	1/4	1/4	7/16		5/16	7/16	12 & 7/4	
						15/32					5/16
1/4	5/16	5/16		5/16		1/2	1/4	3/8	1/2		
					5/16	17/32					
	3/8	3/8	5/16	3/8		9/16		7/16	9/16	5/16	3/8
5/16						19/32	5/16				
	7/16	7/16	3/8	7/16	3/8	5/8		1/2	5/8	3/8	
						21/32					7/16
3/8						11/16	3/8	9/16			
					7/16	23/32					
	1/2	1/2	7/16	1/2		3/4		5/8	3/4	1/2	1/2
7/16						25/32	7/16				
	9/16		1/2	9/16	1/2	13/16				1/2	
						27/32					9/16
1/2	5/8	9/16	9/16	5/8		7/8	1/2	3/4	7/8	9/16	
					9/16	29/32					
		5/8	5/8			15/16				5/8	5/8
9/16						31/32	9/16				
	3/4	11/16		3/4	5/8	1			1		
5/8		3/4				1 1/16	5/8			3/4	3/4
	7/8		3/4	7/8		1 1/8					
					3/4	1 3/16					
3/4	1	7/8				1 1/4	3/4	1	1 3/4	7/8	7/8
			7/8	1		1 5/16					
	1 1/8				7/8	1 3/8		1 1/8			
7/8		1				1 7/16	7/8				
	1 1/4		1	1 1/8		1 1/2			1 1/2	1	1
					1	1 9/16					
1	1 1/8	1 1/8				1 5/8	1				
			1 1/8	1 1/4		1 11/16				1 1/8	1 1/8
					1 1/8	1 3/4					
1 1/8		1 1/4				1 13/16	1 1/8				
			1 1/4			1 7/8				1 1/4	1 1/4
					1 1/4	1 15/16					
1 1/4		1 3/8				2	1 1/4				
					1 3/8	2 1/16					1 3/8
1 3/8		1 1/2				2 1/8					
			1 1/2			2 3/16	1 3/8				
					1 1/2	2 1/4				1 1/2	1 1/2
1 1/2						2 5/16					
					1 5/8	2 3/8	1 1/2				
						2 7/16					1 5/8
1 5/8			1 3/4			2 1/2					
					1 3/4	2 9/16	1 5/8			1 3/4	1 3/4
1 3/4						2 5/8	1 3/4				
1 7/8						2 11/16	1 7/8				
			2			2 3/4				2	
2						3	2				
			2 1/4			3 1/16				2 1/4	
2 1/4						3 1/8	2 1/4				
			2 1/2			3 1/4			2 1/2		
2 1/2						3 3/8	2 1/2				
			2 3/4			4 1/16			2 3/4		
2 3/4						4 1/4	2 3/4				
			3			4 1/2			3		

PLUMBING TOOLS



No. 13

No. 84

No. 38

AUTOMOTIVE EQUIPMENT
TIME PAYMENT PLAN

Plomb Tools may be purchased through jobbers on the Commercial Credit Company's easy time payment plan.

No. 13—Plomb Star Drills

Forged star drills are made from fatigue- and shock-resisting alloy steel. Wings have proper filet and taper for maximum strength, long enough to permit sharpening. They center easily.

No.	Stock	Cut	12" Long
13	1/4"	1/4"	x
13	1/4"	5/16"	x
13	5/16"	3/8"	x
13	3/8"	7/16"	x
13	3/8"	1/2"	x
13	7/16"	5/8"	x
13	1/2"	3/4"	x
13	5/8"	7/8"	x
13	3/4"	1"	x
13	7/8"	1 1/8"	x
13	7/8"	1 1/4"	x
13	7/8"	1 1/2"	x

No. 84—Concrete Gads

Will not wedge in. Heat-treated to withstand an enormous amount of pounding through concrete.

No.	Stock	Cut	Length
84	3/4"	.....	12"
84	7/8"	.....	12"
84	1"	.....	12"
84	1 1/4"	.....	12"

No. 38—Screw Driver Bits

Square taper hand-forged to fit standard bit brace chuck.

No.	Stock	Cut	Length
38	9/32"	1/4" Bit	4 1/2"
38	5/16"	5/16" Bit	4 1/2"
38	11/32"	3/8" Bit	4 1/2"
38	3/8"	1/2" Bit	4 1/2"

BUY PLOMB SELECTED TOOL SETS AND SAVE!

No. 37 — Soil Pipe Chisels

In great demand for the difficult job of cutting soil pipe. Rounded edge gives maximum cutting surface at point of contact, regardless of angle of chisel. Cuts soil pipe quicker and easier than a regular cold chisel.

37	1/2"	5/8" Cut	5 1/2"	5 oz.
37	5/8"	3/4" Cut	6"	8 oz.
37	3/4"	7/8" Cut	6 1/2"	12 oz.
37	7/8"	1" Cut	7"	16 oz.

No. 37

No. 4—Plugging Chisels

No.	Stock	Blade	Length	Wt.
4	5/8"	1/4" Cut	10"	10 oz.

No. 4

No. 5

No. 5—Floor or Wood Chisels

These all-steel wood chisels stand up under cutting conditions that wreck ordinary carpenters' wood chisels.

No.	Stock	Width of Cut	Blade Length	Overall Length
5 7/16	7/16"	5/8"	4 1/4"	10"
5 1/2	1/2"	3/4"	4 3/8"	10"
5 5/8	5/8"	1"	4"	10"
5 3/4	3/4"	1 3/16"	4 1/8"	10"



111 R

111 L

Lead Picking Tools

New and modern in design that gives them a wide preference over similar types now on the market.

No.	Stock	Length	Wt.
111L	3/4"	8 1/2"	14 oz.
111R	3/4"	8 1/2"	14 oz.
1121	1/2"	9"	7 oz.

112

Ideal Boxes and Kits for Plumbers shown in "Toolmobiles & Sets" section.

Plomb Tools may be purchased on easy monthly payments from Jobbers through the Commercial Credit Company plan.

No. 2370

No. 2371


No. 2372

No. 18


No. 19

Save Money

Buy tools in sets as listed in this catalogue.



No. 139


No. 141


No. 6

No. 14

No. 135

Packing Hooks

No. 2370—Length 8", 90° hook.
No. 2371—3/16" stock. 10" long, curved.
No. 2372—5/16" stock. 11¼" long, curved.

Scratch Awls

No.	Size	Stock	Length	Wt. Doz.
18	5/16"	Square	7"	2⅛ lbs.
19	5/16"	Oct.	7"	¾ lbs.

Special Tools Save Time

No. 139—Spud Wrenches

Forged from spring steel. Not heat-treated, so jaws can be hammered closer together or spread if necessary. Far superior to the cheap, heavy cast wrenches. For use on 1½" or 2" spuds. Wt. 1 lb. each.

No. 139—2"x2½" openings; 11½" long.

No. 141—Spud Chucks

A wrench or holder for hollow work such as closet spuds of all sizes, sink and tray strainers, plugs, bath or basin fittings, etc. Expanded full ¼" by eccentric spindle. Holds positively. Slips into 1", 1⅛", 1¼", 1½" and 2" when closed. Wt. 1[illegible] lbs. each.

No. 6—Spring Yarning Irons

Blade is spring steel and is slightly offset for clearance.

No.	Stock	Width	Length	Wt.
6	1/4"	5/8"	11½"	½ lb.
6	½"	5/8"	18"	¾ lb.
6	1/4"	¾"	12"	½ lb.
6	½"	¾"	18"	¾ lb.
6	¼"	⅞"	14"	¾ lb.

No. 14—Offset Yarning Irons

No.	Stock	Width	Length	Wt.
14	1/4"	19/32"	11½"	¾ lb.
14	3/8"	11/16"	9"	½ lb.
14	3/8"	11/16"	12"	¾ lb.
14	3/8"	11/16"	18"	⅝ lb.
14	¼"	¾"	14"	¾ lb.

No. 135—Bending Irons

135½	½"	.....	10⅜"	½ lb.
135¾	¾"	.....	10½"	¾ lb.

No. 20—Elbow Calkers

The 45° angle gets into places inaccessible to Nos. 31 and 33 calkers, described below. Ground straight.

No.	Stock	Blade	Length	Wt.
20-½	½"	1⅛" Wide	4¼"	5 oz.

No. 21—Pony Calkers (Pair)

21-½	½"	⅝" Wide	3"	Curved

Gasket Calkers

31-⅛	⅛"	Short	5⅛"	10 oz.
31-¼	¼"	Short	7"	10 oz.
131-⅛	⅛"	Long	9½"	12 oz.
131-¼	¼"	Long	10"	12 oz.

No. 033—Offset Calkers (Pair)

No.	Stock	Blade	Length	Wt.
033-½	½"	½" Wide	5½"	13 oz.
033-⅝	⅝"	⅝" Wide	6¼"	13 oz.
033-¼	¼"	1" Wide	7"	14 oz.

No. 33—Long Calkers (Pair)

Used for calking lead in hub of soil pipe. Ground both inside or outside; concave blades fit 4" pipe.

33-½	½"	¾" Wide	5½"	12 oz.
33-⅝	⅝"	⅞" Wide	5¾"	12 oz.
33-¼	¼"	1" Wide	6¼"	13 oz.

Water Main Calkers

Do a good, fast job of calking joints in heavy cast iron water mains. Ground square; handle offset for knuckle clearance.

108-⅜	⅜"	⅜"x1"	8"	1 lb.
108-½	½"	½"x1"	8"	1 lb.
108-⅝	⅝"	⅝"x1"	8"	1 lb.
109-¼	¼"	¼"x1"	8"	1 lb.

No. 130—Ceiling Calkers

130	⅝"	.....	10"	1 lb.

No. 132—Right and Left Calkers

Calk joints near walls or in corners where Nos. 31 or 33 calkers cannot be used. Made both right and left, ground either inside or outside. Come in pairs.

132R	⅝"	.....	8⅞"	¾ lb.
132L	⅝"	.....	8⅞"	¾ lb.

Broad Curved Nose Calking Iron

No.	Stock	Width	Thickness	Length
110-¾	¾"	1½"	⅛"	8½"

Tubing Expanders

No.	Length	Steps	Expands Pipe to	Wt.
136	3½"	3	⅛", ⅜", ½"	14 oz.



GENERAL INDEX

Adaptors 43, 49, 52, 53
Adjustable Wrenches 72
Allen Set Screw Sockets 33
American Stand. Size 110
Aviation Snips 79
Aviation Tools 30-32, 37, 40, 41, 79
Awls, Scratch 114
Axle Data 102
Ball Pein Hammers 85
Bars, Gear, Grease, Pry 81
Battery Pliers 82
Battery Terminal Puller 102
Bearing Scraper 75
Blacksmith Hammer 85, 105
Body & Fend. Tools 103-109
Boxes, Tool ..... 6 to 28
Box Wrenches ..... 55 to 67
Brake Spring Plier 82
Brake Tools 76, 82, 88, 90, 94
Brass Hammers 84, 105
Cabinets, Tool 6, 26
Calking Irons 115
Cap Screw Sockets 33
Carbon Scrapers 74
Carburetor Tools 30-32
Chart of Sizes 110
Chevrolet Tools 78
Chisels 91, 92, 93
Com. Box, O-E Wrench 66, 67
Compressor, Piston Ring 74
Concrete Tools 112
Construction Tools 56-60
Crowfoot Wrenches 37
Cutters, Metal 91, 106, 107
Deep Sockets 24, 39, 45
Diagonal Pliers 82
Diamond Chisels 91
Dollies, Fender Rep. 106, 107
Drag Link Screwdriver 43, 77
Drift Punches 91, 92
Drills, Star 112
Electrical Tools 30-32, 63, 68
Ex. Hv. Duty Wrenches 56
Ex. Hv. Duty Sockets 52, 53
Extractors, Screw 75
Feeler Gauges 94
Fender Repair Tools 103-109
Files 81, 108
File Holders 108
Ford Special Tools 76, 77, 90
Gads, Concrete 112
Garage Bars 81
Gasket Scrapers 74
Gauges, Thickness 94
Gear Pullers 100
Hack Saws 80
Hammers, Ball Pein 85
" Blacksmith 85, 105
" Brass 84, 105
" Calking 84
" Fender Repair 104, 105
" Plastic Tip 84, 105
" Rubber 85, 105
" Soft Tipped 84, 105
" Steel & Rubber 84
" Trimmer's Mag. 105
Handles, Spin Type 30, 31
Heavy Duty Sockets, Attachments & Sets 48-50
Hinge Pin Puller 108
Hog Jaw Wrench 71
Holders, File 108
Hooks, Packing 114
Ignition Feeler Gauge 94
" Plier 33, 83
" Wrenches 79, 63
Industrial Tools 54-60
Kits, Leatherette 28
Lead Picking Tools 113
Leatherette Rolls 28
Mallet, Rubber 85, 105
Midget Socket Sets and Wrenches 30-35, 61-63, 68
Midget Tool Box 28
Needle Nose Plier 82
Obstruction Wrenches 71
Offset Box Wrenches 61, 62
Offset Calkers 115
Offset Screwdrivers 88, 91
Oil Pan Screwdriver 39
Open End-Box Wrench 66, 67
Open End Wrenches 69, 70
Packing Hooks 114
Phillips Screwdriver 88
Pin Punches 93
Piston Ring Tools 74
Plast. Tip. Hammers 84, 105
Pliers 82, 83
Plumbing Tools 111-115
Power Sockets 45
Pry Bars 81
Pullers, Battery Termin 102
" Gear 100
" Hinge Pin 108
" Slide Hammer 96, 97
" Stud 72
" Wheel 101, 102
Punches 91, 92, 93
Radio Tools 30, 31, 32
Ratchets 30, 36, 42, 48, 52
Refrigeration Tools 34
Rim Wrench 75
Ripping Bars 81, 106, 107
Rivet Cutters 91
Rolls, Leatherette 28
Rubber Hammer 85, 105
S.A.E. Sizes 110
Saws, Hack 80
Scratch Awls 114
Screw Extractors 75
Screwdrivers ..... 86-90 Inc.
Scrapers, Bearing 75
" Carbon 74
" Gasket 74
Sets, Tool ..... 8 to 23 Inc.
Slide Hammer Puller 96, 97
Slugging Wrenches 58, 59
Snips, Aviation 79
Sockets & Attachments 29-54
Socket Racks 26
Soil Pipe Chisels 113
Soft Tipped Hammer 84
Spark Plug Sockets 24, 38
Spoons, Fender Rep. 106, 107
Spud End Wrenches 56
Star Drills 112
Striking Wrenches 60
Structural Wrenches 57
Stud Pullers 72
Tappet Screwdrivers 87
Tappet Wrenches 71
Tension Wrench 42
Thickness Gauges 94
Tool Boxes & Rolls ..... 6-28 Inc.
Tool Sets ..... 8 to 23 Inc.
Torque Wrench 42
Tractor Set 22
Truckman's Tool Set 23
Tubing Expander 115
U. S. Standard Sizes 110
Universal Sockets 38, 39, 44, 45, 70
Valve Tools 74, 78
Water Pump Plier 83
Wheel Knockers 102
Wheel Pullers 101
Windshield Sockets 30, 31, 32
Wood Chisels 113
Wrecking Bars 81
Wrenches, Adjustable 72
" Box 61, 62, 64, 65
" Box Heavy Duty 55-60
" Box Wrench Sets 65
" Box & Open End 66, 67
" Crowfoot 37
" Open End 69, 70
" Slugging 58, 59
" Striking 60
" Tappet 71
Yarning Irons 114

This Catalogue Designed by WILLARD G. GREGORY & CO. Los Angeles

PLOMB Streamlined Tools

Lithographed in U. S. A. by WESTERN LITHOGRAPH CO. Los Angeles

THE PLUMB GUARANTEE

Plomb Tools are forged from the finest steels, scientifically heat-treated. They are guaranteed to perform the work for which they are designed and intended to be used, and to last as long as is consistent with ordinary wear and tear. Any Plomb Tool that may be found defective in workmanship or material, and is returned to the factory, charges prepaid, will, at our option, be replaced, or repaired, or credited at current prices.

There are a few items listed in the catalog marked "no replacement". They are few and represent tools made extremely light, which will give good lasting service in skilled hands.

PLOMB
Streamlined
TOOLS
PLOMB TOOL CO.
MAIN OFFICES
LOS ANGELES, CALIF.
WAREHOUSE STOCKS
NEW YORK CITY
PITTSBURGH
KANSAS CITY, MO.
CHICAGO
ATLANTA
PORTLAND
OREG.
DALLAS

WAREHOUSE STOCK
KANSAS CITY ● DALLAS
PORTLAND, ORE.

PLOMB TOOL COMPANY
LOS ANGELES, 54, CALIFORNIA
U. S. A.

WAREHOUSE STOCK
NEW YORK ● PITTSBURGH
ATLANTA ● CHICAGO

NUMERICAL PRICE LIST

Effective January 1, 1944

IMPORTANT

This is a War Time Price List—Read Carefully the Instructions Below

This price list supersedes all previous price lists.

Limitation Order L-216 schedules tools and wrenches that we can produce for war time.

Many items in your current Plomb Tool catalog have been suspended for the duration by Limitation Order L-216. This price list shows only the items that we are now permitted to manufacture. Any item, or items, shown in the catalog but not listed herein are suspended for the duration.

Be sure and check very carefully when ordering from the catalog that the items are shown on this price list.

You may have some items in your stock the manufacture of which has been suspended by government regulations, so be very sure to retain your previous price lists which you will use for pricing these suspended items.

Due to government regulations, finish or steel analysis is subject to change without notice. All wrench sets are discontinued by government order, except in the ¼" drive.

The prices shown conform with the Emergency Price Control Act.

There are no Federal Excise Taxes applying to Plomb Tools.

This price list applies to Plomb Tool catalog No. 19 and No. 19-A.

Symbols which precede numbers are explained below.

*Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made.

†Represents items formerly listed in our No. H-P38 Catalog.

Alphabetical listings and prices appear on page 7.

PRICES AND DISCOUNTS quoted are for immediate acceptance and are subject to change without notice. Prices to be paid for orders for future delivery shall be prices established by the Company and in effect upon date of delivery. Future delivery is defined as delivery to be made more than thirty days after acceptance. The Company shall not be liable in damages to the buyer for any default or delay in the production or delivery of all or a portion of the order where such default or delay results either directly or indirectly from causes beyond its control, including, but in no way being limited, to: United States Government Priorities; interruptions occasioned by request, order or requisition of the United States Government; direct or indirect utilization by the United States Government of labor, equipment, machinery or materials; embargoes; riots, strikes or differences with workmen; shortages of or inability to obtain labor, materials, equipment, machinery or fuel; delays of carriers or suspension or other curtailment of transportation; accidents or damage to machinery or equipment; fire or the elements.

RETAIN YOUR PREVIOUS PRICE LIST FOR USE ON ITEMS NOT SHOWN

Printed in U.S.A.

Numerical Price List—Jan. 1, 1944

Tool No.	Description	Page No.	List Price	Net Prices
000A	Feeler Gauge Set	94	$ 2.10	$1.16
000B	" " "	94	1.90	1.05
000C	Holder	94	.30	.17
000D	Feeler Gauge Set	94	1.90	1.05
000E	" " "	94	1.90	1.05
0015 to 040	Feeler Blades	94	.24	.13
004/6 to 011/13	" "	94	.40	.22
0015L to 018L	" "	94	.40	.22
†1	Punch & Chisel Set	93	16.96	9.32
†2	" " " "	93	8.46	4.65
†30¾x12	Rivet Cutter	91	2.20	1.21
†36¼	Offset screwdriver	88-91	1.00	.55
†36⅝16	" "	88-91	1.20	.66
†36⅜	" "	88-91	1.40	.77
†41¼	Center punch	91	.50	.28
†41⅝16	" "	91	.50	.28
†41⅜	" "	91	.60	.33
†41⅞16	" "	91	.70	.39
†41½	" "	91	.80	.44
†41⅝	" "	91	.90	.50
†44¼	Prick punch	91	.50	.28
†44⅝16	" "	91	.60	.33
†44⅜	" "	91	.70	.39
†47¼x1⅛16	Rivet or Pin Punch	91	.60	.33
†47¼x⅜32	" " " "	91	.60	.33
†47⅝16x⅛	" " " "	91	.70	.39
†47⅝16x⅝32	" " " "	91	.70	.39
†47⅜x⅜16	" " " "	91	.70	.39
†47⅞16x7⅛32	" " " "	91	.80	.44
†47½x¼	" " " "	91	.90	.50
†47A	Rivet or Pin Punch Set	93	5.70	3.14
†50¾16	Starting Punch	91	.50	.28
†50¼	" "	91	.50	.28
†50⅝16	" "	91	.60	.33
†50⅜	" "	91	.60	.33
†50⅞16	" "	91	.70	.39
†50½	" "	91	.80	.44
†50A	Starting Punch Set	93	4.40	2.42
†72¼	Cape Chisel	91	.50	.28
†72⅝16	" "	91	.60	.33
†72⅜	" "	91	.70	.39
†72½	" "	91	.90	.50
†76¼	Diamond Chisel	91	.50	.28
†76⅝16	" "	91	.60	.33
†76⅜	" "	91	.70	.39
†76½	" "	91	.90	.50
†80¼	Round Nose Chisel	91	.50	.28
†80⅝16	" " "	91	.60	.33
†80⅜	" " "	91	.70	.39
†86A-3⁄16	Cold Chisel	92	.40	.22
†86A-¼	" "	92	.46	.25
†86A-5⁄16	" "	92	.60	.33
†86A-⅜	" "	92	.70	.39
†86A-7⁄16	" "	92	.80	.44
†86A-½	" "	92	.90	.50
†86A-5⁄8	" "	92	1.10	.61
†86A-¾x7½	" "	92	1.50	.83
†86A-¾x12	" "	92	2.20	1.21
†86A-⅞x8	" "	92	1.80	.99
†86A-⅞x12	Cold Chisel	92	2.60	$1.43
†86A-1x8	" "	92	2.10	1.16
†86AA	Cold Chisel Set	92	6.96	3.83
†96¼	Drift Punch	92	.80	.44
†96⅝16	" "	92	1.00	.55
†96⅜	" "	92	1.10	.61
†96⅞16	" "	92	1.20	.66
†96½	" "	92	1.40	.77
†96⅝	" "	92	1.70	.94
†96¾	" "	92	2.00	1.10
†96A	Drift Punch Set	92	8.10	4.46
†100	Key Ring Screwdriver	87	.50	.28
206	Diagonal Plier	82	3.90	2.15
226	Needle Nose Plier	82	3.50	1.93
235	Midget Plier	83	2.20	1.21
235B	Bolt & Nut for 235	83	.20	.11
240	Water Pump Plier	83	3.30	1.82
240B	Bolt & Nut for 240	83	.30	.17
247	Side Cutting Plier	83	3.60	1.98
344	Hacksaw	80	2.60	1.43
351	"	80	5.90	3.25
704	Adjustable Wrench	72	2.00	1.10
706	" "	72	2.00	1.10
708	" "	72	2.40	1.32
710	" "	72	3.00	1.65
712	" "	72	4.20	2.31
	Heavy Duty Box Wrench			
1036	11⁄16x7⅞	56	2.10	1.16
1041	⅞x1 1⁄16	56	3.70	2.04
1045	15⁄16x1	56	3.70	2.04
1051	1 1⁄16x1¼	56	4.30	2.37
1053	1⅛x1 5⁄16	56	4.30	2.37
1061	1¼x1 7⁄16	56	5.70	3.14
1063	1 7⁄16x1⅝	56	5.90	3.25
1066	1 13⁄16x2	56	10.20	5.61
1068	2x2⅜	56	11.90	6.55
	15° Box Wrench 12-point Opening			
1120	5⁄16x⅜	64	1.08	.59
1122	⅜x7⁄16	64	1.26	.69
1125	7⁄16x½	64	1.26	.69
1126	1⁄2x9⁄16	64	1.33	.73
°1127	1⁄2x5⁄8	64	1.33	.73
1130	9⁄16x⅝	64	1.42	.78
°1131	⅜x¾	64	1.55	.85
1134	⅝x1 1⁄16	64	1.68	.92
°1135	11⁄16x¾	64	1.77	.97
°1136	1 1⁄16x⅞	64	1.80	.99
°1137	1 1⁄16x1 1⁄32	64	1.80	.99
1139	¾x⅞	64	1.80	.99
1140	1 1⁄16x1	64	2.17	1.19
°1141	⅞x1 1⁄16	64	3.42	1.88
1145	15⁄16x1	64	3.51	1.93
°1147	1 5⁄16x1 1⁄16	64	3.59	1.97
1150	1 1⁄16x1⅛	64	3.80	2.09
°1151	1 1⁄16x1¼	64	3.99	2.19
1155	1¼x1 5⁄16	64	4.28	2.35
1160	1¼x1⅜	64	4.46	2.45
°1161	1¼x1 7⁄16	64	4.60	2.53
1162	1 7⁄16x1½	64	5.64	3.10
°1163	1 7⁄16x1⅝	64	6.04	3.32
1164	1⅝x1 11⁄16	64	8.60	4.73

°Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made.
†Represents items formerly listed in our No. H-P36 catalog.

Numerical Price List—Jan. 1, 1944

Tool No.	Description	Page No.	List Price	Net Prices
	Comb. Box & Open End Wrench 12-point Opening			
1210	5/16	66	1.08	$ .59
1212	3/8	66	1.20	.66
1214	7/16	66	1.20	.66
1216	1/2	66	1.30	.71
1218	9/16	66	1.39	.76
1220	5/8	66	1.48	.81
1222	11/16	66	1.70	.93
1224	3/4	66	1.80	.99
1226	13/16	66	2.10	1.15
1228	7/8	66	2.40	1.32
1230	15/16	66	2.60	1.43
1232	1	66	2.70	1.48
1234	1 1/16	66	2.84	1.56
1236	1 1/8	66	3.28	1.80
1240	1 1/4	66	3.46	1.90
⊙1242	1 5/16	66	3.82	2.10
⊙1246	1 7/16	66	4.73	2.60
†1301H	Hammer Handle	85	.40	.22
†1302	Ball Pein Hammer, 2 oz.	85	1.70	.94
†1302H	Hammer Handle	85	.40	.22
†1304	Ball Pein Hammer, 4 oz.	85	2.00	1.10
†1304H	Hammer Handle	85	.40	.22
†1306H	" "	85	.40	.22
†1308	Ball Pein Hammer, 8 oz.	85	2.10	1.16
†1308H	Hammer Handle	85	.50	.28
†1312	Ball Pein Hammer, 12 oz.	85	2.30	1.27
†1312H	Hammer Handle	85	.50	.28
†1316	Ball Pein Hammer, 1 lb.	85	2.40	1.32
†1316H	Hammer Handle	85	.50	.28
†1324	Ball Pein Ham'r, 1½ lb.	85	2.80	1.54
†1324H	Hammer Handle	85	.60	.33
†1332	Ball Pein Hammer, 2 lb.	85	3.00	1.65
†1370	Plastic Tip Ham'r, 8 oz.	84	3.40	1.87
†1370C	Extra Plastic Tip	84	.80	.44
†1370D	" " "	84	1.20	.66
†1370H	Hammer Handle		.50	.28
†1375	Plastic Tip Ham'r, 16 oz.	84	3.90	2.15
†1383	" " " 8 oz.	84	3.00	1.65
†1385	" " " 16 oz.	84	3.60	1.98
†1386	Blacksmith Ham'r, 3 lb.	84	3.80	2.09
†2116	Garage Bar	81	2.10	1.16
†2120	" "	81	3.00	1.65
†2124	" "	81	4.10	2.26
†2126	Rolling Head Bar	81	2.80	1.54
†2130	" " "	81	3.40	1.87
2401	Leatherette Kit	28	1.80	.99
2402	" "	28	1.00	.55
2403	" "	28	.70	.39
2404	" "	28	.90	.50
2405	" "	28	1.20	.66
2406	" "	28	1.80	.99
2408	" "	28	.70	.39
2410	" "	28	.70	.39
2411	" "	28	.40	.22
2413	" "	28	3.50	1.93
	Spud End Box Wrench			
⊙2617	1 1/16	57	3.70	2.04
⊙2618	1 1/8	57	3.80	2.09
⊙2620	1 1/4	57	4.00	2.20
⊙2623	1 7/16	57	5.30	$2.92
⊙2624	1 1/2	57	5.70	3.14
⊙2626	1 5/8	57	6.20	3.41
⊙2629	1 13/16	57	6.60	3.63
⊙2630	1 7/8	57	6.80	3.74
⊙2632	2	57	7.00	3.85
⊙2635	2 3/16	57	9.20	5.06
⊙2638	2 3/8	57	10.40	5.72
	Striking Wrench			
⊙2620SW	1 1/4	60	6.00	3.30
⊙2623SW	1 7/16	60	7.30	4.02
⊙2624SW	1 1/2	60	7.70	4.24
⊙2626SW	1 5/8	60	8.20	4.51
⊙2627SW	1 11/16	60	8.40	4.62
⊙2629SW	1 13/16	60	8.60	4.73
⊙2632SW	2	60	9.00	4.95
⊙2635SW	2 3/16	60	11.20	6.16
⊙2638SW	2 3/8	60	12.40	6.82
⊙2644SW	2 3/4	60	18.80	10.34
⊙2647SW	2 15/16	60	21.00	11.55
⊙2650SW	3 1/8	60	24.80	13.64
	Open End Wrench			
3018	1/4x5/16	69	.66	.36
3020	5/16x3/8	69	.75	.41
3021	3/8x7/16	69	.75	.41
3025	7/16x1/2	69	.93	.51
3026	1/2x9/16	69	.97	.53
⊙3027	1/2x19/32	69	1.02	.56
3030	9/16x5/8	69	1.19	.65
3031	5/8x3/4	69	1.44	.79
⊙3032	11/16x25/32	69	1.50	.83
⊙3034	5/8x11/16	69	1.51	.83
⊙3035	11/16x3/4	69	1.62	.89
⊙3036	11/16x7/8	69	1.80	.99
3037	11/16x25/32 ⊙	69	1.80	.99
3039	3/4x7/8	69	2.00	1.10
⊙3040	13/16x7/8	69	2.00	1.10
⊙3041	7/8x11/16	69	2.53	1.39
⊙3045	15/16x1	69	2.80	1.54
3047	15/16x11/16	69	2.80	1.54
⊙3050	11/16x11/8	69	3.00	1.65
3051	11/16x11/4	69	3.70	2.04
⊙3055	11/4x15/16	69	4.24	2.33
⊙3060	13/8x17/16	69	4.24	2.33
⊙3061	11/4x17/16	69	5.44	2.99
⊙3062	13/8x11/2	69	5.91	3.25
3065	17/16x15/8	69	8.24	4.53
3070	11/2x15/8	69	8.58	4.72
	Midget Open End Wrench			
3210	13/64x15/64	68	.84	.46
3211	15/64x13/64	68	.84	.46
3215	7/16x1/4	68	.84	.46
3216	1/4x7/32	68	.84	.46
3220	9/32x5/16	68	.94	.52
3221	5/16x9/32	68	.94	.52
3225	11/32x3/8	68	1.00	.55
3226	3/8x11/32	68	1.00	.55
	Tappet Wrench			
3425	7/16x1/2	71	1.50	.83
3426	1/2x9/16	71	1.60	.88

⊙ Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made.
†Represents items formerly listed in our No. H-P38 catalog.

Tool No.	Description	Page No.	List Price	Net Prices
	Single End Open End Wrench			
3512	3/8"	69A	.57	$ .31
3514	7/16	69A	.58	.32
3516	1/2	69A	.58	.32
3518	9/16	69A	.86	.47
3520	5/8	69A	1.04	.57
3522	11/16	69A	1.04	.57
3524	3/4"	69A	1.28	.70
3526	13/16	69A	1.51	.83
3528	7/8	69A	1.51	.83
3530	15/16	69A	1.82	1.00
3532	1	69A	2.00	1.10
3534	1 1/16	69A	2.28	1.25
3536	1 1/8	69A	2.28	1.25
3540	1 1/4	69A	3.04	1.67
3542	1 5/16	69A	3.04	1.67
3546	1 7/16	69A	4.68	2.57
3548	1 1/2	69A	4.68	2.57
3552	1 5/8	69A	6.42	3.53
3554	1 11/16	69A	6.42	3.53
3558	1 13/16	69A	8.37	4.60
3560	1 7/8	69A	8.37	4.60
3564	2	69A	11.30	6.22
3570	2 3/16	69A	14.73	8.10
3572	2 1/4	69A	14.73	8.10
3576	2 3/8	69A	18.54	10.20
4001	Wheel Puller	101	17.40	9.57
4001A	" " Set	101	19.90	10.95
4001B	Puller Body Only	101	4.80	2.64
4001C	Adaptor Cap	101	.80	.44
4001J	Puller Leg	101	1.90	1.05
4001JT	" "	101	1.90	1.05
4001R	Adaptor Ring	101	2.10	1.16
4001S	Puller Screw	101	3.20	1.76
4001T	" Box	101	2.50	1.38
4001TR	Puller Set	101	17.40	9.57
4010A	" "	100	25.60	14.08
4010B	" "	100	23.60	12.98
4011	Puller Cross Arm	100	5.50	3.03
4012	" Screw	100	3.90	2.14
4015	Puller Jaw	100	3.50	1.93
4016	" "	100	3.60	1.98
4017	Timing Gear Jaw	100	3.60	1.98
4018	Cap Screw Jaw	100	3.60	1.98
4019	Puller Box	100	2.00	1.10
4020A	Puller Set	100	16.80	9.24
4020B	" "	100	15.30	8.42
4021	Puller Cross Arm	100	4.10	2.26
4022	Puller Screw	99-100	1.80	.99
4025	Puller Jaw	100	2.30	1.27
4026	" "	100	2.40	1.32
4029	Puller Box	100	1.50	.83
4030A	Puller Set	100	40.00	22.00
4030B	" "	100	38.00	20.90
4056	Slide Hammer Puller	96-97	17.70	9.74
4056A	" " " Set	97	18.30	10.07
4056B	" " " "	97	23.40	12.87
4056H	Hammer only	97	3.50	1.93
4056J	Reversible Jaw	97-99	1.70	.94
4056N	Adjusting Nut	97-99	2.90	1.60
4056P	Knurled Pin	97-99	.10	.06
4056R	Puller Rod	97	3.10	1.71
4060A	Puller Set	99	11.80	$6.49
4060B	" "	99	8.00	4.40
4060C	" "	99	8.40	4.62
4060D	" "	99	14.10	7.76
4061	Puller Cross Arm	97-99	2.00	1.10
4062	Use 4022		1.90	1.05
4063	Adjusting Nut	99	.60	.33
4064	Use 4056P			
4065	Use 4056J			
4066	Puller Jaw	97-99	1.90	1.05
4070A	Puller Set	99	16.30	8.97
4070B	" "	99	10.60	5.83
4070C	" "	99	11.20	6.16
4070D	" "	99	18.60	10.23
4071	Puller Yoke	97-99	2.80	1.54
4520	Stud Puller	72	4.40	2.42
4521	Wedge for Puller	72	1.10	.61
4522	" " "	72	1.10	.61
4700A	1/4" Socket Set	34	6.19	3.40
4700B	" " "	34	9.79	5.38
4700F	" " "	35	6.05	3.32
4706	1/4" Socket 5/16" Hex	31	.37	.20
4707	" " 3/8" "	31	.37	.20
4708	" " 1/4" "	31	.37	.20
4708S	" " 1/4" Open. 8 Pt.	31	.37	.20
4709	" " 9/32 Hex	31	.37	.20
4710	" " 5/16" "	31	.37	.20
4710S	" " 5/16 8 Pt.	31	.37	.20
4711	" " 11/32 Hex	31	.37	.20
4712	" " 3/8 "	31	.37	.20
4714	" " 7/16 "	31	.37	.20
●4716	" " 1/2 12 Pt.	31	.37	.20
4749	1/4" Ratchet	30-31	3.60	1.98
4749C	Ratchet Part	30-31	.20	.11
4749DL	" "	30-31	.30	.17
4749DR	" "	30-31	.30	.17
4749H	" "	30-31	.04	.02
4749R	" "	30-31	.40	.22
4749S	" "	30-31	.06	.03
4749W	" "	30-31	.60	.33
4760	1/4" Extension 3 1/2"	30-31	.75	.41
4761	1/4" " 6"	30-31	.90	.49
4766	1/4" Hinge Handle	30-31	1.80	.99
4766PH	" Pin Handle	30-31	.16	.09
4767	1/4" Stub Handle	30-31	1.00	.55
4769	Spin Type Handle	30-31	1.19	.65
4770	Universal Joint 1/4"	30-31	2.17	1.19
4780	Speeder	30-31	2.40	1.32
4785	1/4" Sliding Bar	30-31	.91	.50
4795	Metal "	28	.76	.42
	Crowfoot Wrench			
4914	7/16"	37	1.10	.61
4916	1/2"	37	1.20	.66
4918	9/16	37	1.30	.72
4920	5/8"	37	1.30	.72
4924	3/4"	37	1.50	.83
4926	13/16	37	1.60	.88
4928	7/8"	37	1.60	.88
4932	1"	37	1.70	.94
4940	1 1/16"	37	2.40	1.32
4944	1 1/4"	37	2.70	1.49

● Due to Order L-218, cannot be stocked, but generally prompt delivery on special orders can be made.

Numerical Price List—Jan. 1, 1944

Tool No.	Description	Page No.	List Price	Net Prices
	3/8" Drive Extra Deep Socket			
5014	3/16" Opening	38	.80	$ .44
5016	1/2 " "	38	.80	.44
5018	5/16 " "	38	.80	.44
5020	3/8 " "	38	.80	.44
5212	3/8" Socket 7/16"	38	.50	.27
5214	" " 5/16	38	.50	.27
5216	" " 1/2	38	.50	.27
5218	" " 9/16	38	.50	.27
5220	" " 5/8	38	.50	.27
5222	" " 11/16	38	.53	.29
5224	" " 3/4	38	.53	.29
5249	" Ratchet	36	5.73	3.15
5249C	3/8" Ratchet Part	36	.30	.17
5249DL	" " "	36	.40	.22
5249DR	" " "	36	.40	.22
5249H	" " "	36	.04	.02
5249R	" " "	36	.50	.28
5249S	" " "	36	.06	.03
5249W	" " "	36	.90	.50
5253	Adaptor	43	1.10	.61
5254	"	43	1.10	.61
5260	3/8" Extension 3 1/2"	37	1.00	.55
5261	" " 7 1/2"	37	1.15	.63
5262	" " 12"	37	1.51	.83
5263	" Extension 18"	37	1.62	.89
5265	3/8" Hinge Handle	36	2.71	1.49
5266PH	Pin Handle 3/8"	36	.30	.17
5270	3/8" Universal Joint	36	2.17	1.19
5273	3/8 " Socket 3/8	38	2.24	1.23
5274	" " " 7/16	38	2.24	1.23
5275	" " " 1/2	38	2.24	1.23
5276	" " " 9/16	38	2.24	1.23
5277	" " " 5/8	38	2.24	1.23
5278	" " " 11/16	38	2.24	1.23
5279	" " " 3/4	38	2.24	1.23
5280	" Speeder	37	1.80	.99
5285	3/8" Sliding Bar	36	1.26	.69
5295	Metal Box	27	3.00	1.65
5297	Socket Rack	26	1.50	.83
5300PH	3/4" Pin Handle	24	.30	.17
5340	1/2" Extra Deep Socket 24	44	1.26	.69
5341	9/16 " " "	49	1.26	.69
5343	5/8 " " "	49	1.26	.69
5344	11/16 " " "	49	1.26	.69
5345	3/4 " " "	49	1.26	.69
5347	13/16 " " "	49	1.39	.76
5348	7/8 " " "	49	1.44	.79
5349	15/16 " " "	49	1.66	.91
5351	1 " " "	49	1.80	.99
5352	1 1/16 " " "	49	1.99	1.09
5353	1 1/8 " " "	49	2.10	1.15
5402	1/2" Dr. Torque Wrench	42	17.90	9.85
5414	1/2" " Socket 7/16"	44	.62	.34
5416	" " " 1/2	44	.62	.34
5418	" " " 9/16	44	.62	.34
5419	" " " 19/32	44	.62	.34
5420	" " " 5/8	44	.71	.39
5422	" " " 11/16	44	.82	.45
5424	" " " 3/4	44	.82	.45
5425	" " " 25/32	44	.82	.45
5426	" " " 13/16	44	.82	.45
5428	" " " 7/8	44	.90	.51
5430	" " " 15/16	44	.93	$ .51
5432	" " " 1"	44	.97	.53
5434	" " " 1 1/16	44	1.06	.58
5436	" " " 1 1/8	44	1.11	.61
5438	" " " 1 3/16	44-78	1.30	.71
5440	" " " 1 1/4	44	1.39	.76
5444	1/2" Drag Link Screwdriver	43-76	1.10	.61
5446	1/2" Drag Link Screwdriver	43	1.20	.66
5448W	Female Wheel for 5449		1.20	.66
5449	1/2" Ratchet	42	7.08	3.89
5449C	Ratchet Part	42	.40	.22
5449DL	" "	42	.40	.22
5449DR	" "	42	.40	.22
5449H	" "	42	.04	.02
5449R	" "	42	.60	.33
5449S	Spring	42	.06	.03
5449W	" "	42	1.20	.66
5461	1/2" Extension 5"	43	1.37	.75
5463	" " 10"	43	1.79	.98
5464	" " 18"	43	2.70	1.49
5466PH	" Pin Handle	42	.50	.28
5468	" Hinge Handle 18"	42	4.53	2.49
5470	" Universal Joint	43-44	2.20	1.21
5480	" Speeder	43	2.53	1.39
5485	" Sliding Bar	42	1.99	1.09
5495	Metal Box	27	4.50	2.48
5496	"	46	6.00	3.30
5497	Socket Rack	26	1.50	.83
5534	3/4" Socket 12 Pt. 1 1/16"	49	1.70	.94
5536	" " " 1 1/8	49	1.80	.99
5538	" " " 1 3/16	49	1.90	1.05
5540	" " " 1 1/4	49	2.00	1.10
5542	" " " 1 5/16	49	2.10	1.16
5544	" " " 1 3/8	49	2.30	1.27
5546	" " " 1 7/16	49	2.50	1.38
5548	" " " 1 1/2	49	3.50	1.93
5550	" " " 1 9/16	49	3.60	1.98
5552	" " " 1 5/8	49	3.70	2.04
5554	" " " 1 11/16	49	3.90	2.15
5556	" " " 1 3/4	49	4.00	2.20
5558	" " " 1 13/16	49	4.20	2.31
5560	" " " 1 7/8	49	4.50	2.48
5564	" " " 2	49	5.00	2.75
5648C	Ratchet Part	48	1.10	.61
5648BL	" "	48	.90	.50
5648DR	" "	48	.90	.50
5648H	" "	48	.06	.03
5648R	" "	48	1.20	.66
5648S	" "	48	.10	.06
5648W	" "	48	2.20	1.21
5649	3/4" Ratchet	48	17.90	9.85
5652	Drive Plug	48	1.70	.94
5653	Adaptor	43-49	1.70	.94
5661	3/4" Extension 8"	48	3.30	1.82
5663	3/4" " 16"	48	4.10	2.26
5668	3/4" Hinge Handle	48	9.90	5.45
5668PH	3/4" Pin Handle	48	.80	.44
5670	3/4" Drive Universal Joint	48	8.50	4.68
5685	3/4" Sliding Bar	48	4.70	2.59
5695	Metal Box	27	7.70	4.24
*5760	1" Socket 12 Pt. 1 7/8"	53	5.90	3.25
*5764	" " " 2	53	6.20	3.41

*Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made

Numerical Price List—Jan. 1, 1944

Tool No.	Description	Page No.	List Price	Net Prices
	1" Square Drive			
*5770	1" Socket, 12 pt. 2 1/16	53	8.00	$4.40
*5772	" " " 2 1/4"	53	8.50	4.68
*5776	" " " 2 3/8	53	10.50	5.78
*5780	" " " 2 1/2	53	13.20	7.26
*5784	" " " 2 5/8	53	15.50	8.53
*5788	" " " 2 3/4	53	17.50	9.63
*5794	" " " 2 15/16	53	24.00	13.20
*5800	" " " 3 1/8	53	29.00	15.95
*5848	" Female Ratchet	52	36.90	20.30
*5848C	Ratchet Part	52	2.50	1.38
*5848DL	" "	52	1.50	.83
*5848DR	" "	52	1.50	.83
*5848H	" "	52	.10	.06
*5848R	" "	52	2.50	1.38
*5848S	" "	52	.20	.11
*5848W	" "	52	5.50	3.03
*5849	Ratchet Complete	52	40.40	22.22
*5852	Ratchet Adaptor Plug	52	3.50	1.93
*5853	Adaptor	49-53	2.80	1.54
*5854	"	49-53	2.80	1.54
5861	1" Extension 9"	53	5.50	3.03
5863	1" " 18"	49-53	7.00	3.85
*5884	1" Bar	52-53	2.50	1.38
*5885	1" Drive Plug for 5884	52-53	3.50	1.93
5894	Metal Box	27	15.00	8.25
6528	Carburetor Jet Wrench	77	1.40	.77
6539	Ford Valve Lifter	77	4.30	2.37
	Short Offset Box Wrench			
†8160	3/8x7/16	61	1.10	.61
†8161	1/2x9/16	61	1.10	.61
†8162	5/8x11/16	61	1.20	.66
†8163	3/4x13/16	61	1.30	.72
	Long Type Offset Box Wrench			
†8180	3/8x7/16	61	1.10	.61
†8181	1/2x9/16	61	1.10	.61
†8182	5/8x11/16	61	1.20	.66
†8183	3/4x25/32	61	1.30	.72
†8184	13/16x7/8	61	1.50	.83
†8185	15/16x1	61	1.70	.94
†9500A	Screw Extractor Set	75	8.10	4.46
†9521	Screw Extractor	75	1.10	.61
†9522	" "	75	1.30	.72
†9523	" "	75	1.70	.94
†9524	" "	75	1.90	1.05
†9525	" "	75	2.10	1.16
	Plastic Handle Screwdriver Round Blade			
†9604	5"	86	1.60	.88
†9606	10 1/2	86	2.00	1.10
†9608	13	86	2.50	1.38
†9622	5 1/4	86	.80	.44
†9624	7 1/4	86	.90	.50
†9632	7 1/2	86	1.10	.61
†9633	11	86	1.20	.66
†9638	17	86	1.50	.83
†9642	13	86	1.90	1.05
†9643	14 1/2	86	2.30	1.27
†9651	2 7/8	86-87	.90	.50
†9652	3 7/8	86-87	1.10	.61
†9671	**Stubby Type Pyroxlyn Screwdriver for Phillips Screws No. 2 Pt.**	88	1.30	$ .72
†9682	Phillips Screwdriver 1-A	88	1.70	.94
†9684	" " 2-A	88	1.90	1.05
†9686	" " 3-A	88	2.20	1.21
†9688	" " 4-A	88	2.70	1.49
	Wood Handle Screwdriver			
†9701	4 1/4"	87	.80	.44
†9702	6 5/8	87	1.00	.55
†9704	9	87	1.30	.72
†9706	12 1/8	87	1.80	.99
†9708	14 3/8	87	2.20	1.21
†9710	16 3/4	87	2.40	1.32
†9712	18 3/4	87	2.80	1.54
†9714	22 3/4	87	3.70	2.04
†9722	5 1/4	87	.70	.39
†9724	7 1/4	87	.80	.44
†9732	8 7/16	87	1.00	.55
†9733	12 3/8	87	1.20	.66
†9741	13 1/8	87	1.20	.66
†9742	14 1/2	87	1.60	.88
†9743	16 1/8	87	2.00	1.10
†9752	**Stubby Type**	87	1.70	.94
†9782	Phillips Screwdriver 1-A	88	1.10	.61
†9784	" " 2-A	88	1.20	.66
†9786	" " 3-A	88	1.50	.83
†9788	" " 4-A	88	2.00	1.10
	Plastic Handle Screwdriver Square Blade			
†9804	4"	87	1.10	.61
†9806	6"	87	1.50	.83
†9808	8"	87	2.30	1.27
†9822	2 1/2"	87	.70	.39
†9832	4"	87	1.00	.55
†9833	7 1/2"	87	1.10	.61
†9842	9"	87	1.30	.72
9843	10"	87	1.70	.94
9920	Tote Tray	26	3.50	1.93
9969-1	Toolmobile	6	94.60	52.03
9969-4	" less piston rack	6	88.60	48.73
9969-7	Piston Rack for Toolmobile	6	6.00	3.30
9969-8	Divider Strips for Toolmobile per inch	6	.03	.02
9969-9	Holders for dividers	6	.09	.05
9980	Tool Chest	26	9.90	5.45
9989	" "	26	17.30	9.52
9990	" "	25	31.90	17.55
9998	" "	12-25	87.50	48.12
	Impact Socket			
07512	3/4" Drive 3/4" Open	54	4.00	2.20
07513	" " 13/16 "	54	4.00	2.20
07514	" " 7/8 "	54	4.20	2.31
07515	" " 15/16 "	54	4.40	2.42
07516	" " 1" "	54	4.60	2.53
07517	" " 1 1/16 "	54	4.60	2.53
07518	" " 1 1/8 "	54	4.80	2.64
07520	" " 1 1/4" "	54	5.00	2.75
07521	" " 1 5/16 "	54	5.40	2.97

*Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made.
†Represents items formerly listed in our No. 31-P36 catalog.

Numerical Price List—Jan. 1, 1944

Tool No.	Description	Page No.	List Price	Net Prices
	Impact Socket—Continued			
07523	¾" Drive 1 7/16 Open	54	5.60	$3.08
10018	" " 1 "	54	5.00	2.75
10018S	" " 1⅛ "	54	5.20	2.86
10020	" " 1¼ "	54	5.20	2.86
10020S	" " 1¼ "	54	5.60	3.08
10021	" " 1 5/16 "	54	5.60	3.08
10021S	" " 1 5/16 "	54	5.80	3.19
10023	1" Drive 1 7/16 Open	54	5.80	3.19
10023S	" " 1 7/16 "	54	6.20	3.41
10024	" " 1½ "	54	6.60	3.63
10026	" " 1⅝ "	54	7.40	4.07
10027	" " 1 11/16 "	54	7.60	4.18
10029	" " 1 13/16 "	54	7.80	4.29
10030	" " 1⅞ "	54	8.40	4.62
10032	" " 2 "	54	8.80	4.84
10033	" " 2 1/16 "	54	10.60	5.83
10035	" " 2 5/16 "	54	11.50	6.33
EST-6	Ex. Slim Tapered File, 6"	81	.32	.18
FB-8	Flat Bastard File, 8"	81	.56	.31
FB-10	" " " 10"	81	.70	.39
FB-12	" " " 12"	81	1.00	.55
FB-14	" " " 14"	81	1.40	.77
	File Handle			
FH-2	Fits files 6" to 8"	81	.10	.06
FH-3	" " 8" to 10"	81	.10	.06
FH-4	" " 10" to 14"	81	.10	.06
	Half Round Bastard File			
HRB-6	6"	81	.64	.35
HRB-8	8"	81	.78	.43
HRB-10	10"	81	.96	.53
HRB-12	12"	81	1.24	.68
HRB-14	14"	81	1.64	.90
	Mill Bastard File			
MB-6	6"	81	.36	.20
MB-8	8"	81	.46	.25
MB-10	10"	81	.60	.33
MB-12	12"	81	.78	.43
MB-14	14"	81	1.14	.63
	Round Bastard File			
RB-6	6"	81	.36	.20
RB-8	8"	81	.46	.25
RB-10	10"	81	.60	.33
RB-12	12"	81	.78	.43

Tool No.	Description	Page No.	List Price	Net Prices
	Square Bastard File			
SB-6	6"	81	.48	$ .26
SB-8	8"	81	.58	.32
SB-10	10"	81	.78	.43
SB-12	12"	81	1.06	.58
ST-6	Slim Tapered File, 6"	81	.32	.18
TPC-5	Tungsten Point File	81	.20	.11
	Short Type Slugging Wrench			
©USN-221	1 5/16"	58	11.30	6.22
©USN-223	1 7/16 "	58	11.90	6.55
©USN-224	1½ "	58	11.90	6.55
©USN-226	1⅝ "	58	12.50	6.88
©USN-227	1 11/16 "	58	12.50	6.88
©USN-229	1 13/16 "	58	14.00	7.70
©USN-230	1⅞ "	58	14.00	7.70
©USN-232	2 "	58	17.30	9.52
©USN-235	2 3/16 "	58	20.00	11.00
©USN-236	2¼ "	58	22.50	12.38
©USN-238	2⅜ "	58	31.30	17.22
©USN-241	2 9/16 "	58	35.00	19.25
©USN-242	2⅝ "	58	40.00	22.00
©USN-244	2¾ "	58	41.30	22.72
©USN-247	2 15/16 "	58	43.80	24.09
©USN-248	3 "	58	43.80	24.09
©USN-250	3⅛ "	58	47.50	26.13
©USN-254	3⅜ "	58	53.80	29.59
©USN-256	3½ "	58	57.50	31.63
	Long Type Slugging Wrench			
©USN-326	1⅝ "	59	16.50	9.08
©USN-327	1 11/16 "	59	16.50	9.08
©USN-329	1 13/16 "	59	19.00	10.45
©USN-330	1⅞ "	59	19.00	10.45
©USN-332	2 "	59	22.30	12.27
©USN-335	2 3/16 "	59	25.00	13.75
©USN-336	2¼ "	59	27.50	15.13
©USN-338	2⅜ "	59	36.30	19.97
©USN-341	2 9/16 "	59	40.00	22.00
©USN-342	2⅝ "	59	45.00	24.75
©USN-344	2¾ "	59	46.30	25.47
©USN-348	3 "	59	48.80	26.84
©USN-350	2 "	59	52.50	28.88
©USN-354	3⅜ "	59	58.80	32.34
©USN-356	3½ "	59	62.50	34.38

© Due to Order L-216, cannot be stocked, but generally prompt delivery on special orders can be made.